CBP EXPORT Ocean Manifest - 355 - Customs Acceptance/Rejection

August 2024





Table of Changes

Revision Number	Date of Change	Section(s) Affected	Brief Description of Change
1.4	8/29/2024	M1002	Added O – Containerized and VE – Un- Containerized to Type Code
1.3	4/2024	K3	Added M13 for Total Bills/Arrivals Rejected and Accepted
1.2	7/2023	M1011	Added missing M1011 documentation
1.1	1/2023	Notes	Update to show the correct Appendix J
		M1006	Update to show as Dependent

355 Customs Acceptance/Rejection

Functional Group ID=AZ

Introduction:

This X12 Transaction Set contains the format and establishes the data contents of the Customs Acceptance/Rejection Transaction Set (355) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by Customs to report errors and discrepancies discovered in the Customs transaction sets to ocean carriers, terminal operators, port authorities and service centers.

This Implementation Guideline uses the ASC X12 6050 Standards Version/Release as its base. The transaction structure has been altered to accommodate U.S. Customs and Border Protection implementation requirements.

Notes:

The TS355 is returned in response to the following inbound X12 messages: 309, 353, 358,

The M10 and P4 are returned in the response from CBP. Additionally, the following "loop header" segments will conditionally be returned in the response message when one or more errors are determined for any segment within that group: LX, M13, M11, N9, N1, N3, N4, PER, M12, M21, M15, M20, VID, VC, N10, H1 and H2.

When one or more error(s) are determined as a result of processing a given transaction, each segment in-error is returned in the response message and is immediately followed by one or more Error segments (K1) describing the nature of the error. All error messages found in the K1 segments are explained in the CAMIR Appendix J.

The Message Acceptance/Rejection segment (K3) provides summary and is included at the end of a response transaction prior to the SE segment.

SPECIAL MESSAGING CONSTRAINTS:

- Limit one Interchange (ISA-IEA) per message transmission. Limit one message Group (GS-GE) per message transmission.
- Limit one message Group (GS-GE) per message transmission.
- Limit one transaction set (ST-SE) of the same Transaction Set (TS) Identifier Code (i.e., 355). Only one is allowed per message transmission.
- Element delimiters used in this transaction will be '*' (asterisk). No blanks between delimiters if element is null.
- Segment delimiters used in this transaction will be one byte with a value of hex '15'.
- A segment delimiter will be the last byte of data in the message transmission data stream.
- Only uppercase AMERICAN ENGLISH alphabetic data will be transmitted.
- ONLY displayable characters found on a standard American English keyboard will be transmitted. Low-values, carriage return characters, or other non-standard characters shall NOT be transmitted.

- 'Not Used' in the left column indicates that a composite or data element will not be used by CBP.
- 'Dep' in the left column indicates that CBP usage of a particular segment or element is Dependent (Conditional) within the CBP application.
- Per the ASC X12 Standard, an 'M' indicates a Mandatory use, 'O' indicates Optional Use and an 'X' indicates a Conditional use.
- CBP requirements may override ASC X12 Standard Mandatory or Conditional usages.
- Maximum allowable message transmission size is 12 megabytes (12,582,912 bytes) of data.

Heading:

M	Pos. No. 0050	Seg. <u>ID</u> ISA	<u>Name</u> Interchange Control Header	Req. <u>Des</u> . M	Max.Use	Loop <u>Repeat</u>	Notes and Comments
M	0075	GS	Functional Group Header	M	1		
M	0100	ST	Transaction Set Header	M	1		
M	0200	M10	Manifest Identifying Information	M	1		
	0300	K1	Remarks	O	10		
			LOOP ID - VEH			1	
Not Used	0310	VEH	Vehicle Information	О	1		
Not Used	0311	K1	Remarks	О	10		
			LOOP ID - M7			1	
Not Used	0320	M7	Seal Numbers	О	1		
Not Used	0321	K1	Remarks	O	10		
			LOOP ID - CII			1	
Not Used	0330	CII	Conveyance Insurance Information	0	1		
Not Used	0331	K1	Remarks	O	10		
			LOOP ID - NM1		<u>-</u>	999	
Not Used	0340	NM1	Individual or Organizational Name	О	1		
Not Used	0341	K1	Remarks	О	10		
			LOOP ID - DMG			1	
Not Used	0350	DMG	Demographic Information	О	1		
Not Used	0351	K1	Remarks	O	10		
			LOOP ID - REF			1	
Not Used	0360	REF	Reference Information	0	1		
Not Used	0361	K1	Remarks	O	10		
			LOOP ID - N3			1	
Not Used	0370	N3	Party Location	0	1		
Not Used	0371	K1	Remarks	0	10		
			LOOP ID - N4		<u>-</u>	1	
Not Used	0380	N4	Geographic Location	0	1		
Not Used	0381	K1	Remarks	0	10		
			LOOP ID - P4			20	
M	0400	P4	Port Information	M	1		
	0500	K1	Remarks	О	10		
			LOOP ID - LX			9999	
	0600	LX	Transaction Set Line Number	О	1		
			LOOP ID - M13			1	
	0700	M13	Manifest Amendment Details	О	1		
	0800	K1	Remarks	0	10		

			LOOP ID - M11			1	
	0900	M11	Manifest Bill of Lading Details	О	1		
	1000	K1	Remarks	0	10		
						000	-
	1050	NO	LOOP ID - N9		1	999	
	1050	N9	Extended Reference Information	0	1		
	1070	K1	Remarks	0	10		
			LOOP ID - N1			25	
	1100	N1	Party Identification	O	1		
	1200	K1	Remarks	O	10		
			LOOP ID - N3			2	
	1300	N3	Party Location	O	1		
	1400	K1	Remarks	O	10		
			LOOP ID - N4	-		1	
	1410	N4	Geographic Location	O	1		
	1420	K1	Remarks	O	10		
			LOOP ID - PER			1	
	1440	PER	Administrative Communications Contact	0	1		
	1450	K1	Remarks	0	10		
	1430	KI			10		
			LOOP ID - X1		_	1	
Not Used	1470	X1	Export License	О	1		
Not Used	1480	K1	Remarks	О	10		
			LOOP ID - DMG			1	
Not Used	1485	DMG	Demographic Information	O	1		
AT . TT 1	1.400	771	n 1	_	10		
Not Used	1488	K1	Remarks	O	10		
Not Used	1488	KI		0	10	9999	
			LOOP ID - M12	0	10	9999	
Not Used Not Used Not Used	1500 1510	M12 K1				9999	
Not Used	1500	M12	LOOP ID - M12 In-bond Identifying Information Remarks	0	1	9999	
Not Used	1500	M12	LOOP ID - M12 In-bond Identifying Information	0	1		
Not Used Not Used	1500 1510	M12 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4	0 0	1 10		
Not Used Not Used	1500 1510 1550	M12 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks	0 0	1 10	10	
Not Used Not Used Not Used Not Used	1500 1510 1550 1560	M12 K1 R4 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21	0 0 0	1 10 1 10		
Not Used Not Used Not Used Not Used Not Used	1500 1510 1550 1560	M12 K1 R4 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information	0 0 0 0	1 10 1 10	10	
Not Used Not Used Not Used Not Used	1500 1510 1550 1560	M12 K1 R4 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks	0 0 0	1 10 1 10	10	
Not Used Not Used Not Used Not Used Not Used	1500 1510 1550 1560	M12 K1 R4 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14	0 0 0 0	1 10 1 10 1 10	10	
Not Used	1500 1510 1550 1560	M12 K1 R4 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information	0 0 0 0	1 10 1 10 1 10	10	
Not Used Not Used Not Used Not Used Not Used	1500 1510 1550 1560 1570 1580	M12 K1 R4 K1 M21 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14	0 0 0 0	1 10 1 10 1 10	10	
Not Used	1500 1510 1550 1560 1570 1580	M12 K1 R4 K1 M21 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information	0 0 0 0	1 10 1 10 1 10	10	
Not Used	1500 1510 1550 1560 1570 1580	M12 K1 R4 K1 M21 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks	0 0 0 0	1 10 1 10 1 10	10	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620	M12 K1 R4 K1 M21 K1 M14 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15	0 0 0 0	1 10 1 10 1 10	10	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620	M12 K1 R4 K1 M21 K1 M14 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks	0 0 0 0	1 10 1 10 1 10 1 10	10 1 9999 9999	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620 1630 1640	M12 K1 R4 K1 M21 K1 M14 K1	In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks LOOP ID - M20	0 0 0 0 0	1 10 1 10 1 10 1 10	10	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620 1630 1640	M12 K1 R4 K1 M21 K1 M14 K1 M15 K1	LOOP ID - M12 In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks LOOP ID - M20 Permit to Transfer Request Details	0 0 0 0 0	1 10 1 10 1 10 1 10	10 1 9999 9999	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620 1630 1640	M12 K1 R4 K1 M21 K1 M14 K1	In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks LOOP ID - M20 Permit to Transfer Request Details Remarks	0 0 0 0 0	1 10 1 10 1 10 1 10	10 1 9999 9999	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620 1630 1640	M12 K1 R4 K1 M21 K1 M14 K1 M20 K1	In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks LOOP ID - M20 Permit to Transfer Request Details Remarks LOOP ID - VID		1 10 1 10 1 10 1 10 1 10	10 1 9999 9999	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620 1630 1640 1650 1680	M12 K1 R4 K1 M21 K1 M14 K1 M15 K1 M20 K1	In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks LOOP ID - M20 Permit to Transfer Request Details Remarks LOOP ID - VID Conveyance Identification		1 10 1 10 1 10 1 10 1 10	10 1 9999 9999	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620 1630 1640	M12 K1 R4 K1 M21 K1 M14 K1 M20 K1	In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks LOOP ID - M20 Permit to Transfer Request Details Remarks LOOP ID - VID Conveyance Identification Remarks		1 10 1 10 1 10 1 10 1 10	10 1 9999 9999	
Not Used	1500 1510 1550 1560 1570 1580 1610 1620 1630 1640 1650 1680	M12 K1 R4 K1 M21 K1 M14 K1 M15 K1 M20 K1	In-bond Identifying Information Remarks LOOP ID - R4 Port or Terminal Remarks LOOP ID - M21 Supplementary In-Bond Information Remarks LOOP ID - M14 General Order Status Information Remarks LOOP ID - M15 Customs Events Advisory Details Remarks LOOP ID - M20 Permit to Transfer Request Details Remarks LOOP ID - VID Conveyance Identification		1 10 1 10 1 10 1 10 1 10	10 1 9999 9999	

	1721	K1	Remarks	O	10	
			LOOP ID - M7A			1
	1741	M7A	Seal Number Replacement	O	1	
	1751	K1	Remarks	O	1	
			LOOP ID - MBL			9999
	1760	MBL	Bill of Lading	O	1	
	1780	K1	Remarks	O	10	
			LOOP ID - M13			999
	1800	M13	Manifest Amendment Details	О	1	
	1850	K1	Remarks	O	10	
			LOOP ID - X1			1
Not Used	1870	X1	Export License	О	1	
Not Used	1880	K1	Remarks	O	10	
			LOOP ID - VC			36
	2000	VC	Motor Vehicle Control	O	1	
	2050	K1	Remarks	O	10	
			LOOP ID - N10			999
	2100	N10	Quantity and Description	O	1	
	2150	K1	Remarks	O	10	
			LOOP ID - H1			99
	2200	H1	Hazardous Material	O	1	
			LOOP ID - M7A			1
Not Used	2600	M7A	Seal Number Replacement	O	1	
Not Used	2610	K1	Remarks	0	1	
	2300	K1	Remarks	O	10	
			LOOP ID - H2			99
	2400	H2	Additional Hazardous Material Description	O	1	
	2500	K1	Remarks	O	10	

Detail:

	Pos.	Seg.		Req.		Loop	Notes and
	No.	ID	<u>Name</u>	Des. N	Max.Use	Repeat	Comments
M	0100	K3	File Information	M	1		
M	0200	SE	Transaction Set Trailer	M	1		
M	0300	GE	Functional Group Trailer	M	1		
M	0400	IEA	Interchange Control Trailer	M	1		

Segment: ISA Interchange Control Header

Position: 0050

Loop:

Level: Heading
Usage: Mandatory

Max Use:

Purpose: To start and identify an interchange of zero or more functional groups and interchange-

related control segments

Syntax Notes: Semantic Notes:

			Data Elen	nent Summary			
M	Ref. <u>Des.</u> ISA01	Data <u>Element</u> I01	Name Authorization Info	·	M	1	outes ID 2/2
			Always '00'	to type of information in the radiionzation	IIIOIIII	itioi	1
			00	No Authorization Information Present (n Information in I02)	o meani	ngf	ul
M	ISA02	I02	Authorization Info	ormation	M	1	AN 10/10
				or additional identification or authorization			. ,
			•	or the data in the interchange; the type of in Information Qualifier (I01)	ntormati	on	is set
			Always 10 spaces.	in information Qualifier (101)			
M	ISA03	I03	Security Informati	on Qualifier	M	1	ID 2/2
			Code identifying th	e type of information in the Security Inform	nation		
			Always '00'				
			00	No Security Information Present (No M Information in I04)	eaningfi	al	
M	ISA04	I04	Security Informati		M		AN 10/10
			This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)				
			Always 10 spaces.	on Quantier (103)			
M	ISA05	I05	Interchange ID Qu	ıalifier	M	1	ID 2/2
			Code indicating the	e system/method of code structure used to one system/method of code structure used to one system.	designat	e th	e
			Always 'ZZ'				
			ZZ	Mutually Defined			
M	ISA06	I06	Interchange Sende		M		AN 15/15
				published by the sender for other parties to e data to them; the sender always codes this			
			Customs	Production			
			Customstst	Testing			
M	ISA07	105	Interchange ID Qu	_	M	1	ID 2/2
				e system/method of code structure used to o	designat	e th	e
				D element being qualified			
			Always 'ZZ'	M . II D C . I			
M	TCAOO	107	ZZ	Mutually Defined	M	1	A NT 15/15
M	ISA08	107		ver ID published by the receiver of the data; Who as their sending ID, thus other parties send		ing,	
				ing ID to route data to them			
				. Value will contain the Standard Carrier atity of the service center if applicable. Ma			
	<0.50 (00.50.50.50.50.50.50.50.50.50.50.50.50.5						

M	ISA09	108	Interchange Da Date of the inter		M	1 DT 6/6
			Date as YYMM			
			YY	Year		
			MM	Month of Year		
			DD	Day		
M	ISA10	I09	Interchange Ti	•	M	1 TM 4/4
			Time of the inte	erchange		
			Time as HHMN	1 where:		
			HH	Hour		
			MM	Minute		
M	ISA11	I65	element; this fic of a simple data different than the segment termin Always 'U'	licable; the repetition separator is a deeld provides the delimiter used to separate element or a composite data structurate data element separator, component ator	arate repeated on e; this value mu element separate	ecurrences ast be or, and the
			U	U.S. EDI Community of ASC X		
M	ISA12	I11	Code specifying Always '00605'	ontrol Version Number Code g the version number of the interchange		
			00605	Standards Approved for Publica Procedures Review Board throu		
M	ISA13	I12	Interchange Co	ontrol Number	M	1 No 9/9
M	ISA14	I13	Acknowledgme	er assigned by the interchange sender nt Requested Code sender's request for an interchange ac	M knowledgment	1 ID 1/1
			0	No Interchange Acknowledgmer	nt Requested	
M	ISA15	I14	Interchange Us	rage Indicator Code whether data enclosed by this interch	M	1 ID 1/1 s test,
			P	Production Data		
			T	Test Data		
M	ISA16	I15	Type is not appl a data element; data elements w	ement Separator licable; the component element separa this field provides the delimiter used within a composite data structure; this ement separator and the segment term colon)	to separate com value must be d	ponent

GS Functional Group Header **Segment:**

Position:

Loop:

Heading Level: Usage: Mandatory

Max Use: 1

Purpose: Syntax Notes: To indicate the beginning of a functional group and to provide control information

Semantic Notes: GS04 is the group date.

- 2 GS05 is the group time.
- 3 The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

			Data E	lement Summary			
	Ref.	Data					
	Des.	Element	<u>Name</u>			<u>Attril</u>	
M	GS01	479	Functional Ider		M	1	ID 2/2
			•	g a group of application related transaction set	S		
			Always 'SO'				
			SO	Ocean Shipment Information			
M	GS02	142	Application Ser	nder's Code	\mathbf{M}	1	AN 2/15
			Code identifying	g party sending transmission; codes agreed to	by tra	ding	
			partners				
			Customs	Production			
			Customstst	Testing			
M	GS03	124	Application Re		\mathbf{M}		AN 2/15
			Code identifying	g party receiving transmission; codes agreed t	o by t	rading	5
			partners			~ .	
				fier. Value will contain the Standard Carrier A	-		1
			the ISA08.	dentity of the service center if applicable. M	ay be	iaenti	cai to
M	GS04	373	Date		M	1	DT 8/8
111	350.	0.0		as CCYYMMDD where CC represents the fir			
			the calendar year	•			
			Date as CCYYN	MMDD where:			
			CC	Century			
			YY	Year			
			MM	Month of Year			
			DD	Day			
M	GS05	337	Time		\mathbf{M}	1	TM 4/8
				in 24-hour clock time as follows: HHMM, o			
				HHMMSSDD, where $H = \text{hours} (00-23)$, $M = \frac{1}{100} $			
				seconds (00-59) and $DD =$ decimal seconds; G follows: $D =$ tenths (0-9) and $DD =$ hundred			
			Time as HHMM		.uis (U	10-22)	
			HH	Hour			
			MM	Minute			
M	GS06	28	Group Control	Number	\mathbf{M}	1	N0 1/9
			Assigned number	er originated and maintained by the sender			
M	GS07	455	Responsible Ag	ency Code	\mathbf{M}	1	ID 1/2
			Code identifying	g the issuer of the standard; this code is used in	n conj	unctio	on
			with Data Elem	ent 480			
			Always 'X'				
			X	Accredited Standards Committee X12			
M	GS08	480	Version / Relea	se / Industry Identifier Code	M	1	AN 1/12
				•			

Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed Always '006050'

006050

Standards Approved for Publication by ASC X12 Procedures Review Board through October 2012

Segment: ST Transaction Set Header

Position: 0100

Loop:

Level: Heading Usage: Mandatory

Max Use:

Purpose: Syntax Notes:

Semantic Notes:

To indicate the start of a transaction set and to assign a control number

The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

2 The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

M	Ref. Des. ST01	Data <u>Element</u> 143	Name Transaction Set Identifier Code Code identifying a Transaction Set	<u>А</u> М	ttrib 1	outes ID 3/3
			Code identifying a Transaction Set Always '355' Customs Acceptance/Rejection			
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction group assigned by the originator for a transaction		1 n set	AN 4/9
Not Used	ST03	1705	Implementation Convention Reference	O	1	AN 1/35

Segment: M10 Manifest Identifying Information

Position: 0200

Loop:

Level: Heading Usage: Mandatory

Max Use:

Purpose:

To transmit manifest identifying information

Syntax Notes: 1 If either M1004 or M1010 is present, then the other is required.

2 If either M1015 or M1016 is present, then the other is required.

Semantic Notes:

- 1 M1004 is the International Maritime Organization (IMO) Vessel Code maintained in Lloyd's Register of Shipping.
- 2 M1007 is used for the six-digit Numeric Manifest Sequence Number.
- 3 M1011 indicates if the transmission involves an in-bond participant. A "Y" indicates it does; an "N" indicates it does not.
- 4 M1012 is a unique identification number for the manifest assigned by the originator of the manifest with a maximum length of 15.
- 5 M1017 is the type of initial manifest being amended by this transmission.

	Ref.	Data	·			
	<u>Des.</u>	Element	Name Standard Coming Alaba Code		ttribu 1	
	M1001	140	Standard Carrier Alpha Code	О	1	ID 2/4
	M1002	91	Code identifying the Standard Carrier Alpha Code Transportation Method/Type Code	0	1	ID 1/2
	W11002	71		_		11) 1/2
			Code specifying the method or type of transportation for the so	mpmen	L	
			VE Un-Containerized			
	M1002	26		0	1	ID 2/2
	M1003	26	Country Code Code identifying the country	О	1	ID 2/3
	M1004	597	Code identifying the country Vessel Code	X	1	ID 1/8
	W11004	391	Code identifying the vessel	А	1	ID 1/8
	M1005	182	Vessel Name			
	W11005	102	Name of ship as documented in "Lloyd's Register of Ships"			
Dep	M1006	55	Flight/Voyage Number	0	1	AN 2/30
			Identifying designator for the particular flight or voyage on w	on which the cargo		
	M1007	107	travels	0	1	A NT 1/00
	M1007	127	Reference Identification	0		AN 1/80
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	Set of a	is	
Not Used	M1008	380	Quantity	O	1	R 1/15
	M1009	256	Manifest Type Code	O	1	ID 1/1
			Code identifying the type of manifest transmitted			
		I	H Arrival Notification from Carrier to U.S.	S. Custor	ns	
			Used in response to 353 - Customs Eve	nts Advi	sory	
		,	Details transaction set.	C .	_	
			W Original Manifest from Carrier to U.S.			
			Used in response to the 309 - U.S. Cust transaction set.	oms Mai	niiest	
		,	Y Amendment to Manifest from Carrier to	U.S. C	ustom	S
			Used in response to the 309 - U.S. Cust transaction set.			
Not Used	M1010	897	Vessel Code Qualifier	X	1	ID 1/1
	- •		Code specifying vessel code source			-
	M1011	1073	Yes/No Condition or Response Code	0		ID 1/1
	M1012	127	Reference Identification	0	1	AN 1/80

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Not Used	M1013	353	Transaction Set Purpose Code	О	1 ID 2/2
Not Used	M1014	346	Application Type Code	O	1 ID 2/2
Not Used	M1015	580	Amendment Type Code	X	1 ID 1/1
Not Used	M1016	393	Amendment Code	X	1 ID 2/2
Not Used	M1017	256	Manifest Type Code	0	1 ID 1/1

K1 Remarks **Segment:**

0300 **Position:**

Loop:

Level: Heading Usage: Optional Max Use: 10

Purpose:

Syntax Notes:

Semantic Notes:

The error message is returned in the K102. **Notes:**

Data Element Summary

To transmit information in a free-form format for comment or special instruction

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> t	<u>ttributes</u>
\mathbf{M}	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: P4 Port Information

Position: 0400

Loop: P4 Mandatory

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To transmit identifying information for a port

Syntax Notes:

Semantic Notes: 1 P401 is used for customs district and port code (census schedule D).

- 2 P402 is the estimated date of arrival.
- **3** P403 is used for number of bills of lading.
- 4 P404 is the Facilities Information and Resources Management System (FIRMS) Code.
- 5 P405 is the estimated time of arrival for P402.
- 6 P406 is the date conveyance departed prior port.
- 7 P407 is the time conveyance departed prior port.

	Ref.	Data				
	Des.	Element	<u>Name</u>	Att	<u>trib</u>	<u>utes</u>
M	P401	310	Location Identifier	M	1	AN 1/30
			Code which identifies a specific location			
M	P402	373	Date	M	1	DT 8/8
			Date expressed as CCYYMMDD where CC represents the first	t two di	gits	of
			the calendar year			
Not Used	P403	380	Quantity	O	1	R 1/15
Required	P404	310	Location Identifier	O	1	AN 1/30
			Code which identifies a specific location			
	P405	337	Time	0	1	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or	HHMM	ISS	, or
			HHMMSSD, or HHMMSSDD, where $H = hours (00-23)$, $M = hours (00-23)$	= minute	es (f	00-
			59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds	ecimal s	eco	nds
			are expressed as follows: $D = tenths (0-9)$ and $DD = hundredt$	hs (00-9) 9)	
Not Used	P406	373	Date	O	1	DT 8/8
Not Used	P407	337	Time	O	1	TM 4/8

Position: 0500

Loop: P4 Mandatory

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error messages is returned in the K102

	Ref.	_ Data			
	Des.	<u>Element</u>	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	K101	61	Free-form Information	\mathbf{M}	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: LX Transaction Set Line Number

Position: 0600

Loop: LX Optional

Level: Heading Usage: Optional Max Use: 1

Purpose:

To reference a line number in a transaction set

Syntax Notes: Semantic Notes:

Data Element Summary

Ref. Data
Des. Element Name

LX01 554 Assigned Number
Number assigned for differentiation within a transaction set

Segment: M13 Manifest Amendment Details

Position: 0700

Loop: M13 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To correct a manifest record prior to conveyance arrival or to amend a manifest record

after conveyance arrival

Syntax Notes: 1 If either M1308 or M1310 is present, then the other is required.

2 If either M1311 or M1312 is present, then the other is required.

Semantic Notes: 1 M1301 is the bill of lading issuer code.

2 M1302 is used for discharge port (four-digit numeric census schedule D).

3 M1305 is new manifest quantity and is used if M1303 equals "R".

4 M1308 is used to report individual portions of a consolidated shipment.

5 M1309 is the conveyance operator's Standard Carrier Alpha Code (SCAC).

6 M1310 is the issuer code for the consolidated shipment.

Notes: Segment is returned if data found in error on original export message.

	Ref.	Data	·		
	Des.	Element	<u>Name</u>	Att	<u>ributes</u>
M	M1301	140	Standard Carrier Alpha Code	M	1 ID 2/4
			Code identifying the Standard Carrier Alpha Code		
M	M1302	310	Location Identifier	\mathbf{M}	1 AN 1/30
			Code which identifies a specific location		
	M1303	580	Amendment Type Code	O	1 ID 1/1
			Code identifying type of manifest amendment		
M	M1304	598	Bill of Lading/Waybill Number	\mathbf{M}	1 AN 1/50
			Identification number assigned to the shipment by the carrier of	or consol	idator
	M1305	380	Quantity	O	1 R 1/15
			Numeric value of quantity		
	M1306	393	Amendment Code	O	1 ID 2/2
			Code specifying the reasons for the amendment of the manifes	t record	
	M1307	306	Action Code	O	1 ID ½
			Code indicating type of action		
	M1308	598	Bill of Lading/Waybill Number	X	1 AN 1/50
			Identification number assigned to the shipment by carrier or	_	
			consolidator	O	1 ID 2/4
	M1309	140	Standard Carrier Alpha Code		
			Code identifying the Standard Carrier Alpha Code		
Not Used	M1310	140	Standard Carrier Alpha Code	X	1 ID 2/4
Not Used	M1311	66	Identification Code Qualifier	X	1 ID 1/2
Not Used	M1312	67	Identification Code	X	1 AN 2/80

Position: 0800

Loop: M13 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref. <u>Des.</u>	Data Element	Name	At	ttributes
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: M11 Manifest Bill of Lading Details

Position: 0900

Loop: M11 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To transmit bill of lading detail information for a manifest

Syntax Notes: 1 If either M1103 or M1104 is present, then the other is required.

- If either M1105 or M1106 is present, then the other is required.
- 3 If either M1107 or M1108 is present, then the other is required.
- 4 If either M1111 or M1113 is present, then the other is required.
- 5 If M1115 is present, then M1114 is required.
- **6** If M1118 is present, then M1115 is required.
- 7 If M1119 is present, then M1118 is required.

Semantic Notes:

- 1 M1101 is the unique bill of lading number.
- 2 M1102 is used for foreign port where the cargo is loaded.
- 3 M1103 is used for total number of pieces on a bill of lading using the smallest package unit (maximum eight-digits).
- 4 M1104 is the smallest package unit code.
- 5 M1111 is the house bill number for consolidation.
- **6** M1112 is the unique bill of lading issuer code.
- 7 M1113 is the issuer code of the consolidated shipment.
- **8** M1114 is the code of the secondary party nominated to receive bill of lading status notifications.
- 9 M1115 is the code of the second secondary party nominated to receive bill of lading status notifications.
- 10 M1118 is the Standard Carrier Alpha Code (SCAC) of an additional second notify carrier.
- 11 M1119 is the Standard Carrier Alpha Code (SCAC) of an additional second notify carrier.
- 12 M1120 is the last place/port prior to loading.
- 13 M1121 is the first foreign port where the carrier takes possession of the cargo.
- 14 M1122 identifies mode of transportation from the last place/port prior to loading.
- 15 M1123 is the method of payment for transportation.
- **16** M1124 is the Maritime Administration Cargo Preference Program Code (see code source 926).
- 17 M1125 identifies the reporting identifier used for Port of Lading in M1102.
- **18** M1127 is the date the Goods returning to the U.S., Canada or Mexico departed the U.S., Canada, or Mexico.
- M1128 is the indicator as to whether the Goods returning to the U.S., Canada or Mexico never left the control of the foreign country's Customs or the border crossing carrier while out of the country. A "Y" indicates the Goods never left the control of Customs or the border crossing carrier while out of the country. An "N" indicates the Goods did leave the control of foreign country's Customs or the border crossing carrier while out of the country.

Notes: Segment is returned if data found in error on inbound message.

Doto

<u>Attrib</u>	<u>utes</u>
I 1	AN 1/50
onsolidat	or
I 1	AN 1/30
X 1	R 1/15
X 1	ID 1/3
X 1	R 1/10
. C	onsolidat I 1 I 1

			Numeric value of weight		
Must Use	M1106	188	Weight Unit Code	X	1 ID 1/1
			Code specifying the weight unit		
	M1107	183	Volume	X	1 R 1/8
	M1108	184	Volume Unit Qualifier	X	1 ID 1/1
	M1109	582	Bill of Lading Type Code	0	1 ID 2/2
			Code identifying the type of bill of lading		
	M1110	600	Place of Receipt by Pre-carrier	0	1 AN 1/17
			The city or country in which the pre-carrier took possessi	on of the car	·go
Not Used	M1111	598	Bill of Lading/Waybill Number	X	1 AN 1/50
M	M1112	140	Standard Carrier Alpha Code	M	1 ID 2/4
			Code identifying the Standard Carrier Alpha Code		
Not Used	M1113	140	Standard Carrier Alpha Code	X	1 ID 2/4
	M1114	140	Standard Carrier Alpha Code	X	1 ID 2/4
			Code identifying the Standard Carrier Alpha Code		
	M1115	140	Standard Carrier Alpha Code	X	1 ID 2/4
			Code identifying the Standard Carrier Alpha Code		
Not Used	M1116	1302	Shipper's Export Declaration Requirements	0	1 AN 1/2
Not Used	M1117	1578	Export Exception Code	0	1 ID 2/2
Not Used	M1118	140	Standard Carrier Alpha Code	X	1 ID 2/4
Not Used	M1119	140	Standard Carrier Alpha Code	0	1 ID 2/4
	M1120	310	Location Identifier	0	1 AN 1/30
	M1121	310	Location Identifier	0	1 AN 1/30
	M1122	91	Transportation Method/Type Code	0	1 ID 1/2
	M1123	591	Payment Method Code	0	1 ID 3/3
Not Used	M1124	1271	Industry Code	0	1 AN 1/30
Not Used	M1125	309	Location Qualifier	M	1 ID 1/2
Not Used	M1126	284	Service Level Code	0	1 ID 2/2
Not Used	M1127	373	Date	0	1 DT 8/8
Not Used	M1128	1073	Yes/No Condition or Response Code	0	1 ID 1/1

Position: 1000

Loop: M11 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref. <u>Des.</u>	Data Element	Name	At	ttributes
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: N9 Extended Reference Information

Position: 1050

Loop: N9 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Syntax Notes: 1 At least one of N902 or N903 is required.

2 If N906 is present, then N905 is required.

3 If either C04003 or C04004 is present, then the other is required.
4 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 N906 reflects the time zone which the time reflects.

2 N907 contains data relating to the value cited in N902.

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data				
	Des.	Element	<u>Name</u>	<u>A</u>	ttrib	outes
M	N901	128	Reference Identification Qualifier	\mathbf{M}	1	ID 2/3
			Code identifying the Reference Identification			
	N902	127	Reference Identification	X	1	AN 1/80
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	Set or a	as	
Not Used	N903	369	Free-form Description	X	1	AN 1/45
Not Used	N904	373	Date	O	1	DT 8/8
Not Used	N905	337	Time	X	1	TM 4/8
Not Used	N906	623	Time Code	O	1	ID 2/2
Not Used	N907	C040	Reference Identifier	O	1	
Not Used	C04001	128	Reference Identification Qualifier	\mathbf{M}	1	ID 2/3
Not Used	C04002	127	Reference Identification	\mathbf{M}	1	AN 1/80
Not Used	C04003	128	Reference Identification Qualifier	X	1	ID 2/3
Not Used	C04004	127	Reference Identification	X	1	AN 1/80
Not Used	C04005	128	Reference Identification Qualifier	\mathbf{X}	1	ID 2/3
Not Used	C04006	127	Reference Identification	\mathbf{X}	1	AN 1/80

Position: 1070

Loop: N9 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: N1 Party Identification

Position: 1100

Loop: N1 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

If either N103 or N104 is present, then the other is required.

Semantic Notes:

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data	·			
	Des.	Element	<u>Name</u>	<u>A</u>	<u>ttributes</u>	
M	N101	98	Entity Identifier Code	M	1 ID 2/3	
			Code identifying an organizational entity, a physical locatio individual	n, propert	ty or an	
	N102	93	Name	X	1 AN 1/60	
			Free-form name			
	N103	66	Identification Code Qualifier	X	1 ID 1/2	
			Code specifying the system/method of code structure used f Code (67)	cture used for Identification		
	N104	67	Identification Code	X	1 AN 2/80	
			Code identifying a party or other code			
Not Used	N105	706	Entity Relationship Code	O	1 ID 2/2	
Not Used	N106	98	Entity Identifier Code	O	1 ID 2/3	

Position: 1200

Loop: N1 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	_ Data			
	Des.	<u>Element</u>	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	K101	61	Free-form Information	\mathbf{M}	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: N3 Party Location

Position: 1300

Loop: N3 Optional

Level: Heading Usage: Optional

Max Use:

Purpose: To specify the location of the named party

Purpose: Syntax Notes: Semantic Notes:

Notes: Segment is returned if data found in error on inbound message.

	Ref. <u>Des.</u>	Data Element	Name	A1	tributes
M	N301	166	Address Information	M	1 AN 1/55
			Address information		
	N302	166	Address Information	0	1 AN 1/55
			Address information		

Position: 1400

Loop: N3 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: N4 Geographic Location

Position: 1410

Loop: N4 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To specify the geographic place of the named partySyntax Notes: 1 Only one of N402 or N407 may be present.

Only one of N403 or N408 may be present.
If N406 is present, then N405 is required.
If N407 is present, then N404 is required.

Semantic Notes:

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data				
	Des.	Element	Name	Att	rib	utes
	N401	19	City Name	0	1	AN 2/30
			Free-form text for city name			
	N402	156	State or Province Code	X	1	ID 2/2
			Code specifying the Standard State/Province as defined by appropriate agency	ropriate		
	N403	116	Postal Code	X	1	ID 3/15
			Code specifying international postal zone code excluding punctular blanks (zip code for United States)			
	N404	26	Country Code	X	1	ID 2/3
			Code identifying the country			
Not Used	N405	309	Location Qualifier	\mathbf{X}	1	ID 1/2
Not Used	N406	310	Location Identifier	O	1	AN 1/30
Not Used	N407	1715	Country Subdivision Code	X	1	ID 1/3
Not Used	N408	1702	Postal Code-Formatted	X	1	AN 3/20

Position: 1420

Loop: N4 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	_ Data			
	Des.	<u>Element</u>	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	K101	61	Free-form Information	\mathbf{M}	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: **PER** Administrative Communications Contact

Position: 1440

Loop: PER Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To identify a person or office to whom administrative communications should be directed

 $\textbf{Syntax Notes:} \qquad \textbf{1} \qquad \text{If either PER03 or PER04 is present, then the other is required.}$

If either PER05 or PER06 is present, then the other is required.
If either PER07 or PER08 is present, then the other is required.

Semantic Notes:

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data				
	Des.	Element	<u>Name</u>	Attributes		
M	PER01	366	Contact Function Code	M	1	ID 2/2
			Code identifying the major duty or responsibility of the p erson	or grou	ıp n	amed
	PER02	93	Name	O	1	AN 1/60
			Free-form name			
	PER03	365	Communication Number Qualifier	X	1	ID 2/2
			Code identifying the type of communication number			
	PER04	364	Communication Number	X	1	AN 1/256
			Complete communications number including country or area capplicable	ode who	en	
Not Used	PER05	365	Communication Number Qualifier	X	1	ID 2/2
Not Used	PER06	364	Communication Number	X	1	AN 1/256
Not Used	PER07	365	Communication Number Qualifier	X	1	ID 2/2
Not Used	PER08	364	Communication Number	X	1	AN 1/256
Not Used	PER09	443	Contact Inquiry Reference	O	1	AN 1/20

Position: 1450

Loop: PER Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref. <u>Des.</u>	Data Element	Name	At	ttributes
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: M15 Customs Events Advisory Details

Position: 1630

Loop: M15 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To notify Customs of in-bond cargo movement or of a conveyance arrival or departure,

or of transfer of custodial liability when an in-bond movement involves multiple legs

Syntax Notes: 1 At least one of M1504 or M1510 is required.

- 2 If M1511 is present, then M1510 is required.
- 3 If either M1513 or M1514 is present, then the other is required.
- 4 If M1515 is present, then M1516 is required.
- 5 If either M1518 or M1519 is present, then the other is required.

Semantic Notes:

- 1 M1503 is the start date of the event.
- 2 M1504 is the Schedule D code for place of cargo movement, transfer of liability or conveyance arrival or departure.
- 3 M1505 is the unique bill of lading issuer code, required when M1501 is "2", "6", or "B"
- 4 M1506 is the start time of the event.
- 5 M1508 is the Internal Revenue Service identification number of the next in-bond carrier.
- 6 M1509 is the Standard Carrier Alpha Code (SCAC) of the next in-bond carrier.
- 7 M1510 is the city in which a transfer of custodial liability occurs.
- 8 M1511 is the state or province code for the city named in M1510.
- 9 If M1512 is "Y", then M1504 is an intermediate port. If "N", then M1504 is the port of final destination.
- 10 M1515 is the name of the exporting vessel.
- 11 M1517 is the last foreign port prior to sailing for the United States.
- 12 M1518 is the end date of the event.
- 13 M1519 is the end time of the event.

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data	•		
	Des.	Element	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	M1501	1497	Notification Entity Qualifier	M	1 AN 1/2
			Code indicating type of notifications		
\mathbf{M}	M1502	127	Reference Identification	M	1 AN 1/80
			Reference information as defined for a particular Transaction	Set or a	S
			specified by the Reference Identification Qualifier		
\mathbf{M}	M1503	373	Date	M	1 DT 8/8
			Date expressed as CCYYMMDD where CC represents the fin	st two d	igits of
			the calendar year		
	M1504	310	Location Identifier	X	1 AN 1/30
			Code which identifies a specific location		
Not used	M1505	140	Standard Carrier Alpha Code	O	1 ID 2/4
			Code identifying the Standard Carrier Alpha Code		
M	M1506	337	Time	M	1 TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, o	r HHMl	MSS, or
			HHMMSSD, or HHMMSSDD, where $H = hours (00-23)$, M		,
			59), $S = integer seconds (00-59) and DD = decimal seconds;$		
	3.54.50		are expressed as follows: $D = tenths (0-9)$ and $DD = hundred$	_ `	
Not Used	M1507	225	Seal Number	0	1 AN 2/15
Not Used	M1508	127	Reference Identification	0	1 AN 1/80
Not Used	M1509	140	Standard Carrier Alpha Code	0	1 ID 2/4
Not Used	M1510	19	City Name	X	1 AN 2/30
Not Used	M1511	156	State or Province Code Vac/No. Condition on Province Code	0	1 ID 2/2
Not Used	M1512	1073	Yes/No Condition or Response Code	0	1 ID 1/1
Not Used	M1513	128	Reference Identification Qualifier	X	1 ID 2/3

Not Used	M1514	127	Reference Identification	X	1 AN 1/80
Not Used	M1515	182	Vessel Name	0	1 AN 2/28
Not Used	M1516	91	Transportation Method/Type Code	X	1 ID 1/2
	M1517	310	Location Identifier	O	1 AN 1/30
Not Used	M1518	373	Date	X	1 DT 8/8
Not Used	M1519	337	Time	X	1 TM 4/8

Position: 1640

Loop: M15 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: VID Conveyance Identification

Position: 1700

Loop: VID Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To identify a conveyance and its attributes

Syntax Notes: 1 If VID14 is present, then at least one of VID15 or VID18 is required.

Only one of VID15 or VID18 may be present.
If VID15 is present, then VID16 is required.

4 If VID16 is present, then at least one of VID15 or VID18 is required.

5 If VID18 is present, then VID16 is required.

Semantic Notes: 1 VID12 is the Census Schedule K code for the foreign port of loading on a vessel.

2 VID13 is the Standard Carrier Alpha Code (SCAC) of the Haulage Rights Carrier.

3 VID14 is the license plate of the equipment.

VID15 is the state or province of the license in the VID14.
VID16 is the country of the license in the VID15 or VID18.

6 VID17 is the ACE (Automated Commercial Environment) ID of the equipment identified in the VID03.

7 VID18 is the country subdivision of the license in the VID14.

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data				
	Des.	Element	<u>Name</u>	<u>A</u>	ttribute	es
M	$\overline{\text{VID}01}$	40	Equipment Description Code	M	1 II	$\overline{)}$ 2/2
			Code identifying type of equipment used for shipment			
	VID02	206	Equipment Initial	O	1 A	N 1/4
			Prefix or alphabetic part of an equipment unit's identifying nu	mber		
M	VID03	207	Equipment Number	M	1 A	N 1/15
			Sequencing or serial part of an equipment unit's identifying n numeric form for equipment number is preferred)	umber (pure	
	VID04	225	Seal Number	O	1 A	N 2/15
			Unique number on seal used to close a shipment			
	VID05	225	Seal Number	O	1 A	N 2/15
			Unique number on seal used to close a shipment			
Not Used	VID06	567	Equipment Length	O	1 N	0 4/5
Not Used	VID07	65	Height	O	1 R	1/8
Not Used	VID08	189	Width	O	1 R	1/8
Not Used	VID09	24	Equipment Type Code	O	1 II	D 4/4
	VID10	322	Load/Empty Status Code	O	1 II	D 1/1
			Code specifying the loaded condition of transportation equipr	nent		
Not Used	VID11	56	Type of Service Code	O	1 II	D 2/2
Not Used	VID12	310	Location Identifier	O	1 A	N 1/30
Not Used	VID13	140	Standard Carrier Alpha Code	O	1 II	D 2/4
Not Used	VID14	127	Reference Identification	O	1 A	N 1/80
Not Used	VID15	156	State or Province Code	X	1 II	D 2/2
Not Used	VID16	26	Country Code	X	1 II	D 2/3
Not Used	VID17	127	Reference Identification	O	1 A	N 1/80
Not Used	VID18	1715	Country Subdivision Code	X	1 II	D 1/3
Not Used	VID19	512	Import/Export Code	O	1 II	D 1/1
Not Used	VID20	761	Equipment Number Check Digit	O	1 N	0 1/1

Position: 1701

Loop: VID Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: M7 Seal Numbers

Position: 1720

Loop: M7 Optional

Level: Heading Usage: Optional

Max Use: 1
Purpose: To record seal numbers used and the organization that applied the seals

Syntax Notes: Semantic Notes:

	Ref.	Data	·		
	Des.	Element	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	M701	225	Seal Number	\mathbf{M}	1 AN 2/15
			Unique number on seal used to close a shipment		
	M702	225	Seal Number	0	1 AN 2/15
			Unique number on seal used to close a shipment		
	M703	225	Seal Number	0	1 AN 2/15
			Unique number on seal used to close a shipment		
	M704	225	Seal Number	0	1 AN 2/15
			Unique number on seal used to close a shipment		
Not Used	M705	98	Entity Identifier Code	O	1 ID 2/3

Position: 1721

Loop: M7 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref. <u>Des.</u>	Data Element	Name	At	ttributes
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: M7A Seal Number Replacement

Position: 1741

Loop: M7A Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To provide an audit trail of seal number changes

Syntax Notes: 1 If either M7A04 or M7A05 is present, then the other is required.

Semantic Notes: 1 M7A01 is the original seal number.

M7A02 is the replacement seal number.
M7A03 is the date the new seal was installed.

4 M7A04 and M7A05 indicate the party responsible for the seal replacement.

5 M7A06 is a description of why the seal was replaced.

6 M7A07 is the location of the replaced seal on the equipment.

Data Element Summary

	Ref.	Data	·		
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	M7A01	225	Seal Number	\mathbf{M}	1 AN 2/15
			Unique number on seal used to close a shipment		
\mathbf{M}	M7A02	225	Seal Number	M	1 AN 2/15
			Unique number on seal used to close a shipment		
	M7A03	373	Date	0	1 DT 8/8
			Date expressed as CCYYMMDD where CC represents the first the calendar year	st two d	igits of
	M7A4	98	Entity Identifier Code	\mathbf{X}	1 ID 2/3
			Code identifying an organizational entity, physical property, o	r an ind	ividual
	M7A5	93	Name	X	1 AN 1/60
			Free form name		
	M7A6	352	Description	O	
			A free-form description to clarify the related data elements and their content		
	M7A07	302	Location on Equipment Code	0	

Code indicating a location on a piece of equipment, as observed from the rearend. The rear-end of the equipment is based on the equipment type (i.e. container door, chassis wheels, brakes.)

Position: 1751

Loop: M7A Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: M13 Manifest Amendment Details

Position: 1800

Loop: M13 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To correct a manifest record prior to conveyance arrival or to amend a manifest record

after conveyance arrival

Syntax Notes: 1 If either M1308 or M1310 is present, then the other is required.

2 If either M1311 or M1312 is present, then the other is required.

Semantic Notes: 1 M1301 is the bill of lading issuer code.

2 M1302 is used for discharge port (four-digit numeric census schedule D).

3 M1305 is new manifest quantity and is used if M1303 equals "R".

4 M1308 is used to report individual portions of a consolidated shipment.

5 M1309 is the conveyance operator's Standard Carrier Alpha Code (SCAC).

6 M1310 is the issuer code for the consolidated shipment.

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data			97
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	M1301	140	Standard Carrier Alpha Code	M	1 ID 2/4
			Code identifying the Standard Carrier Alpha Code		
M	M1302	310	Location Identifier	M	1 AN 1/30
			Code which identifies a specific location		
	M1303	580	Amendment Type Code	0	1 ID 1/1
			Code identifying type of manifest amendment		
M	M1304	598	Bill of Lading/Waybill Number	M	1 AN 1/50
			Identification number assigned to the shipment by the car	rier or conso	olidator
Not Used	M1305	380	Quantity	O	1 R 1/15
Not Used	M1306	393	Amendment Code	O	1 ID 2/2
Not Used	M1307	306	Action Code	O	1 ID 1/2
Not Used	M1308	598	Bill of Lading/Waybill Number	X	1 AN 1/50
Must Use	M1309	140	Standard Carrier Alpha Code	O	1 ID 2/4
			Code identifying the Standard Carrier Alpha Code		
Not Used	M1310	140	Standard Carrier Alpha Code	X	1 ID 2/4
Not Used	M1311	66	Identification Code Qualifier	X	1 ID 1/2
Not Used	M1312	67	Identification Code	X	1 AN 2/80

Position: 1850

Loop: M13 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: VC Motor Vehicle Control

Position: 2000

Loop: VC Optional

Level: Heading Usage: Optional

Max Use: 1

Purpose: To define motor vehicle identification and logistics

Syntax Notes:

Semantic Notes: 1 VC05 is the automotive manufacturer route code.

2 VC12 is the direction the headlights of the vehicle point.

WC13 is the final destination ramp location as assigned by the manufacturer.

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data			
	Des.	Element	Name	<u>A</u> 1	<u>ttributes</u>
M	VC01	539	Vehicle Identification Number	M	1 AN 1/30
			Unique identification number stamped on the vehicle by the m	ıanufact	urer
Not Used	VC02	836	Vehicle Deck Position Code	O	1 ID 2/2
Not Used	VC03	837	Vehicle Type Code	O	1 ID 1/1
Not Used	VC04	838	Dealer Code	O	1 AN 2/9
Not Used	VC05	1	Route Code	O	1 AN 1/13
Not Used	VC06	839	Bay Location	O	1 AN 1/6
Not Used	VC07	833	Automotive Manufacturers Code	O	1 ID 2/2
Not Used	VC08	308	Damage Exception Indicator Code	O	1 ID 1/1
Not Used	VC09	835	Supplemental Inspection Code	O	1 ID 1/1
	VC10	583	Factory Car Order Number	O	1 AN 6/10
			This number to be supplied by the shipper for Canadian customer requirements at border points for all finished motor vehicles exported to the United States from Canada		
Not Used	VC11	877	Vessel Stowage Location	O	1 AN 1/12
Not Used	VC12	1543	Equipment Orientation Code	O	1 ID 1/1
Not Used	VC13	310	Location Identifier	0	1 AN 1/30

Position: 2050

Loop: VC Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: N10 Quantity and Description

Position: 2100

Loop: N10 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To indicate line item quantity, description, marks and numbers, commodity code, weight,

and customs value

Syntax Notes: 1 If either N1004 or N1005 is present, then the other is required.

2 If either N1007 or N1008 is present, then the other is required.

3 If N1013 is present, then N1006 is required.

Semantic Notes: 1 If N1013 is not used, the default currency of N1006 is USD (US Dollar).

N1009 is the U.S. Customs and Border Protection (CBP) bar code number for line

release.

3 N1011 is the country of the manufacturer of the goods.

4 N1012 is the country of the final destination of the goods.

5 N1013 is the currency of the value of N1006.

Notes: Segment is returned if data found in error on inbound message.

Data Element Summary

Ref.	Data				
Des.	Element	<u>Name</u>	At	trib	<u>utes</u>
N1001	380	Quantity	O	1	R 1/15
		Numeric value of quantity			
N1002	369	Free-form Description	O	1	AN 1/45
		Free-form descriptive text			
N1003	87	Marks and Numbers	O	1	AN 1/48
		Marks and numbers used to identify a shipment or parts of a sh	ipment		
N1004	23	Commodity Code Qualifier	X	1	ID 1/1
		Code identifying the commodity coding system used for Comm	nodity (Code	e
N1005	22	Commodity Code	X	1	AN 1/30
		Code describing a commodity or group of commodities			
N1006	602	Customs Shipment Value	\mathbf{X}	1	AN 2/8
		Customs value in whole dollars			
N1007	188	Weight Unit Code	X	1	ID 1/1
		Code specifying the weight unit			
N1008	81	Weight	X	1	R 1/10
		Numeric value of weight			
N1009	127	Reference Identification	O	1	AN 1/80
		Reference information as defined for a particular Transaction	Set or as		
		specified by the Reference Identification Qualifier			
N1010	599	Manifest Unit Code	O	1	ID 1/3
		Code specifying the smallest package unit for the bill of lading	5		
N1011	26	Country Code	O	1	ID 2/3
		Code identifying the country			
N1012	26	Country Code	O	1	ID 2/3
N1013	100	Currency Code	O	1	ID 3/3

Not Used Not Used

Position: 2150

Loop: N10 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

 $\mathbf{H1}$ Hazardous Material **Segment:**

2200 **Position:**

Loop: H1 Optional

Level: Heading Usage: Optional Max Use:

To specify information relative to hazardous material **Purpose:**

Syntax Notes: Semantic Notes: 1 If either H107 or H108 is present, then the other is required.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	H101	62	Hazardous Material Code	\mathbf{M}	1 AN 4/10
			Code relating to hazardous material code qualifier for regulate materials	d hazaı	rdous
	H102	209	Hazardous Material Class Code	O	1 AN 1/4
			Code specifying the kind of hazard for the material		
	H103	208	Hazardous Material Code Qualifier	O	1 ID 1/1
			Code which qualifies the Hazardous Material class code		
	H104	64	Hazardous Material Description	O	1 AN 2/30
			Material name, special instructions, and phone number if any		
	H105	63	Hazardous Material Contact	O	1 AN 1/24
			Phone number and name of person or department to contact ir emergency	ı case o	f
	H106	200	Hazardous Materials Page	O	1 AN 1/6
			The United Nations page number as required for the international transport of hazardous materials		
	H107	77	Flashpoint Temperature	\mathbf{X}	1 N 1/3
	H108	355	Unit or Basis for Measurement Code	X	1 ID 2/2
			Code specifying the units in which a value is being expressed, which a measurement has been taken	or mar	nner in
Not Used	H109	254	Packing Group Code	O	1 ID 1/3

Position: 2300

Loop: H1 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: ${
m H2}$ Additional Hazardous Material Description

Position: 2400

Loop: H2 Optional

Level: Heading Usage: Optional Max Use: 1

Purpose: To specify free-form hazardous material descriptive data in addition to the information

provided in the H1 segment

Syntax Notes: Semantic Notes:

Notes: Segment is returned if data found in error on inbound message.

	Ref.	Data			
	Des.	Element	<u>Name</u>		<u>Attributes</u>
M	H201	64	Hazardous Material Description	\mathbf{M}	1 AN 2/30
			Material name, special instructions, and phone number if any		
Not Used	H202	274	Hazardous Material Classification	O	1 AN 1/30

Position: 2500

Loop: H2 Optional

Level: Heading Usage: Optional Max Use: 10

Purpose: To transmit information in a free-form format for comment or special instruction

Syntax Notes: Semantic Notes:

Notes: The error message is returned in the K102.

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>A</u> 1	<u>ttributes</u>
M	K101	61	Free-form Information	M	1 AN 1/30
			Free-form information		
			This element will not be provided by CBP.		
	K102	61	Free-form Information	O	1 AN 1/30
			Free-form information		

Segment: K3 File Information

Position: 0100

Loop:

Level: Detail Usage: Mandatory

Max Use:

Purpose: To transmit a fixed-format record or matrix contents

Syntax Notes:

Semantic Notes:

1 K303 identifies the value of the index.

Notes: Used to summarize and report the cumulative results of a transmission to AMS.

Used to summarize and report the cumulative results of a transmission to AMS.						
Data Element Lei	ngth/Class	S Description				
Carrier Code Date of Transmission	4AN 6N	SCAC representing the importing carrier. A date in YYMMDD (year, month, day) format representing the date that the inbound transmission to CBP was processed. In most cases the date of processing and the date of transmission will be the same.				
Time of Transmission	6N	A time in HHMMSS (hour, minute, second) 24 hour clock format representing the time that the inbound transmission to CBP was processed. Eastern Standard Time should be reported.				
Total Manifests Read	2N	The total number of manifests (M10 records) read on a given transmission.				
Total Ports Read	3N	The total number of ports (P4 records) read on a single transmission.				
Total Bills Read	5N	The total number of bills (MBL, M11, M21 or M20 segments) read on a single transmission.				
Total House Bills Read Total Amendments Read	5N 5N	Zero filled. This field is not used by CBP. The total number of amendments (M13 records) read on a single transmission				
Total M15 Segment						
Input Total Bills/Arrivals	5N	The total number of amendments (M13 records) read on a single transmission.				
Rejected	5N	The total number of Bills of Lading (MBL, M11, M13 (D or R), M15, M20 or M21 segments) that were rejected for a single transmission.				
Total Bills/Arrivals Accepted	5N	The total number of Bills of Lading (MBL, M11, M13 (D or R), M15, M20 or M21 segments) that were accepted into the database.				
Total Records Read	5N	The total number of records read on a single inbound transmission. (Excludes the ISA, GS, GE, IEA segments.)				

	Ref.	Data	•		
	Des.	Element	<u>Name</u>	<u>A</u>	<u>ttributes</u>
M	K301	449	Fixed Format Information	M	1 AN 1/80
			Data in fixed format agreed upon by sender and	receiver	
	K302	1333	Record Format Code	0	1 ID 1/2
			Code specifying the format of information		
Not Used	K303	C001	Composite Unit of Measure	0	1
			To identify a composite unit of measure (See F.	igures Appendix for	examples
			of use)		
Not Used	C00101	355	Unit or Basis for Measurement Code	M	ID 2/2

			Code specifying the units in which a value is being express which a measurement has been taken	ed, or mann	er in
Not Used	C00102	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00103	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00104	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being express	sed, or mann	er in
			which a measurement has been taken		
Not Used	C00105	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00106	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00107	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being express	ed, or mann	er in
Not Used	C00108	1018	which a measurement has been taken	0	R 1/15
Not Useu	C00100	1010	Exponent Description of the control	U	K 1/13
NI - 4 TI I	C00100	<i>(</i> 40	Power to which a unit is raised	0	D 1/10
Not Used	C00109	649	Multiplier	О	R 1/10
Not Used	C00110	355	Value to be used as a multiplier to obtain a new value Unit or Basis for Measurement Code	0	ID 2/2
Not Osca	C00110	333	Code specifying the units in which a value is being express	o .	
			which a measurement has been taken	ca, or mann	CI III
Not Used	C00111	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00112	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00113	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being express which a measurement has been taken	ed, or mann	er in
Not Used	C00114	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		

Segment: \mathbf{SE} Transaction Set Trailer

Position: 0200

Loop:

Level: Detail Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes: Semantic Notes:

	Ref.	Data	N.	.	· • • • • • • • • • • • • • • • • • • •	4
	Des.	Element	Name	<u>A</u> 1	ttrit	<u>utes</u>
M	SE01	96	Number of Included Segments	M	1	N0 1/10
			Total number of segments included in a transaction set include segments	ng ST a	ınd i	SE
M	SE02	329	Transaction Set Control Number	\mathbf{M}	1	AN 4/9
			Identifying control number that must be unique within the transfunctional group assigned by the originator for a transaction s		set	

Segment: \mathbf{GE} Functional Group Trailer

Position: 0300

Loop:

Level: Detail Usage: Mandatory

Max Use:

Purpose:

To indicate the end of a functional group and to provide control information

Syntax Notes:

Semantic Notes:

1 The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

	Ref.	Data				
	Des.	Element	Name	\mathbf{A}^{f}	<u>ttrib</u>	utes
M	GE01	97	Number of Transaction Sets Included	M	1	N0 1/6
			Total number of transaction sets included in the functional gr	oup or		
			interchange (transmission) group terminated by the trailer con	taining	this	data
			element			
M	GE02	28	Group Control Number Assigned number originated and maintained by the sender	M	1	N0 1/9

Segment: IEA Interchange Control Trailer

Position: 0400

Loop:

Level: Detail
Usage: Mandatory

Max Use:

Purpose: To define the end of an interchange of zero or more functional groups and interchange-

related control segments

Syntax Notes: Semantic Notes:

	Ref.	Data	·		
	Des.	Element	<u>Name</u>		Attributes
M	IEA01	I16	Number of Included Functional Groups	\mathbf{M}	1 N0 1/5
			A count of the number of functional groups included in an	interch	ange
M	IEA02	I12	Interchange Control Number	\mathbf{M}	1 N0 9/9
			A control number assigned by the interchange sender		