

UN/EDIFACT Truck Manifest Implementation Guide

Standard Manifest Acceptance/Rejection (CUSRES)

November 2024



U.S. Customs and
Border Protection



CUSRES Customs Response Message

Introduction:

This Customs Response Message (CUSRES) permits the transfer of data from a customs administration:

- to acknowledge the receipt of the message
- to indicate whether the information received is correct or if there are errors (i.e. accepted without errors, accepted with errors, rejected, etc.)
- to inform the sender of the status of the customs declaration (i.e. goods released, goods for examination, documents required, etc.)
- to transmit additional information as agreed between parties (i.e. tax information, quantity information, etc.)
- to respond to batched messages (i.e. CUSDEC, CUSCAR, CUSREP, CUSEXP).

Note: this message is not meant to replace the functionality of the CONTRL message.

Notes:

This is the Customs and Border Protection ACE implementation guideline to be used to report the acceptance or rejection of an UN/EDIFACT CUSCAR, CUSREP, or PAXLST Standard Manifest messages received from the Trade.

NOTES:

1. For acceptance or rejection of the CUSCAR, CUSREP, or PAXLST message set, one CUSRES will be generated for each CUSCAR, CUSREP or PAXLST message set received. If the entire CUSCAR, CUSREP or PAXLST message set is accepted by ACE, then a CUSRES with an acceptance status is generated. If there are errors in the message set, the parts of the message without errors will be held in saved status. Errors will be returned along with an error code, error text, and the copy of the unacceptable data element that was submitted on the original transmission. Minimum data will be provided to reference where the error is located. To correct the errors, please resubmit the corrected error associated with the manifest. In general, trip level error messages will be reported in segment group 4 while shipment level error messages will be reported in segment group 14.
2. The symbol '>>' in the left column indicates that a composite or data element is mandatory. An 'X' indicates that a composite or data element is not to be used. Absence of any symbol or character indicates that a composite or data element may be used. An 'M' indicates a mandatory requirement from the UN/EDIFACT standard.
3. CUSRES transmittals will not be sent with other message types in one interchange envelope.

CUSRES DATA ELEMENTS:

Message structure order:

Seg.	Pos.	Data Element Name
BGM	0020	Trip number
DTM	0030	Estimated date of arrival at first port
DTM	0030	Estimated time of arrival at first port
FTX	0040	Transmission reference number
FTX	0040	Insurance name
FTX	0040	Insurance policy number
FTX	0040	Insurance amount
FTX	0040	Insurance year policy issue
TDT	0050	Conveyance type
TDT	0050	Conveyance ACE ID
TDT	0050	Conveyance ID
TDT	0050	Vehicle identification number (VIN) (conveyance)
TDT	0050	DOT number
TDT	0050	Transponder ID
TDT	0050	Method of transportation
TDT	0050	Carrier ID
TDT	0050	Import/export/in-transit indicator
LOC	0060	First expected port of arrival
RFF	0150	Amendment code (manifest)
RFF	0150	Equipment type
RFF	0150	Equipment ACE ID
RFF	0150	Equipment number
RFF	0150	Seal number (equipment)
RFF	0150	Seal number (conveyance)
RFF	0150	Equipment license plate number

Seg.	Pos.	Data Element Name
RFF	0150	Conveyance License plate number
RFF	0150	IIT entity indicator (conveyance)
RFF	0150	IIT entity indicator (equipment)
LOC	0170	Conveyance Country of registration of license plate
LOC	0170	Conveyance State/province of registration
LOC	0170	Equipment license state/province
LOC	0170	Equipment license country
ERC	0210	(Message code – acceptance/reject - trip)
FTX	0220	(Message code text – acceptance/reject - trip)
DOC	0280	Party CDL number/license number (crew)
DOC	0280	Party travel doc type (crew)
DOC	0280	Party travel document number (crew)
DOC	0280	Entry type indicator
DOC	0280	Entry number
DOC	0280	In-bond 7512 number
PAC	0290	Shipment quantity
PAC	0290	Quantity UOM
RFF	0300	Shipment control number
RFF	0300	Bill control number/ultimate house (lowest level)
RFF	0300	Amendment code (shipment)
RFF	0300	ITT entity indicator (shipment)
RFF	0300	Shipment identifier
RFF	0300	Mexican Pedimento number
PCI	0310	Marks and numbers
FTX	0320	Party gender (crew)
FTX	0320	Party nationality/citizenship (crew)
FTX	0320	Party hazmat endorsement (crew)
LOC	0340	Port/point of lading
LOC	0340	Place of receipt
LOC	0340	Transfer destination FIRMS code
LOC	0340	Foreign port of destination
LOC	0340	In-bond destination (former CCP)
LOC	0340	Country of origin
LOC	0340	Party license state/province (crew)
LOC	0340	Party license country (crew)
LOC	0340	Party travel doc country of issuance (crew)
LOC	0340	Party travel doc state/province of issuance (crew)
DTM	0350	Estimated date of US exit
DTM	0350	Party DOB (crew)
GEI	0360	FDA freight indicator
MEA	0370	Cargo gross weight
MEA	0370	Weight UOM
NAD	0400	Party ID (crew and shipment party)
NAD	0400	Party type (crew and shipment party)
NAD	0400	Party name (crew and shipment party)
NAD	0400	Party address (crew and shipment party)
NAD	0400	Party city (crew and shipment party)
NAD	0400	Party state/province (crew and shipment party)
NAD	0400	Party ZIP (crew and shipment party)
NAD	0400	Party country (shipment party)
NAD	0400	Bonded carrier ID
NAD	0400	Onward carrier
NAD	0400	Transfer carrier
NAD	0400	Secondary notify party
NAD	0400	ABI routing code
COM	0430	Party telephone (shipment party)
COM	0430	Party email (shipment party)

Seg.	Pos.	Data Element Name
MOA	0450	Value
CST	0540	C4 code
CST	0540	Harmonized number
FTX	0550	VIN (commodity)
FTX	0550	Hazmat code - UN
FTX	0550	Hazmat contact name
FTX	0550	Hazmat contact phone number
FTX	0550	Description of cargo
FTX	0550	Boarded quantity
ERC	0650	(Message code – acceptance/reject – shipment)
FTX	0660	(Message code text – acceptance/reject - shipment)

Alphabetical order:

Seg.	Pos.	Data Element Name
ERC	0650	(Message code – acceptance/reject - shipment)
ERC	0210	(Message code – acceptance/reject - trip)
FTX	0660	(Message code text – acceptance/reject - shipment)
FTX	0220	(Message code text – acceptance/reject - trip)
NAD	0400	ABI routing code
RFF	0150	Amendment code (manifest)
RFF	0300	Amendment code (shipment)
RFF	0300	Bill control number/ultimate house (lowest level)
FTX	0550	Boarded quantity
NAD	0400	Bonded carrier ID
CST	0540	C4 code
MEA	0370	Cargo gross weight
TDT	0050	Carrier ID
TDT	0050	Conveyance ACE ID
LOC	0170	Conveyance Country of registration of license plate
TDT	0050	Conveyance ID
RFF	0150	Conveyance License plate number
LOC	0170	Conveyance State/province of registration
TDT	0050	Conveyance type
LOC	0340	Country of origin
FTX	0550	Description of cargo
TDT	0050	DOT number
DOC	0280	Entry number
DOC	0280	Entry type indicator
RFF	0150	Equipment ACE ID
LOC	0170	Equipment license country
RFF	0150	Equipment license plate number
LOC	0170	Equipment license state/province
RFF	0150	Equipment number
RFF	0150	Equipment type
DTM	0030	Estimated date of arrival at first port
DTM	0350	Estimated date of US exit
DTM	0030	Estimated time of arrival at first port
GEI	0360	FDA freight indicator
LOC	0060	First expected port of arrival in US
LOC	0340	Foreign port of destination
CST	0540	Harmonized number
FTX	0550	Hazmat code - UN
FTX	0550	Hazmat contact name
FTX	0550	Hazmat contact phone number
RFF	0150	IIT entity indicator (conveyance)
RFF	0150	IIT entity indicator (equipment)
RFF	0300	IIT entity indicator (shipment)

Seg.	Pos.	Data Element Name
TDT	0050	Import/export/in-transit indicator
DOC	0280	In-bond 7512 number
LOC	0340	In-bond destination (former CCP)
FTX	0040	Insurance amount
FTX	0040	Insurance name
FTX	0040	Insurance policy number
FTX	0040	Insurance year policy issue
PCI	0310	Marks and numbers
TDT	0050	Method of transportation
RFF	0300	Mexican Pedimento number
NAD	0400	Onward carrier
NAD	0400	Party address (crew and shipment party)
DOC	0280	Party CDL number/license number (crew)
NAD	0400	Party city (crew and shipment party)
NAD	0400	Party country (shipment party)
DTM	0350	Party DOB (crew)
COM	0430	Party email (shipment party)
FTX	0320	Party gender (crew)
FTX	0320	Party hazmat endorsement (crew)
NAD	0400	Party ID (crew and shipment party)
LOC	0340	Party license country (crew)
LOC	0340	Party license state/province (crew)
NAD	0400	Party name (crew and shipment party)
FTX	0320	Party nationality/citizenship (crew)
NAD	0400	Party state/province (crew and shipment party)
COM	0430	Party telephone (shipment party)
LOC	0340	Party travel doc country of issuance (crew)
DOC	0280	Party travel document number (crew)
LOC	0340	Party travel doc state/province of issuance (crew)
DOC	0280	Party travel doc type (crew)
NAD	0400	Party type (crew and shipment)
NAD	0400	Party zip (crew and shipment party)
LOC	0340	Place of receipt
LOC	0340	Port/point of lading
PAC	0290	Quantity UOM
RFF	0150	Seal number (conveyance)
RFF	0150	Seal number (equipment)
NAD	0400	Secondary notify party
RFF	0300	Shipment control number
RFF	0300	Shipment identifier
PAC	0290	Shipment quantity
NAD	0400	Transfer carrier
LOC	0340	Transfer destination FIRMS code
FTX	0040	Transmission reference number
TDT	0050	Transponder ID
BGM	0020	Trip number
MOA	0450	Value
TDT	0050	Vehicle identification number (VIN) (conveyance)
FTX	0550	VIN (commodity)
MEA	0370	Weight UOM

PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
9	0010	UNH	Message Header	M	1
10	0020	BGM	Beginning of Message	M	1
11	0030	DTM	Date/Time/Period	C	9
12	0040	FTX	Free Text	C	99
14	0050	TDT	Transport Information	C	9
16	0060	LOC	Place/Location Identification	C	99
Not Used	0070	GEI	Processing Information	C	10
Not Used	0080	EQD	Equipment Details	C	999

Segment Group 1: NAD-SG2

PAGE NO.	POS. NO.	SEGMENT GROUP 1		REQ. DES.	GROUP REPEAT
Not Used	0090	NAD-SG2		C	99
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
Not Used	0100	NAD	Name and Address	M	1

Segment Group 2: CTA-COM

PAGE NO.	POS. NO.	SEGMENT GROUP 2		REQ. DES.	GROUP REPEAT
Not Used	0110	CTA-COM		C	9
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
Not Used	0120	CTA	Contact Information	M	1
Not Used	0130	COM	Communication Contact	C	9

Segment Group 3: RFF-DTM-LOC

PAGE NO.	POS. NO.	SEGMENT GROUP 3		REQ. DES.	GROUP REPEAT
17	0140	RFF-DTM-LOC		C	999
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
18	0150	RFF	Reference	M	1
Not Used	0160	DTM	Date/Time/Period	C	9
20	0170	LOC	Place/Location Identification	C	9

Segment Group 4: ERP-RFF-ERC-FTX

PAGE NO.	POS. NO.	Segment Group 4		REQ. DES.	Group Repeat
18	0180	ERP-RFF-ERC-FTX		C	99
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
22	0190	ERP	Error Point Details	M	1
Not Used	0200	RFF	Reference	C	9
23	0210	ERC	Application Error Information	C	99
31	0220	FTX	Free Text	C	99

Segment Group 5: TAX-MOA-GEI

PAGE NO.	POS. NO.	Segment Group 5		REQ. DES.	Group Repeat
Not Used	0230	TAX-MOA-GEI		C	99
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
Not Used	0240	TAX	Duty/Tax/Fee Details	M	1
Not Used	0250	MOA	Monetary Amount	C	99
Not Used	0260	GEI	Processing Information	C	99

**Segment Group 6:
DOC-PAC-RFF-PCI-FTX-TDT-LOC-DTM-GEI-MEA-EQD-SG7-SG9-SG11-SG12-SG14**

PAGE NO.	POS. NO.	Segment Group 4		REQ. DES.	Group Repeat
30	0270	Segment Group 6: DOC-PAC-RFF-PCI-FTX-TDT-LOC-DTM-GEI-MEA-EQD-SG7-SG9-SG11-SG12-SG14		C	99999
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
34	0280	DOC	Document/Message Details	M	1
36	0290	PAC	Package	C	9
37	0300	RFF	Reference	C	9
39	0310	PCI	Package Identification	C	9
40	0320	FTX	Free Text	C	99
Not Used	0330	TDT	Transport Information	C	9
41	0340	LOC	Place/Location Identification	C	9
43	0350	DTM	Date/Time/Period	C	9
44	0360	GEI	Processing Information	C	99
45	0370	MEA	Measurements	C	99
Not Used	0380	EQD	Equipment Details	C	999

Segment Group 7: NAD-SG8

PAGE NO.	POS. NO.	Segment Group 7		REQ. DES.	Group Repeat
44	0390	NAD-SG8		C	9
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
47	0400	NAD	Name and Address	M	1

Segment Group 8: CTA-COM

PAGE NO.	POS. NO.	Segment Group 8		REQ. DES.	Group Repeat
50	0410	CTA-COM		C	9
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
51	0420	CTA	Contact Information	M	1
52	0430	COM	Communication Contact	C	9

Segment Group 9: MOA-SG10

PAGE NO.	POS. NO.	Segment Group 9		REQ. DES.	Group Repeat
53	0440	MOA-SG10		C	99
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
54	0450	MOA	Monetary Amount	M	1

Segment Group 10: CUX-DTM

PAGE NO.	POS. NO.	SEG. ID	Segment Group 10	REQ. DES.	Group Repeat
Not Used	0460	CUX	CUX-DTM	C	9
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
Not Used	0470	CUX	Currencies	M	1
Not Used	0480	DTM	Date/Time/Period	C	1

Segment Group 11: TAX-MOA-GEI

PAGE NO.	POS. NO.	Segment Group 11		REQ. DES.	Group Repeat
Not Used	0490	TAX-MOA-GEI		C	99
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
Not Used	0500	TAX	Duty/Tax/Fee Details	M	1
Not Used	0510	MOA	Monetary Amount	C	99
Not Used	0520	GEI	Processing Information	C	99

Segment Group 12: CST-FTX-SG13

PAGE NO.	POS. NO.	Segment Group 12		REQ. DES.	Group Repeat
55	0530	CST-FTX-SG13		C	9999
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
56	0540	CST	Customs Status of Goods	M	1
57	0550	FTX	Free Text	C	9

Segment Group 13: TAX-MOA-GEI-MEA-RFF

PAGE NO.	POS. NO.	Segment Group 13		REQ. DES.	Group Repeat
Not Used	0560	TAX-MOA-GEI-MEA-RFF		C	999999
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
Not Used	0570	TAX	Duty/Tax/Fee Details	M	1
Not Used	0580	MOA	Monetary Amount	C	99
Not Used	0590	GEI	Processing Information	C	99
Not Used	0600	MEA	Measurements	C	9
Not Used	0610	RFF	Reference	C	9

Segment Group 14: ERP-RFF-ERC-FTX

PAGE NO.	POS. NO.	Segment Group 14		REQ. DES.	Group Repeat
59	0620	ERP-RFF-ERC-FTX		C	9999
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
60	0630	ERP	Error Point Details	M	1
Not Used	0640	RFF	Reference	C	9
61	0650	ERC	Application Error Information	C	99
71	0660	FTX	Free Text	C	99
Not Used	0670	CNT	Control Total	C	9

Segment Group 15: AUT-DTM

PAGE NO.	POS. NO.	Segment Group 15		REQ. DES.	Group Repeat
Not Used	0680	AUT-DTM		C	9
PAGE NO.	POS. NO.	SEG. ID	NAME	REQ. DES.	MAX USE
Not Used	0690	AUT	Authentication Result	M	1
Not Used	0700	DTM	Date/Time/Period	C	9
72	0710	UNT	Message Trailer	M	1

Table of Changes

Revision #	Date of Change	Section(s) Affected	Brief Description of Change
6	November 2024	ERC (210)	Added new error code 547: INVALID CREW DOB
5	September 2024	ERC (210)	Added note to error code 050 to indicate it will also be generated if the submitted estimated date of arrival is greater than 270 days in the future.
4	March 27, 2024	ERC (210)	Added Error Code 544: INV FOREIGN PORT QUALIFIER
3	March 15, 2024	ERC (650) LOC 0340 and NAD 0400	Added FIRMS error codes 159 and 164. Removed "Future Use" language.
2	March 2024	ERC (650)	Added in-bond validation error 545. Added Section 321 max value validation 546.
1	December 2021	ERC (650)	Added in-bond validation error 255.
		ERC (210), ERC (650)	Align errors with X.12 Manifest Response message 355.

Segment: UNH Message Header

Position: 0010

Group:

Level: 0

Usage: Mandatory

Max Use: 1

Purpose: A service segment starting and uniquely identifying a message. The message type code for the Customs cargo report message is CUSRES.

Note: Customs cargo report messages conforming to this document must contain the following data in segment UNH, composite S009:

Data element 0065 CUSRES 0052 D 0054 03B 0051 UN

Comments:

Notes:

UNH Segment is mandatory.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	0062		MESSAGE REFERENCE NUMBER Submit a unique sender reference number.	M 1 an..14
M	S009		MESSAGE IDENTIFIER	M 1
M		0065	Message type identifier CUSRES: Customs cargo report message	M an..6
M		0052	Message type version number Code D: Draft version/UN/EDIFACT Directory	M an..3
M		0054	Message type release number Code 03B: Release 2003 - B	M an..3
M		0051	Controlling agency Code UN: UN/CEFACT	M an..2
X		0057	Association assigned code	C an..6
X	0068		COMMON ACCESS REFERENCE	C 1 an..35
X	S010		STATUS OF THE TRANSFER	C 1
X		0070	Sequence message transfer number	M n..2
X		0073	First/last sequence message transfer indication	C a1

Segment: **BGM** Beginning of Message
Position: 0020
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A segment to indicate the type and the reference number of the message to which the CUSRES is a response.

Comments:

Notes:

BGM Segment is mandatory.

USAGE:

1. To indicate that this CUSRES is an acceptance/reject message in response to a CUSCAR, CUSREP, or PAXLST,
2. To provide the Trip Number that this acceptance/reject message pertains to and
3. To report errors in the type of manifest submitted

STANDARD MANIFEST DATA ELEMENTS:

Trip number: A unique number assigned by the carrier issuing the Manifest to each movement of a conveyance. (C106/1004)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
>>	C002		DOCUMENT/MESSAGE NAME	C 1
>>		1001	Document name code Code 132: Customs clearance notice	C an..3
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
		1000	Document name Reports the type of manifest that was submitted on the original transmission.	C an..35
>>	C106		DOCUMENT/MESSAGE IDENTIFICATION	C 1
>>		1004	Document identifier Reports the trip number that was submitted on the original transmission.	C an..35
X		1056	Version identifier	C an..9
X		1060	Revision identifier	C an..6
X	1225		MESSAGE FUNCTION CODE	C 1 an..3
X	4343		RESPONSE TYPE CODE	C 1 an..3

Segment: **DTM** Date/Time/Period
Position: 0030
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying the relevant dates and times in the message. For example, payment date.

Comments:
Notes:

DTM Segment is conditional.

USAGE:

- To report errors in the estimated date and time of arrival of the conveyance at the first port in the United States.
- To report the actual date and time the manifest was accepted.

STANDARD MANIFEST DATA ELEMENTS:

Estimated date of arrival at first port in the US: Estimated Date conveyance will arrive at the first port in USA. (C507/2380)

Estimated time of arrival at first port in the US: Estimated time conveyance will arrive at the first port in USA. (C507/2380)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes		
M	C507		DATE/TIME/PERIOD	M	1	
M		2005	Date or time or period function code qualifier Code 132: Transport means arrival date/time, estimated Code 163: Processing start date/time	M		an..3
		2380	Date or time or period text Submit the date and time. FORMAT: CCYYMMDDHHMM	C		an..35
		2379	Date or time or period format code Code 203: CCYYMMDDHHMM	C		an..3

Segment: **FTX** Free Text
Position: 0040
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment stating information in unsolicited clear text

Comments:

Notes:

FTX Segment is conditional.

USAGE:

1. If supplied, to report the carrier's transmission reference number, and/or
2. To report errors in insurance information for the conveyance.

NOTE:

1. The data being returned in this segment may be in any order and without labels (ie. NAME, PLCY, AMNT, YEAR).

STANDARD MANIFEST DATA ELEMENTS:

Transmission reference number: A unique identifier issued by the carrier to reference an inbound transmission. It is returned to the carrier in output messages (CUSRES). (C108/4440)

Insurance name: Vehicle Insurance information-needed for trucks hauling hazardous material. (C108/4440)

Insurance policy number: Conveyance Insurance Policy Number. (C108/4440)

Insurance amount: Dollar amount on insurance policy. (C108/4440)

Insurance year policy issue: Year of Issuance. (C108/4440)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	4451		TEXT SUBJECT CODE QUALIFIER: Code AIQ: Party Information Code INS: Insurance Information	M 1 an..3
X	4453		FREE TEXT FUNCTION CODE	C 1 an..3
X	C107		TEXT REFERENCE	C 1
M		4441	Free text description code	M an..17
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
	C108		TEXT LITERAL	C 1
M		4440	Free text Reports the carrier's transmission reference number that was submitted on the original transmission. Reports any of the following that was submitted on the original transmission: <ul style="list-style-type: none"> ▪ Name of the insurance company ▪ Name of the policy number ▪ Liability limit ▪ Year of issuance 	M an..512

		4440	<p>Free text Reports the carrier's transmission reference number that was submitted on the original transmission. Reports any of the following that was submitted on the original transmission:</p> <ul style="list-style-type: none"> ▪ Name of the insurance company ▪ Name of the policy number ▪ Liability limit ▪ Year of issuance 	C an..512
		4440	<p>Free text Reports the carrier's transmission reference number that was submitted on the original transmission. Reports any of the following that was submitted on the original transmission:</p> <ul style="list-style-type: none"> ▪ Name of the insurance company ▪ Name of the policy number ▪ Liability limit ▪ Year of issuance 	C an..512
		4440	<p>Free text Reports the carrier's transmission reference number that was submitted on the original transmission. Reports any of the following that was submitted on the original transmission:</p> <ul style="list-style-type: none"> ▪ Name of the insurance company ▪ Name of the policy number ▪ Liability limit ▪ Year of issuance 	C an..512
		4440	<p>Free text Reports the carrier's transmission reference number that was submitted on the original transmission. Reports any of the following that was submitted on the original transmission:</p> <ul style="list-style-type: none"> ▪ Name of the insurance company ▪ Name of the policy number ▪ Liability limit ▪ Year of issuance 	C an..512
X	3453		LANGUAGE NAME CODE	C 1 an..3
X	4447		FREE TEXT FORMAT CODE	C 1 an..3

Segment: TDT Transport Information

Position: 0050

Group:

Level: 1

Usage: Conditional (Optional)

Max Use: 9

Purpose: A segment to specify any means of transport that is related to all information at the lower level of the message.

Comments:

Notes:

TDT Segment is conditional.

USAGE:

1. To reference or report errors in conveyance information,
2. To report errors in the mode of transportation, and/or
3. To report errors in the import/export/in-transit indicator.

NOTES:

1. When reporting errors in conveyance details, at least the conveyance ACE ID or conveyance ID will be provided. A copy of the unacceptable data element is also provided.
2. When reporting errors in shipment details, at least the carrier ID and shipment control number or shipment control number/bill control number combination will be provided. A copy of the unacceptable data element is also provided.

STANDARD MANIFEST DATA ELEMENTS:

Conveyance ACE ID: ACE ID of Conveyance if pre-registered in ACE. (C222/8212).

Conveyance ID: Unique identification of conveyance specified by Carrier as pre-registered in ACE. (C222/8212)

Vehicle identification number: VIN # of Conveyance. (C222/8212)

DOT Number: Department of Transportation (DOT) # of Conveyance (C222/8212)

Transponder ID: The number assigned to the Transponder (RFI equipment) that is attached to the Conveyance. (C222/8212)

Conveyance type: Identify the type of conveyance. (C001/8178)

Method of transportation: Mode by which the merchandise crosses the international border. (C220/8067)

Carrier ID: Carrier SCAC Code (C040/3127)

Import/export/in-transit indicator: Indicates whether the conveyance is entering or leaving the United States. In-Transit as defined in 19 CFR, 123.121. It is a domestic point to point move that's routed through a foreign country. (DE 8101)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	8051		TRANSPORT STAGE CODE QUALIFIER Code 11: At border	M 1 an..3
X	8028		MEANS OF TRANSPORT JOURNEY IDENTIFIER	C 1 an..17
	C220		MODE OF TRANSPORT	C 1

		8067	Transport mode name code: Reports the mode of transportation that was submitted on the original transmission.	C an..3
X		8066	Transport mode name	C an..17
	C001		TRANSPORT MEANS	C 1
X		8179	Transport means description code	C an..8
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
		8178	Transport means description: Reports the conveyance type that was submitted on the original transmission.	C an..17
	C040		CARRIER	C 1
		3127	Carrier identifier: Reports the carrier's Standard Carrier Alpha Code (SCAC) that was submitted on the original transmission.	C an..17
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3128	Carrier name	C an..35
	8101		TRANSIT DIRECTION INDICATOR CODE: Reports the import/export/in-transit indicator that was submitted on the original transmission.	C 1 an..3
X	C401		EXCESS TRANSPORTATION INFORMATION	C 1
X		8457	Excess transportation reason code	M an..3
X		8459	Excess transportation responsibility code	M an..3
X		7130	Customer shipment authorization identifier	C an..17
	C222		TRANSPORT IDENTIFICATION	C 1
X		8213	Transport means identification name identifier	C an..9
		1131	Code list identification code: WHEN C222/8212 is an ACE conveyance ID, use 109 WHEN C222/8212 is a transponder ID, use 8 WHEN C222/8212 is a conveyance ID, use 172 WHEN C222/8212 is a VIN, use 146 WHEN C222/8212 is a DOT number, use 274 Code 8: Electromagnetic transmitter identification Code 109: Customs indicator Code 146: Means of transport identification Code 172: Carriers Code 274: Department of Transportation number	C an..17
X		3055	Code list responsible agency code	C an..3
		8212	Transport means identification name Reports the following that was submitted: ✓ ACE conveyance ID ✓ Conveyance ID ✓ Transponder IDVIN ✓ DOT number	C an..35
X		8453	Transport means nationality code	C an..3
X	8281		TRANSPORT MEANS OWNERSHIP INDICATOR CODE	C 1 an..3

Segment: **LOC** Place/Location Identification
Position: 0060
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to identify a country and/or place and/or location information related to the whole message.

Comments:
Notes:

LOC Segment is conditional.

USAGE: to report errors in the first expected port of arrival of the conveyance in the United States.

STANDARD MANIFEST DATA ELEMENTS:

First expected port of arrival in US: First port where conveyance will enter the United States. (C517/3225)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	3227		LOCATION FUNCTION CODE QUALIFIER: Code 60: Place of Arrival	M 1 an..3
	C517		LOCATION IDENTIFICATION	C 1
		3225	Location name code: Reports the first expected port of arrival that was submitted on the original transmission.	C an..35
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3224	Location name	C an..256
X	C519		RELATED LOCATION ONE IDENTIFICATION	C 1
X		3223	First related location name code	C an..25
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3222	First related location name	C an..70
X	C553		RELATED LOCATION TWO IDENTIFICATION	C 1
X		3233	Second related location name code	C an..25
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3232	Second related location name	C an..70
X	5479		RELATION CODE	C 1 an..3

Group: **RFF** Segment Group 3: Reference
Position: 0140
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 999
Purpose: A group of segments identifying references, dates and locations related information.
Notes: Segment Group 3 is conditional.

USAGE:
 1. To report errors in amendment to the conveyance, trip, crew/passenger, and/or equipment information after the manifest has been finalized,
 2. To report errors in the equipment accompanying the conveyance,
 3. To report an error in seal numbers on the conveyance,
 4. To report an error in seal numbers or identification of any anti-tampering seal devices affixed to the equipment,
 5. To report an error in the status of Instruments of International Traffic (IIT's),
 6. To report an error in the Instruments of International Traffic (IIT's) transported in or on the equipment,
 7. To report an error in the number of the license plate affixed to the equipment or conveyance, and/or
 8. To report an error in the state or province which issued the license plate registration relating to the equipment or conveyance.

STANDARD MANIFEST DATA ELEMENTS:

RFF Segment: Amendment code (Manifest)
 Equipment ACE ID
 Equipment type
 Equipment number
 Conveyance License plate number
 Equipment license plate
 Seal number (conveyance)
 Seal number (equipment)
 IIT entity indicator (conveyance)
 IIT indicator (equipment)

LOC Segment: Conveyance State/Province of registration of license plate
 Conveyance Country of registration of license plate
 Equipment license state/province
 Equipment license country

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0150	RFF	Reference	M	1	
C	0170	LOC	Place/Location Identification	C	9	

Segment: **RFF Reference**
Position: 0150 (Trigger Segment)
Group: Segment Group 3 (Reference) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying references (e.g. manifest number).
Comments:
Notes:

RFF Segment is conditional.

USAGE:

1. To report errors in amendment to the conveyance, trip, crew/passenger, and/or equipment information after the manifest has been finalized,
2. To report errors in the equipment accompanying the conveyance,
3. To report an error in seal numbers on the conveyance,
4. To report an error in seal numbers or identification of any anti-tampering seal devices affixed to the equipment,
5. To report an error in the status of Instruments of International Traffic (IIT's),
6. To report an error in the Instruments of International Traffic (IIT's) transported in or on the equipment, and
7. To report an error in the number of the license plate affixed to the equipment or conveyance.

NOTES:

1. When reporting errors in equipment details, at least the equipment ACE ID or equipment number will be provided. A copy of the unacceptable data element is also provided.

STANDARD MANIFEST DATA ELEMENTS:

Amendment code (Manifest): Used to specify amendment reason for changes after complete submission of Manifest to Customs. (C506/1154)

Equipment ACE ID: ACE ID of Equipment if pre-registered in ACE. (C506/1154)

Equipment type: Coded identification of the type uniquely identifying each article of transport equipment. (C506/1154)

Equipment number: Number shown on the equipment - Mark/Initial (if applicable) + Number. (C506/1154)

Conveyance License plate number: License plate of conveyance. (C506/1154)

Equipment license plate: License plate of equipment (C506/1154)

Seal number (conveyance): Seal numbers as applicable, attached to prevent tampering. This is to be provided if the conveyance has the seals. (C506/1154)

Seal number (equipment): Seal numbers as applicable, attached to equipment to prevent tampering. (C506/1154)

IIT entity indicator (conveyance): Indicates party whose bond is obligated for release of Instruments of International Traffic (IIT). (C506/1154)

IIT indicator (equipment): Indicates party whose bond is obligated for release of Instruments of International Traffic (IIT). (C506/1154)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	C506		REFERENCE	M 1
M		1153	<p>Reference code qualifier</p> <ul style="list-style-type: none"> ▪ Use 'RFA' when reporting an Amendment code. ▪ Use 'SN' when reporting seals. ▪ Use 'IIT' when reporting IIT indicator. ▪ Use 'ABZ' when reporting license plate number of the equipment. ▪ Use 'ACD' when reporting license plate number of the conveyance. ▪ Use 'AAQ' when reporting an equipment ACE ID. ▪ Use 'ZZZ' when reporting an equipment type. ▪ Use 'EQ' when reporting an equipment number. <ul style="list-style-type: none"> ▪ Code AAQ: Container identification number ▪ Code ABZ: Vehicle license number ▪ Code ACD: Additional reference number ▪ Code EQ: Equipment number ▪ Code IIT: Instruments of International Traffic code, Customs ▪ Code RFA: Reason for amendment ▪ Code SN: Seal number ▪ Code ZZZ: Mutually defined 	M an..3
		1154	<p>Reference identifier:</p> <ul style="list-style-type: none"> ✓ Reports the following that was submitted: ✓ Trip amendment code ✓ Seals on the conveyance or equipment ✓ ITT information on the conveyance or equipment ✓ Equipment license plate number ✓ Conveyance license plate number ✓ Equipment ACE ID ✓ Equipment type ✓ Equipment number 	C an..70
X		1156	Document line identifier	C an..6
X		4000	Reference version identifier	C an..35
X		1060	Revision identifier	C an..6

Segment: **LOC** Place/Location Identification
Position: 0170
Group: Segment Group 3 (Reference) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying a location relating to the preceding RFF.
Comments:
Notes:

LOC Segment is conditional.

USAGE: to report an error in the state or province which issued the license plate registration relating to the equipment or conveyance reported in the RFF Segment, position 0150, C506/1154.

STANDARD MANIFEST DATA ELEMENTS:

Conveyance Country of registration of license plate: Country of registration of license plate associated with the conveyance. (C517/3225)

Conveyance State/Province of registration: State/Province of registration of license plate associated with the conveyance. (C517/3225)

Equipment license state/province: State/Province of registration of license plate. (C517/3225)

Equipment license country: Country of registration of license plate. (C517/3225)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	3227		LOCATION FUNCTION CODE QUALIFIER Code 89: Place of Registration	M 1 an..3
	C517		LOCATION IDENTIFICATION	C 1
		3225	Location name code Reporting the license plate place of registration that was submitted on the original transmission.	C an..35
		1131	Code list identification code WHEN the coded identifier in C517/3225 is a country of registration, use 162. - Code 162: Country - Code 163: Country sub-entity WHEN the coded identifier in C517/3225 is a state/province of registration, use 163.	C an..17
X		3055	Code list responsible agency code	C an..3
X		3224	Location name	C an..256
X	C519		RELATED LOCATION ONE IDENTIFICATION	C 1
X		3223	First related location name code	C an..25
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3222	First related location name	C an..70
X	C553		RELATED LOCATION TWO IDENTIFICATION	C 1
X		3233	Second related location name code	C an..25
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3232	Second related location name	C an..70
X	5479		RELATION CODE	C 1 an..3

Group : **ERP** Segment Group 4: Error Point Details
Position: 0180
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments identifying an application error condition within a message to which the CUSRES is a response.
Comments:
Notes: Segment Group 4 is conditional.

USAGE: to accept or reject trip level Manifest data transmitted in a CUSCAR, CUSREP, or PAXLST message.

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0190	ERP	Error Point Details	M	1	
	0210	ERC	Application Error Information	C	99	
	0220	FTX	Free Text	C	99	

Segment: **ERP** Error Point Details
Position: 0190 (Trigger Segment)
Group: Segment Group 4 (Error Point Details) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the location of an application error within the referenced message.
Comments:
Notes: ERP Segment is conditional.

USAGE: to act as the trigger segment to report acceptance or rejection of trip level manifest data in the following ERC 0210 and FTX 0220 Segments.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
	C701		ERROR POINT DETAILS	C 1
		1049	Message section code: Code 1: Header Section	C an..3
X		1052	Message item identifier	C an..35
X		1054	Message sub-item identifier	C an..6
X	C853		ERROR SEGMENT POINT DETAILS	C 1
X		9166	Segment tag identifier	C an..3
X		1050	Sequence position identifier	C an..10
X		1159	Sequence identifier source code	C an..3

Segment: **ERC** Application Error Information
Position: 0210
Group: Segment Group 4 (Error Point Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment identifying the type of application errors within a message.
Comments:

Notes: ERC Segment is conditional.

USAGE: to return an Accept or Reject message code for trip level Manifest data.

NOTES:

- One CUSRES will be generated for each CUSCAR, CUSREP or PAXLST message set received.
- If the entire CUSCAR, CUSREP or PAXLST message set is accepted by ACE, then a CUSRES with an acceptance status is generated.
- If there are errors in the message set, the parts of the message without errors will be held in saved status. Errors will be returned along with an error code, error text, and the copy of the unacceptable data element that was submitted on the original transmission. Minimum data will be provided to reference where the error is located. To correct the errors, please amend your manifest with the correct information.
- Error codes and detailed descriptions may be found in the document, **ACE Truck Manifest Error Dictionary**, located at the top of the **Truck** section on www.cbp.gov/trade/automated/technical/ace-import-manifest-documentation.
- In general, trip level error messages will be reported in segment group 4 while shipment level error messages will be reported in segment group 14. An exception is trip party whose errors will be reported in segment group 14.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes		
				M	1	
M	C901		APPLICATION ERROR DETAIL	M	1	
M		9321	Application error code	M		an..8

Customs-assigned reason codes (an..5) for acceptance and rejection of trip level Manifest information.

If error code = '000' then the manifest was accepted. Otherwise, there are errors.

A list of error codes for the trip level:

009 Invalid Carrier Code
Carrier Code not active in CBP's carrier file.
Verify carrier code and if necessary, email the SCAC issue to amsscac@cbp.dhs.gov along with NMFTA SCAC assignment/renewal letter or receipt.

Check:
CUSCAR: NAD (0100) 3035 and C082:3039
CUSREP: NAD (0290) 3035 and C082:3039

033 Invalid DDPP
Port of Arrival, Port of Loading or In-Bond Port of Destination contains a code that does not appear in the Schedule D - U.S. CBP Port Codes list.

Check CUSCAR LOC(0040) C517:3225 or LOC(0410) C517:3225.

046 Invalid Amendment Code
Check CUSCAR: RFF (0070) C506:1154

050 Invalid Est Arrival Date

Original Estimated Date of Arrival data element contains an arrival date in format other than MMDDYYYY **OR** the submitted Estimated Date of Arrival is greater than 270 days in the future.

Check CUSCAR/CUSREP: DTM (0030) C507:2380/2379

081 Manifest Transmittal

The posting initiator found in the AMS transaction screen indicates manifest transmission successful.

098 Not Authorized to Transmit

Record Identifier ACR/Segment BG (ISA) User Code Data Element contains data that indicates there is no user record for district/port site-carrier-port. or A district/port site record exists but the user is not authorized to transmit
In EDIFACT: CUSCAR UNH0010 0062

131 – Entity already arrived

In ANSI X12: 353 Set M1501 code 3:arrival by container/equipment rejected. User attempts to arrive in-bond by container/equipment but 1 or more in-bonds or bills associated with the container are already arrived. User must either un-arrive the in-bonds or bills and then arrive the container/equipment, or arrive all the in-bonds or bills individually.
In EDIFACT: CUSREP: DOC0160 C002 1001 code 98, RFF0170 C506 1153 code AGP

198 Invalid Manifest Type Code

In ANSI X12: 309/358, 353 set Record Identifier M10 – Manifest Type Code (M1009) is anything other than P,X,Y,T,S,3,H/ 309/358 Set. M1017: any code other than '8','9';
In EDIFACT: CUSCAR (W) BGM DE1001=85 and DE1225=22/ (P) BGM DE1001=87 and DE1225=2/(Y)BGM DE1001=85 and DE1225=4/ (3)BGM1001=85 and DE1225=3/CUSREP BGM DE1001=336 and DE1225=3

215 Invalid Est Arr Time

Record identifier P01/P4 in 358 set (consist): The estimated arrival time is in a different format from the HHMM 24 hour format, or 0's or blanks.
In ANSI X12: 309, 353, 358 sets P405: time is missing or invalid.
In EDIFACT: CUSCAR: DTM0030 C507 2380/2379
CUSREP: DTM0030 C507 2380/2379

401 Inv Conv ACE ID

In ANSI X12: 309/358 Set VEH21/VEH22: ACE ID specified does not exist or is invalid per carrier account; in EDIFACT: CUSCAR TDT0170 C222 8212/CUSREP TDT0370 C222 1131

There may also be an issue with the Carrier's ACE account – check that the SCAC is Active and has not expired.

402 Inv Lic Plat State for Trip

In ANSI X12: 309/358 Set VEH10/VID14: state/province doesn't exist;
In EDIFACT: CUSCAR RFF0326 C506 1153, TDT0170 C222 8212/CUSREP LOC0516 C516 1153, TDT0370 C222 8212

403 Missing Lic Plate Country

In ANSI X12: 309/358 Set VEH17/VID16: country is other than US,MX,CA and is missing;
In EDIFACT: CUSCAR LOC0327 C517 3225/ CUSREP LOC0518 C517 3225, TDT0370 C222 453

404 Inv Lic Plat Cntry for Trip

In ANSI X12: 309/358 Set VEH17/VID16: country specified doesn't exist or is invalid;
In EDIFACT: CUSCAR LOC0327 C517 3225, TDT017 C222 8453/ CUSREP LOC0516 C17 3225, TDT0370 C222 8453

405 Invalid Conv Code

In ANSI X12: 309/358 Set. VEH 21/VEH22: Conveyance ID specified doesn't exist or is invalid per carrier account; in EDIFACT: CUSCAR TDT0170 C2228212/ CUSREP TDT0370 C222 8212

- 407 **Ins Info Incomplete**
 In ANSI X12: 309/358 sets CII01,CII02,CII03,CII05
 Insurance information not complete for Trip
 In EDIFACT CUSCAR FTX0150 C108:4440
 CUSREP: MOAA0220 C516 5004, FII0230 C088 3432, RFF0250 C506
 1154, DTM0260 C507 2380
- 408 **Ins Info not Maintained**
 In ANSI X12: 309/358 sets CII01,CII02,CII03,CII05: insurance information not
 maintained for trip.
 In EDIFACT: CUSCAR: FTX0150 C108:4440
 CUSREP: MOAA0220 C516 5004, FII0230 C088 3432, RFF0250 C506
 1154, DTM0260 C507 2380
- 409 **No Person in Charge**
 In ANSI X12: 309/358 Set NM101: no crewmember is listed as 'EJ';
 In EDIFACT: PAXLST NAD 160 3035: no crewmember is listed as 'VW'
- 410 **No Driver CDL/Lic for Trip**
 In ANSI X12: 309/358 Set REF01: No crewmember is listed as having CDL or
 driver's license;
 In EDIFACT: PAXLST EMP0240 9003, C950 98007
- 411 **Crew ACE ID not for Carr**
 In ANSI X12: 309/358 Set NM108: ACE ID specified for crewmember is not
 pre-registered in carrier's account;
 In EDIFACT: PAXLST NAD0160 C082 3039
- 412 **No Gender Code**
 In ANSI X12: 309/358 Set DMG03: gender code is missing or other than 'M'/'F';
 In EDIFACT: PAXLST ATT0170 C956 9019
- 413 **No Hazmat Endorse for Crew**
 In ANSI X12: 309 Set Hazmat code, insurance information present, Hazmat
 endorsement missing;
 In EDIFACT: PAXLST EMP0240 C950 9007
- 414 **Inv St/Pr/Ctry of Issue**
 In ANSI X12: 309/358 Set REF03/REF05: State/Province of issue for REF01
 'BCN', '5J', '5K' invalid or missing – Country of issue for REF01 'BCP', 'BCN',
 'CDN', '30', 'ACW', 'OTD' missing or invalid;
 In EDIFACT: PAXLST LOC0320 C517 1131
- 416 **Int Error – Take no Action**
 Various segments: an internal error has occurred in processing
- 417 **Trip Number Required**
 In ANSI X12: 309,353,358 sets M1005: trip number missing or invalid.
 In EDIFACT:CUSCAR: BGM0020 C106 1004
 CUSREP: BGM0020 C106 1004
- 418 **Duplicate Trip Number**
 In ANSI X12: 309/358 Set M1006: Trip number reused within a specified time
 period: 1 year for preferred, 1 day for standard; in EDIFACT: CUSCAR
 BGM0020 C106 1004/CUSREP BGM0020 C106 1004
- 419 **Invalid SCAC on Trip Number**
 In ANSI X12: 309/358 Set M1001: SCAC not valid or doesn't exist; in EDIFACT:
 CUSCAR NAD0100 C082:3039 / CUSREP NAD0290 C082 3039
- 420 **No Transp on Conv for Trip**
 In ANSI X12: 309/358 Set VEH24: Preferred manifest,registered conveyance no
 transponder in conveyance profile; in EDIFACT: CUSCAR TDT0170 C222
 8212/ CUSREP TDT0370 C222 8212
- 421 **No Conv info filed for trip**
 In ANSI X12: 309/358 Set VEH segment: conveyance data completely missing;
 in EDIFACT: CUSCAR TDT0170 C222 8212, 8178, 1131/CUSREP TDT0370
 C222 8212, 8178, 1131
- 422 **Inv Combination for Trip**
 In ANSI X12: 358 set VEH10/17,VID15/16: combination of state/province and
 country is not correct; in EDIFACT CUSREP TDT0370 C222 8453,LOC0410
 C517 3225, LOC0516 3227
- 427 **Inv Amend Code for Trip**

- In ANSI X12: 309/358 Set M1016: amendment code doesn't exist for trip use; in EDIFACT: CUSCAR RFF0070 C506 1154/ CUSREP RFF0010 C506 1154
- 432 **Trip Number does not Exist**
In ANSI X12: 309/358 Set M1005: update of manifest – trip specified doesn't exist;
in EDIFACT: CUSCAR BGM0020 C106 1004/CUSREP BGM0020 C106 1004
- 433 **Inv Equip Identifier for Trip**
In ANSI X12: 309/358 Set VID02/VID03,VID14/VID15/VID16: either equipment number or license plate required for trip; in EDIFACT:
CUSCAR SGP0700 C237 1131, RFF0326 C506 1154/ CUSREP EQD0500 C237 8260, RFF0516 1154
- 439 **Inv Trip Party ACE ID**
In ANSI X12: 309/358 Set NM108/NM109:party specified does not exist or is invalid per carrier account records;
In EDIFACT: CUSCAR NAD0100 C082 3039/
CUSREP NAD0290 C082 3039
- 441 **Conv Lic Plate Data Missing**
In ANSI X12: 309/358 Set VEH09: license plate data missing; in EDIFACT:
CUSCAR TDT0170 C222 8212/
CUSREP TDT0370 C222 8212
- 442 **Carr SCAC Missing for Trip**
In ANSI X12: 309, 353, 358 sets M1001
In EDIFACT: CUSCAR: NAD100 3035/C082 3039
CUSREP: NAD0290 3035/C082 3039
- 452 **Inv IIT Code for Trip**
In ANSI X12: 358 Set VEH23/VID18: IIT code doesn't exist or is invalid;
In EDIFACT: CUSREP RFF0100 C506 1154, RFF0516 C506 1154
- 453 **Inv Party Type for Trip**
In ANSI X12: 309/358 Set NM101: code specified for party type doesn't exist or is invalid;
PAXLST NAD0160 C082 3039
- 454 **Inv Party St for Trip**
In ANSI X12: 309/358 Set N3,N4: address specified for crew is not US address;
In EDIFACT: PAXLST NAD0160 C819 3229
- 455 **Inv Party ZIP for Trip**
In ANSI X12: 309/358 Set N403: ZIP code specified for crew is not US ZIP code; in EDIFACT PAXLST NAD0160 3251
- 456 **Inv Travel Doc type on Trip**
In ANSI X12: 309/358 Set REF01: code specified for crew travel document does not exist or is invalid;
In EDIFACT: PAXLST DOC0280 C002 1001
- 457 **Inv Travel Doc St/Ctry Com**
In ANSI X12: 309/358 Set REF03/05: State/Province code specified does not match country code other than US, MX, CA;
In EDIFACT: PAXLST LOC0320 3227
- 458 **Inv Conv Type for Trip**
In ANSI X12: 309/358 Set VEH20: conveyance type code specified does not exist or is invalid; in EDIFACT:
CUSCAR TDT0170 8178/ CUSREP TDT0370 8178
- 461 **Miss Conv Lic PI Ctry**
In ANSI X12: 358 Set VEH17/VEH10: Country code other than US, CA, MX missing and state/province code specified doesn't exist or is invalid; in EDIFACT: CUSREP TDT 0370 C222 8453 , LOC0410 C517 3225
- 462 **Req Conveyance Info Missing**
In ANSI X12: 309/358 sets VEH segment: VIN number, transponder number missing
In EDIFACT: CUSCAR: TDT0170
CUSREP TDT0370
- 463 **Conv Lic PI Miss for Trip**
In ANSI X12: 358 Set VEH09: license plate not preregistered and missing; in EDIFACT: CUSREP TDT0370 C222 8212

- 465 **Comp Crew Info not Filed**
In ANSI X12: 358 Set NM1,DMGREF,N3,N4: complete crew information missing;
In EDIFACT: PAXLST DOC, LOC,ATT, NAT, NAD
- 466 **Missing Complete Crew Info**
In ANSI X12: 309/358 sets REF segment: complete crew information not filed for trip
In EDIFACT: CUSCAR: NAD100
CUSREP NAD0290
- 467 **Missing Comp Travel Info**
In ANSI X12: 309/358 set REF segment: complete travel document information not filed for party on trip
In EDIFACT: PAXLST: DOC0280
- 468 **Inv Travel Doc Ctry**
In ANSI X12: 309/358 Set REF05: country code specified does not exist or is invalid; in EDIFACT
PAXLST LOC0320 C17 3225
- 474 **Inv Equip IIT Code for Trip**
In ANSI X12: 358 Set VID18: IIT code is anything other than C,I, A, B;
In EDIFACT CUSREP RFF0516 C506 1154
- 475 **Man Com Dt not Allowed**
In ANSI X12: 309/358 Set P402: create date is more than 90 days in advance of estimated arrival date;
In EDIFACT CUSCAR DTM0030 C507 2380/CUSREP DTM0030 C507:2005
- 478 **Inv Seal# Duplicate for Trip**
In ANSI X12: 358 Set M7:same seal numbers specified for multiple equipment;
In EDIFACT: CUSREP SEL0513 9308
- 479 **No BRASS Crew/Prox ID**
In ANSI X12: 309 Set M1109, N103-N104: Brass shipment specified but pre-registered Brass crew data proximity card missing;
In EDIFACT: CUSCAR NAD0540 C082:1131
- 484 **Ins Info not for Carr ACE ID**
In ANSI X12: 309/358 SET CII02: insurance information specified not pre-registered in carrier's account;
In EDIFACT: FTTX0150 C108 4440/ CUSREP MOA0220 C516 5004, FII0230 C088 3432, RFF0250 C506 1154,DTM 0030 C507 2380
- 488 **No empty Shipments in Pref**
In ANSI X12: 309 Set M1009/M11: a shipment designated as 'preferred' missing shipment records, cannot be empty;
In EDIFACT: CUSCAR (W) BGM DE1001=85 and DE1225=22/ (P) BGM DE1001=87 and DE1225=2/ (Y)BGM DE1001=85 andDE1225=4/ (3)BGM1001=85 and DE1225=3/RFF0380 C506 1153/DOC0365 C002 1001
- 489 **Inv link of man type**
In ANSI X12: 358 Set N1009: carrier attached a preferred bill to a standard manifest;
In EDIFACT:CUSREP BGM DE1001=336 and DE1225=3
- 490 **Inv travel doc number**
In ANSI X12: 309/358 sets REF02
Proximity card, travel document number, FAST ID not in account or duplicate.
In EDIFACT: PAXLST DOC0280 C002 1001
- 493 **MOT is required**
In ANSI X12: 309 set M1001 MOT is missing or incorrect:: anything other than 'T'

In EDIFACT: CUSCAR TDT0170 C220 8067, CUSREP TDT0370 C220 8067
- 495 **Inv format for manifest**
In ANSI X12: 309/358 sets M10, VEH,NM1,DMG,REF
Format isn't alphanumeric without spaces in between
In EDIFACT: CUSCAR: BGM, TDT
- 496 **Duplicate license plate**

In ANSI X12: 309/358 sets VEH09,VID14

Duplicate license plate for trip or shipment

In EDIFACT: CUSCAR TDT 0170 C222 8453, LOC3227 C517 3225. LOC0180 C517 1131

497 Duplicate equipment

In ANSI X12: 309/358 sets VID02,03

Duplicate equipment for trip or shipment: equipment number is repeated on same shipment or trip.

In EDIFACT : CUSCAR TDT 0170 C222 8453, LOC327 C517 3225, LOC0180 C517 1131

498 Duplicate trip party

In ANSI X12: 309 set N101

Duplicate trip party for trip: 2 parties with the same details.

In EDIFACT: CUSCAR NAD0100 C0801/C058

499 Missing mand crew info

In ANSI X12: 309/358 NMI, DMG, N3, REF Mandatory crew information is not filed for crew: last name, first name, DOB.

In EDIFACT: PAXLST NAD, ATT, DTM, EMP, NAT, DOC

500 Invalid filing status

In ANSI X12: 309/358 sets M1306

Invalid filing status to update the trip: attempting to file amendment codes on preliminary bills.

In EDIFACT: CUSREP RFF0100 C506 1154

501 Inv License plate number

In ANSI X12: 309/358 sets VEH09, VID14 number exceeds 10 positions.

In EDIFACT: CUSCAR TDT0170 C222 8453 LOC327 C517 3225, LOC0180 C517 1131

502 Inv DOT number

In ANSI X12: 309/358 sets VEH25 Number exceeds 8 positions.

In EDIFACT: CUSCAR TDT C222 1131, CUSREP TDT0370 C222 8212

503 Expected port cant be changed

In ANSI X12: 309/358 sets P401 expected port of arrival changed to anything other than actual port of arrival after arrival of conveyance.

In EDIFACT: CUSCAR LOC0040 C517 3225. CUSREP LOC0130 C517 3225

504 Pref manifest not allowed

In ANSI X12: 309,358 sets M1009/M1017

Preferred manifest not allowed for carrier

Carrier not permitted for FAST

In EDIFACT: CUSCAR BGM0020 1225

505 No ACE ID or CDL provided

In ANSI X12: 309/358 NM108-09/REF01-02
No ACE ID or CDL provided for at least 1 crewmember
In EDIFACT: PAXLST DOC0280 C002 1001, DOC0280 C503 1004

507 Carrier not C-TPAT

Carrier registered for trip not C-TPAT in account

508 Required trip info missing

In ANSI X12: 309/358 sets M10, P4
Required trip information missing for trip: date, time
In EDIFACT: CUSCAR: BGM0020/DTM0030
CUSREP: BGM0020/DTM0030

509 Manifest Rejected

In ANSI X12: 309/358 sets M10, P4, VEH, NM1, DMG,
REF, N3, N4, M11, N3, N4, VID, N10
Required information for complete manifest missing: trip, crew, conveyance,
equipment, shipments.
In EDIFACT: CUSCAR/CUSREP BGM, LOC, DTM, QTY,RFF, NAD, TDT,
EQD, CNI

512 Mismatch of Codes at Trip

In ANSI X12: 309 M1009, M1005: M109 code is 'W' for complete manifest, but
M1005 has 'system' not trip number.
In EDIFACT: CUSCAR: BGM0020 C1006 1004

513 Inv Est Date of US Exit

In ANSI X12: 309 set M1213: estimated date of departure for in-bond shipment
where M1201 is 62 or 63 is invalid or blank
In EDIFACT: CUSCAR: DTM0480 C507 2380

530 No Cn Arr if Mult Dest IB

Carrier attempts to arrive in-bond by container/equipment in one destination
port but in-bond-bills associated with the container/equipment are for various
destination ports. To arrive by container equipment all in-bond-bills must be for
the same destination port in which the container/equipment is arrived.
In ANSI X12: 353 set M1501 code 3, M1502 container/equipment number In
EDIFACT: CUSREP DOC0160 C002 1001 code 98,RFF0170 C506 1153 code
AGP for container/equipment arrival
Various in-bond destinations provided in CUSCAR LOC0410 C517 3225 for in-
bonds in CUSCAR DOC0365 C503

531 No Cn Exp If Mult Dest IB

Carrier attempts to export in-bond by container/equipment in one destination
port but in-bond-bills associated with the container/equipment are for various
destination ports. To arrive by container equipment all in-bond-bills must be for
the same destination port in which the container/equipment is arrived.
In ANSI X12: 353 set M1501 code7, M1502 container/equipment number. In
EDIFACT: CUSREP DOC0160 C002 1001 code 833,RFF0170 C056 1153 code
AGP for container/equipment export
Various in-bond destinations provided in CUSCAR LOC0410 C517 3225 for in-
bonds in CUSCAR DOC0365 C503

532 Inbond Export Rej

Carrier attempts to export in-bond by in-bond number, bill of lading number, or
container-equipment number but (1) the in-bond has not been arrived at the
destination in-bond port or (2) the in-bond has been arrived but a hold exists on
a bill associated with the in-bond. (3)
The in-bond has already been exported
ANSI X12: 353 set M1501 codes 5, 6, 7 M1502 in-bond number, BOL number,
container –equipment number
In EDIFACT: CUSREP DOC0160 C002 1001 code 833, RFF0170 C056 1153
codes AAM for waybill number, AGP for company issued equipment ID, or IB for
in-bond number

- 533 Inbond Cancel Rej**
 Carrier attempts to cancel arrival/export in-bond by in-bond number, bill of lading number, or container-equipment number but (1) the in-bond has not been arrived at the destination in-bond port or (2) the in-bond has been arrived but a hold exists on a bill associated with the in-bond. (3) the in-bond has already been cancelled-
 ANSI X12: 353 set M1501 codes F,G,H,I,J,K M1502 in-bond number, BOL number, container –equipment number
 In EDIFACT: CUSREP BGM0020 1225 code 1, DOC0160 C002 1001 code 98, 833, RFF0170 C056 1153 codes AAM for waybill number, AGP for company issued equipment ID, or IB for in-bond number
- 534 MAN OR ACCNT MISS CIT CODE**
 One of two circumstances has occurred. A driver's citizenship has not been reported in the manifest for a "one time" driver. In this case the manifest should be re-submitted with citizenship data. Or, the error has been generated because citizenship is not recorded in the driver's ACE account This will even if citizenship is sent with the manifest but it does not exist in the driver's account. If the driver exists in ACE account the driver's account must be updated either via ACE Portal or an EDI MEDPID message.
 In ANSI X12 309 set, DMG 06/07: citizenship code and country code are missing.
 In EDIFACT PAXLST MAT0250 3493 C042 3293: citizenship code and country code are missing. The driver's ACE account is missing citizenship and country code (active in June 2009)
- 535 MAN OR ACCNT MISS WHTI DOCS**
 One of two circumstances has occurred. A valid Western Hemisphere Travel Initiate (WHTI) document has not been reported in the manifest for a "one time" driver. In this case the manifest should be re-submitted with a valid WHTI travel document.
 Or, the error has been generated because the driver's ACE account does not contain a valid WHTI document. This will occur even if a WHTI document is sent with the manifest but it does not exist in the driver's account. If the driver exists in ACE account data, the driver's account must be updated either via the ACE Portal or an EDI MEDPID message.
 In ANSI X12 309 set REF01/02: document code and document cited are not WHTI certified.
 In EDIFACT PAXLST DOC0280 C002 1001 document code and document cited are not WHTI-certified. The driver's ACE account document codes and documents that are not WHTI-certified (active in June 2009)
- 544 INV FOREIGN PORT QUALIFIER**
 An invalid foreign port of lading was provided.
 In ANSI X.12: 353 set M1125
 In EDIFACT CUSCAR LOC0410 C517 3225
- 547 INVALID CREW DOB**
 The date of birth (DOB) provided for crew is invalid
 In ANSI X12: 309 Set DMG1250
 In EDIFACT: PAXLST DTM0180 C507 2380

Usage	Data Element	Component Element	Name	Attributes
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3

Segment: **FTX** Free Text
Position: 0220
Group: Segment Group 4 (Error Point Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to provide explanation and/or supplementary information related to the specified application error.

Comments:
Notes:

FTX Segment is conditional.

USAGE: to transmit Customs-assigned message text for acceptance and rejection pertaining to trip level Manifest data.

NOTES:

1. The text translation of the message code is provided in FTX Segment, C108/4440.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	4451		TEXT SUBJECT CODE QUALIFIER Code AAO: Error Description (Free Text)	M 1 an..3
X	4453		FREE TEXT FUNCTION CODE	C 1 an..3
X	C107		TEXT REFERENCE	C 1
M		4441	Free text description code	M an..17
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
	C108		TEXT LITERAL	C 1
M		4440	Free text Reports the error message text. FORMAT: an512	M an..512
X		4440	Free text	C an..512
X		4440	Free text	C an..512
X		4440	Free text	C an..512
X		4440	Free text	C an..512
X	3453		LANGUAGE NAME CODE	C 1 an..3
X	4447		FREE TEXT FORMAT CODE	C 1 an..3

Group: **DOC** **Segment Group 6: Document/Message Details**
Position: 0270
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99999
Purpose: A group of segments specifying goods item details including status of goods, related references, package identification, details of transport, relevant parties, contacts, dates and/or times and location, general indicators, measurements, documentary requirements, monetary amounts, currencies and item taxes, fees and duties.
Notes: Segment Group 6 is conditional.

USAGE:
 1. To report acceptance or errors in the shipment level of a manifest.

STANDARD MANIFEST DATA ELEMENTS:

DOC Segment: Entry number
 Entry type indicator
 In-bond 7512 number
 Party CDL number/license number (crew)
 Party travel doc type (crew)
 Party travel document number (crew)

PAC Segment: Shipment quantity
 Quantity UOM

FTX Segment: Party gender (crew)
 Party nationality/citizenship (crew)
 Party hazmat endorsement (crew)

RFF Segment: Shipment control number
 Bill control number/ultimate house (lowest level)
 Shipment identifier
 Amendment code (shipment)
 ITT entity indicator (shipment)
 Mexican Pedimento number

PCI Segment: Marks and numbers

LOC Segment: Port/point of loading
 Place of receipt
 Transfer destination FIRMS code
 Foreign port of destination
 In-bond destination
 Country of origin
 Party license state/province (crew)
 Party license country (crew)
 Party travel doc country of issuance (crew)
 Party travel doc state/province of issuance (crew)

DTM Segment: Estimated date US exit
 Party DOB (crew)

GEI Segment: FDA freight indicator

MEA Segment: Cargo gross weight
 Weight UOM

Segment Group 7:

NAD Segment: Party ID (crew and shipment)
 Party type (crew and shipment)
 Party name (crew and shipment)
 Party address (crew and shipment)
 Party city (crew and shipment)
 Party state/province (crew and shipment)
 Party Zip (crew and shipment)
 Party country (shipment)
 Bonded carrier ID
 Onward carrier
 Transfer carrier
 Secondary notify party
 ABI routing code

Segment Group 8:
 COM Segment: Party telephone (shipment party)
 Party email (shipment party)

Segment Group 9:
 MOA Segment: Value

Segment Group 11:
 CST Segment: C4 code
 Harmonized number

FTX Segment: VIN (commodity)
 Hazmat code - UN
 Hazmat contact name
 Hazmat contact phone number
 Description of cargo
 Boarded quantity

Segment Group 13:
 ERC Segment: (Message code - acceptance/reject - shipment)

FTX Segment: (Message code text - acceptance/reject - shipment)

NOTE:
 1. This segment may be repeated as many times as necessary to convey all of the necessary information.

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0280	DOC	Document/Message Details	M	1	
	0290	PAC	Package	C	9	
	0300	RFF	Reference	C	9	
	0310	PCI	Package Identification	C	9	
	0320	FTX	Free Text	C	99	
	0340	LOC	Place/Location Identification	C	9	
	0350	DTM	Date/Time/Period	C	9	
	0360	GEI	Processing Information	C	99	
	0370	MEA	Measurements	C	99	
	0390		Segment Group 7: Name and Address	C		99
	0440		Segment Group 9: Monetary Amount	C		99
	0490		Segment Group 11: Duty/Tax/Fee Details	C		99
	0530		Segment Group 12: Customs Status of Goods	C		9999

Segment: **DOC** Document/Message Details
Position: 0280 (Trigger Segment)
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: To identify the master bill number reported in a multi-consignment message. This segment can also be used to identify the Customs declaration where the CUSRES is responding to multiple declarations.

Comments:
Notes:

DOC Segment is conditional.

USAGE:
1. To report errors in a crew/passenger commercial driver's license or other driver's license number,
2. To report errors in crew/passenger travel document details,
3. To report errors in entry information, and/or
4. To report errors on an unacceptable in-bond control number.

NOTES:
1. When reporting errors in shipment in-bond details, at least the shipment control number or shipment control number/bill control number or shipment control number/bill control number/in-bond number combination will be provided. A copy of the unacceptable data element is also provided.

STANDARD MANIFEST DATA ELEMENTS:

Party CDL number/license number: CDL/License Numbers (C503/1004)

Party travel doc type: The type of travel document. (C002/1001)

Party travel document number: Number identifying the travel document. (C503/1004)

Entry number: The Entry Number for pre-filed BCS Entry. (C503/1004)

Entry type indicator: Code creating entry for consignment. Needed by Express or Courier Consignment if doing Express Releases. For in-bond specify type i.e. IT (Immediate Transport port to port within the US), IE (Immediate Export from the same US port), or TE (Transportation Export), In transit, Multi-transit. (C002/1000)

In-bond 7512 number: Number issued for in-bond cargo. Truck Manifest will use the Shipment Control Number as the in-bond number whenever possible. (C503/1004)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	C002		DOCUMENT/MESSAGE NAME	M 1
		1001	<p>Document name code WHEN reporting an Entry number, use 929. This is the type of travel document code that was submitted on the original transmission.</p> <ul style="list-style-type: none"> Code 39: Passport Code 40: Driving license (national) Code 5K: Commercial driving license Code 929: Goods declaration for importation Code 950: Goods declaration for Customs transit Code 989: United States government visa Code ALR: Permanent resident document 	C an..3

		1131	Code list identification code: This segment is mandatory for this group. If no information needs to be reported in this segment but this group is used, report 'ZZZ' here. Otherwise, do not use. Code ZZZ: Mutually Defined	C an..17
X		3055	Code list responsible agency code	C an..3
		1000	Document name Reports the Entry type code that was submitted on the original transmission.	C an..35
	C503		DOCUMENT/MESSAGE DETAILS This composite is conditional. CONDITION: IF the party identifier was unacceptable, these fields provide a copy of what was submitted on the original transmission. IF reporting errors in shipment in-bond details, at least the shipment control number or shipment control number/bill control number or shipment control number/bill control number/in-bond number combination will be provided as an identifier of the shipment.	C 1
		1004	Document identifier Reports the following data elements that was submitted: Crew/passenger document identifier (for example, passport number, CDL number, etc.) Entry number: In-bond number of an In-bond 7512 number or Paperless Master In-bond number	C an..35
X		1373	Document status code	C an..3
X		1366	Document source description	C an..70
X		3453	Language name code	C an..3
X		1056	Version identifier	C an..9
X		1060	Revision identifier	C an..6
X	3153		COMMUNICATION MEDIUM TYPE CODE	C 1 an..3
X	1220		DOCUMENT COPIES REQUIRED QUANTITY	C 1 n..2
X	1218		DOCUMENT ORIGINALS REQUIRED QUANTITY	C 1 n..2

Segment: **PAC** Package
Position: 0290
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying number and type of packages.
Comments:
Notes: PAC Segment is conditional.

USAGE:

1. To report errors in the shipment quantity, and/or
2. To report errors in the package type.

STANDARD MANIFEST DATA ELEMENTS:

Shipment quantity: Total Number shown on Bill of Lading for this specific commodity. (DE 7224)

Quantity UOM: Package type normally. Unit of measure for expressing volume. (i.e. boxes, bags) (C202/7065)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
	7224		PACKAGE QUANTITY: Reports the number of packages that was submitted on the original transmission.	C 1 n..8
X	C531		PACKAGING DETAILS	C 1
X		7075	Packaging level code	C an..3
X		7233	Packaging related description code	C an..3
X		7073	Packaging terms and conditions code	C an..3
	C202		PACKAGE TYPE	C 1
		7065	Package type description code: Reports the package type that was submitted on the original transmission.	C an..17
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		7064	Type of packages	C an..35
X	C402		PACKAGE TYPE IDENTIFICATION	C 1
X		7077	Description format code	M an..3
X		7064	Type of packages	M an..35
X		7143	Item type identification code	C an..3
X		7064	Type of packages	C an..35
X		7143	Item type identification code	C an..3
X	C532		RETURNABLE PACKAGE DETAILS	C 1
X		8395	Returnable package freight payment responsibility code	C an..3
X		8393	Returnable package load contents code	C an..3

Segment: **RFF** Reference
Position: 0300
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying a particular reference, e.g. house of bill number, master bill number.
Comments:
Notes: RFF Segment is conditional.

USAGE:

1. To reference or report an unacceptable shipment control number,
2. To reference or report errors in ultimate house (lowest level) bill details,
3. To report an unacceptable reason for amendment at the shipment level after a manifest has been finalized,
4. To report an error in the Instruments of International Traffic (IIT's) relating to a shipment.
5. To report errors in a shipment identifier (trader reference number), and/or
6. To report errors in a Mexican Pedimento number.

NOTES:

1. When reporting errors in shipment details, at least the carrier ID and shipment control number or shipment control number/bill control number combination will be provided. A copy of the unacceptable data element is also provided.
2. When reporting errors in shipment in-bond details, at least the shipment control number or shipment control number/bill control number or shipment control number/bill control number/in-bond number combination will be provided. A copy of the unacceptable data element is also provided.

STANDARD MANIFEST DATA ELEMENTS:

Shipment control number: SCAC + sequence number. Truck - PRO Number. A unique BOL number used by the reporting trade participant(s) to identify the shipment or consolidation. Ideally, a master number, identifying the transaction throughout its lifecycle for both commercial and transportation purposes. (Master bill). (C506/1154)

Bill control number/ultimate house (lowest level): BOL Number or The Shipment Control Number of the consolidation in which the reported Shipment/Consolidation is included. (House Bill). The Bill Control Number may not be repeated for 3 years. (C503/1004)

Shipment identifier: Trader Reference Number. Number provided by the shipper to be passed through to the broker on the Customs download. (C503/1004)

Amendment code (shipment): Used to specify amendment reason for changes after complete submission of Manifest to Customs. (C506/1154)

IIT entity indicator (shipment): Indicates party whose bond is obligated for release of Instruments of International Traffic (IIT). (C506/1154)

Mexican Pedimento Number: Mexican Import Declaration Number (C002/1004)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	C506		REFERENCE	M 1
M		1153	Reference code qualifier <ul style="list-style-type: none"> ▪ Use 'AAM' when reporting a Shipment control number. ▪ Use 'RFA' when reporting an Amendment code. ▪ Use 'IIT' when reporting IIT indicator. ▪ Use 'BM' when reporting Bill control number. ▪ Use 'SRN' when reporting Shipment identifier. ▪ Use 'AAE' when reporting Mexican Pedimento Number. <ul style="list-style-type: none"> ▪ Code AAE: Goods declaration number ▪ Code AAM: Waybill number ▪ Code BM: Bill of lading number ▪ Code IIT: Instruments of International Traffic code, Customs ▪ Code RFA: Reason for amendment ▪ Code SRN: Shipment reference number 	M an..3
		1154	Reference identifier Reports the following that was submitted: <ul style="list-style-type: none"> ▪ Shipment control number (sequence number without the SCAC prefix) ▪ Shipment amendment code ▪ IIT information on a shipment ▪ Bill number of the bill control number/ultimate house ▪ Reference number of the Shipment identifier ▪ Mexican Pedimento number 	C an..70
X		1156	Document line identifier	C an..6
X		4000	Reference version identifier	C an..35
X		1060	Revision identifier	C an..6

Segment: **PCI** Package Identification
Position: 0310
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying marking and labels on individual shipping or packing units.
Comments:
Notes:

PCI segment is conditional.
 USAGE: to report errors in the marks and numbers on exterior packaging.
 STANDARD MANIFEST DATA ELEMENT:
 Marks and numbers: Free-form text which describes, in full, the shipping marks & numbers found on the outside of packaging units. (C210/7102)
 NOTE: This segment may be repeated up to 9 times to report all marks and numbers.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
X	4233		MARKING INSTRUCTIONS CODE	C 1 an..3
	C210		MARKS & LABELS	C 1
M		7102	Shipping marks description: Reports the marks and numbers appearing on the outside packaging of the goods that was submitted on the original transmission.	M an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X		7102	Shipping marks description	C an..35
X	8275		CONTAINER OR PACKAGE CONTENTS INDICATOR CODE	C 1 an..3
X	C827		TYPE OF MARKING	C 1
X		7511	Marking type code	M an..3
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3

Segment: **FTX** Free Text
Position: 0320
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to provide the goods description.

Comments:
Notes:

FTX Segment is conditional.

USAGE: to reports errors in party gender, hazmat endorsement or nationality/citizenship.

STANDARD MANIFEST DATA ELEMENT:

Party gender: Gender of Crewmember (C108/4440)

Hazmat endorsement: Shows permission to transport hazardous materials (C108/4440)

Nationality/Citizenship: Country of citizenship of the party. (C108/4440)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	4451		TEXT SUBJECT CODE QUALIFIER Code ZZZ: Mutually Defined	M 1 an..3
X	4453		FREE TEXT FUNCTION CODE	C 1 an..3
X	C107		TEXT REFERENCE	C 1
M		4441	Free text description code	M an..17
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
	C108		TEXT LITERAL	C 1
M		4440	Free text: Reports the crew/passenger gender that was submitted on the original transmission.	M an..512
		4440	Free text: Reports the crew/passenger hazmat endorsement that was submitted on the original transmission.	C an..512
		4440	Free text: Reports the crew/passenger country of citizenship/nationality that was submitted on the original transmission.	C an..512
X		4440	Free text	C an..512
X		4440	Free text	C an..512
X	3453		LANGUAGE NAME CODE	C 1 an..3
X	4447		FREE TEXT FORMAT CODE	C 1 an..3

Segment: **LOC** Place/Location Identification
Position: 0340
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying the places relevant to the item, which is different from the places identified at header level. For example, customs house of entry, warehouse, etc.

Comments:
Notes:

LOC Segment is conditional.

USAGE:

1. To report an error in the place where goods were loaded on the importing conveyance,
2. To report an error in the place of receipt of the goods,
3. To report an error in the destination for a local transfer (,
4. To report an error in the domestic destination for goods moving under bond (both the port and FIRMS location),
5. To report an error in the foreign destination for goods moving under bond,
6. To report an error in the country of origin for low value shipments (release via Sec 321), and
7. To report an error in the license or travel document state/province reported in DOC Segment, position 0280, C503/1004.

STANDARD MANIFEST DATA ELEMENTS:

Port/point of loading: Port/Point at which merchandise is loaded on the conveyance that will cross the border. (C517/3225)

Place of receipt: City where carrier took receipt of goods. (C517/3225)

Transfer destination FIRMS code: This would be used to request a local transfer from the carrier to a bonded facility such as a CFS or for in-bond. (C517/3225)

Foreign port of destination: Foreign Port of destination of cargo. (C517/3225)

In-bond destination: In-bond port/point of where Entry is filed or the port/point of exit - where the cargo clears. (C517/3225)

Country of origin: The country of manufacture, production, or growth of any article of foreign origin entering the U.S. Further work or material added to an article in another country must effect a substantial transformation in order to render such other country the "country of origin". (C517/3225)

Party license state/province: CDL/License issuing State/Province. (C517/3225)

Party license country: CDL/License issuing Country. (C517/3225)

Party travel doc country of issuance: "Travel Document Country of Issuance. Specify if Travel Doc Type is 1) Passport, 2) US Visa, 5) Birth Certificate, 6) Citizenship Card, or 10) Other (if applicable)" (C517/3225)

Party travel doc state/province of issuance: "Travel Document State/Province of Issuance. Specify if Travel Doc Type is 5) Birth Certificate 10) Other (if applicable)" (C517/3225)

NOTE:

1. This segment group may be repeated as many times as necessary to provide the necessary information.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	3227		LOCATION FUNCTION CODE QUALIFIER: <ul style="list-style-type: none"> ▪ WHEN reporting Port/point of loading, use 9. ▪ WHEN reporting Place of receipt, use 4. ▪ WHEN reporting Transfer destination FIRMS code must be reported, use 103. ▪ WHEN reporting Foreign port of destination, use 8. ▪ WHEN reporting in-bond destination, use 45. ▪ WHEN reporting the FIRMS code at in-bond destination, use 43. ▪ WHEN reporting the ISO country code for the country of origin, use 27. ▪ WHEN reporting the driver's license or travel document place of registration, use 91. <ul style="list-style-type: none"> ▪ Code 4: Goods receipt place ▪ Code 8: Place of destination ▪ Code 9: Place/port of loading ▪ Code 27: Country of origin ▪ Code 43: Place of Customs examination ▪ Code 45: Customs office of destination (transit) ▪ Code 91: Place of document issue ▪ Code 103: Place of transfer 	M 1 an..3
	C517		LOCATION IDENTIFICATION	C 1
		3225	Location name code: Reporting the following that was submitted: <ul style="list-style-type: none"> ✓ Port/point of loading, ✓ Place of receipt ✓ Transfer destination FIRMS code ✓ Foreign port of destination ✓ In-bond destination ✓ Country of origin ✓ Driver's license or travel document place of registration 	C an..35
		1131	Code list identification code: Code 162: Country Code 163: Country Sub-Entity	C an..17
X		3055	Code list responsible agency code	C an..3
X		3224	Location name	C an..256
X	C519		RELATED LOCATION ONE IDENTIFICATION	C 1
X		3223	First related location name code	C an..25
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3222	First related location name	C an..70
X	C553		RELATED LOCATION TWO IDENTIFICATION	C 1
X		3233	Second related location name code	C an..25
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		3232	Second related location name	C an..70
X	5479		RELATION CODE	C 1 an..3

Segment: **DTM** Date/Time/Period
Position: 0350
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment identifying necessary dates.
Comments:
Notes: DTM segment is conditional.

USAGE:
 1. To report an error in the exit date in the case of shipments transiting the United States, and/or
 2. To reference or report an error the date of birth of the crew/passenger party identified in NAM Segment, position 0400.

NOTES:
 1. When reporting errors in crew/passenger(s) information, at least the last name, first name and date of birth will be provided. A copy of the unacceptable data element is also provided.

STANDARD MANIFEST DATA ELEMENTS:
 Estimated date US exit: Estimated Date of exit from the US-for use with Intransit, Export, and in-bond TE. (C507/2380)
 Party DOB: Date of birth. (C507/2380)

Data Element Summary

	<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>		<u>Attributes</u>
M	C507	2005	DATE/TIME/PERIOD	M	1
M		2005	Date or time or period function code qualifier	M	an..3
			WHEN the coded identifier in C507/2380 is an estimated exit date, use 133. WHEN the coded identifier in C507/2380 is a party date of birth, use 329.		
			133 Transport means departure date, estimated		
			329 Person birth date		
		2380	Date or time or period text	C	an..35
			Reports the exit date that was submitted on the original transmission. Reports the party date of birth that was submitted on the original transmission.		
		2379	Date or time or period format code	C	an..3
			102 CCYYMMDD		

Segment: **GEI Processing Information**
Position: 0360
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment identifying customs processing indicator at item level.
Comments:
Notes:

GEI Segment is conditional.

USAGE: to indicate error in the FDA freight indicator (whether or not animal or human food products are in a shipment).

STANDARD MANIFEST DATA ELEMENTS:

FDA freight indicator: US Customs & Border Protection is required by FDA (Food and Drug Administration) in compliance with the Bioterrorism Act to capture the FDA Confirmation Number from carriers transporting animal or human food into the U.S. (C012/7365)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	9649		PROCESSING INFORMATION CODE QUALIFIER Code 7: US, Food and Drug Administration Bioterrorism information	M 1 an..3
	C012		PROCESSING INDICATOR	C 1
		7365	Processing indicator description code: Reports the FDA freight indicator that was submitted on the original transmission.	C an..3
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X		7364	Processing indicator description	C an..35
X	7187		PROCESS TYPE DESCRIPTION CODE	C 1 an..17

Segment: **MEA** Measurements

Position: 0370
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment identifying various measurement values.
Comments:
Notes: MEA Segment is conditional.

USAGE: to report an error in the cargo gross weight.

STANDARD MANIFEST DATA ELEMENT:

Cargo gross weight: Weight of the listed cargo plus any packaging, but excluding weight of the carrier's equipment. Shipment level data for each Bill of Lading. (C174/6314)

Weight UOM: Weight unit of measure. (C174/6411)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	6311		MEASUREMENT PURPOSE CODE QUALIFIER Code AAI: Item Weight	M 1 an..3
X	C502		MEASUREMENT DETAILS	C 1
X		6313	Measured attribute code	C an..3
X		6321	Measurement significance code	C an..3
X		6155	Non-discrete measurement name code	C an..17
X		6154	Non-discrete measurement name	C an..70
	C174		VALUE/RANGE	C 1
M		6411	Measurement unit code: Reports the unit of measure that was submitted on the original transmission.	M an..8
		6314	Measure: Reports the gross weight that was submitted on the original transmission.	C an..18
X		6162	Range minimum quantity	C n..18
X		6152	Range maximum quantity	C n..18
X		6432	Significant digits quantity	C n..2
X	7383		SURFACE OR LAYER CODE	C 1 an..3

Group: **NAD** Segment Group 7: Name and Address
Position: 0390
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A group of segments identifying information on the party and other contact and communication contact information related only to part of the message.
Notes: Segment Group 7 is conditional.

USAGE:
1. To reference or report errors in the details about the parties associated with the shipment, and
2. To report errors in the parties moving cargo in-bond

NOTES:
1. When reporting errors in shipment party details, at least the party ID and party type will be provided. A copy of the unacceptable data element is also provided.
2. When reporting errors in crew/passenger(s) information, at least the last name, first name and date of birth will be provided. A copy of the unacceptable data element is also provided.

STANDARD MANIFEST DATA ELEMENTS

NAD Segment: Party ID (crew and shipment party)
Party type (crew and shipment party)
Party name (crew and shipment party)
Address (crew and shipment party)
City (crew and shipment party)
State/province (crew and shipment party)
Zip (crew and shipment party)
Country (shipment party)
Bonded carrier ID
Onward carrier
Transfer carrier
Secondary notify party
ABI routing code

Segment Group 8:
COM Segment: Party telephone (shipment party)
Party email (shipment party)

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0400	NAD	Name and Address	M	1	
	0410		Segment Group 8: Contact Information	C		9

Segment: **NAD** Name and Address
Position: 0400 (Trigger Segment)
Group: Segment Group 7 (Name and Address) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to identifying information about a party related only to a part of the message. For example, in a message with several release notes or in a message related to several declarations, a customs agent and the person responsible for the information.

Comments:
Notes:

NAD Segment is conditional.

USAGE:

1. To reference or report errors in shipment party details.
2. To reference or report errors in the crew/passenger(s) with ACE ID's, and
3. To reference or report errors in personal details for crew/passenger(s) without ACE ID's

NOTES:

1. When reporting errors in shipment party details, at least the party ID and party type will be provided. A copy of the unacceptable data element is also provided.
2. When reporting errors in crew/passenger(s) information, at least the last name, first name and date of birth will be provided. A copy of the unacceptable data element is also provided.

STANDARD MANIFEST DATA ELEMENTS:

Bonded carrier: A code representing the identification number of the bonded carrier. Also referred to as the Importer or IRS number. This is the carrier used to transfer domestic within the US (C082/3039)

Onward carrier: SCAC code of Onward carrier to whom in bond goods are being transferred, if applicable. This is the carrier who takes it out of the country for an in-bond TE or IE." (C082/3039)

Transfer carrier: IRS Number of transfer Carrier (C082/3039)

Secondary notify party: Party to, in addition to the carrier, receive status notifications from Customs and Border Protection. (C082/3039)

ABI routing code: Code required for routing a broker download (C058/3124)

Party ID: Unique party identifier. (C082/3039)

Party type: Whether the Party is Consignee/Shipper/Importer etc.(DE 3035)

Party name: Name of the entity associated with the Party ID. (C080/3036)

Address: Street identification of the party's business location. (C059/3042)

City: City of the of the party's business location. (DE 3164)

State/Province: State or province of the party's business location. (C819/3229)

ZIP: Postal code for the party's business location. (DE 3251)

Country: Country of the party's business location. (DE 3207)

Party ID: ACE ID (If pre-registered, the Party ID is used to associate pre-registered Crew Member to Manifest. (C082/3039)

Party type: Identify the Crew. (DE 3035)

Party Last Name: Surname of the party being reported. (C080/3036)

Party First Name: The first given name of the party being reported. (C080/3036)

Party Middle Name: The second given name of the party being reported. (C080/3036)

Address: The United States street address of the party being reported. (C059/3042)

City: The United States city address of the party being reported. (DE 3164)

State: The United States state address of the party being reported. (C819/3229)

ZIP: The postal code for the United States address of the party being reported. (DE 3251)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	3035		<p>PARTY FUNCTION CODE QUALIFIER: Reports the party type that was submitted on the original transmission.</p> <p>CONDITION: IF reporting unacceptable fields in shipment party details, this field is provided.</p>	M 1 an..3
	C082		<p>PARTY IDENTIFICATION DETAILS: This composite is conditional.</p> <p>CONDITION: IF the party identifier was unacceptable, these fields provide a copy of what was submitted on the original transmission. IF reporting errors in shipment party details, at least the party ID and party type will be provided.</p>	C 1
M		3039	<p>Party identifier: Reports the party identifier that was submitted on the original transmission.</p> <p>IF reporting unacceptable fields in shipment party details, this field is provided.</p>	M an..35
		1131	<p>Code list identification code:</p> <ul style="list-style-type: none"> ▪ WHEN C082/2029 is an ACE proximity card, use 8. ▪ WHEN C082/3039 is an ACE ID, use 109. ▪ WHEN C082/3039 is a FAST code, use 274. ▪ WHEN C082/3039 is a filer code, use 275. ▪ WHEN C082/3039 is FIRMS location code, use 276. ▪ WHEN C082/3039 is a SSN or EIN, use 167. ▪ WHEN C082/3039 is Customs assigned number, use 160. ▪ WHEN C082/3039 is a DUNS number, use 46. ▪ WHEN C082/3039 is a SCAC, use 172. <ul style="list-style-type: none"> ▪ Code 8: Electromagnetic transmitter identification ▪ Code 46: DUNS (Dun and Bradstreet) +4 ▪ Code 109: Customs indicator ▪ Code 160: Party identification ▪ Code 167: Tax party identification ▪ Code 172: Carriers ▪ Code 274: Free and secure trade, FAST code ▪ Code 275: Customs filer code ▪ Code 276: Facilities Information and Resource Management System, FIRMS code 	C an..17
X		3055	Code list responsible agency code	C an..3
	C058		<p>NAME AND ADDRESS: This composite is conditional.</p> <p>CONDITION: IF the routing code for the filer was unacceptable, these fields provide a copy of what was submitted on the original transmission.</p>	C 1

M		3124	Name and address description: Reports the routing code for the filer that was submitted on the original transmission.	M	an..35
X		3124	Name and address description	C	an..35
X		3124	Name and address description	C	an..35
X		3124	Name and address description	C	an..35
X		3124	Name and address description	C	an..35
	C080		PARTY NAME This composite is conditional. CONDITION: IF the party name was unacceptable, these fields provide a copy of what was submitted on the original transmission. IF reporting errors in crew/passenger(s) information, at least the last name, first name and date of birth will be provided.	C	1
M		3036	Party name Reports the party name or crew/passenger last name that was submitted on the original transmission.	M	an..35
		3036	Party name Reports the party name or crew/passenger first name that was submitted on the original transmission.	C	an..35
		3036	Party name Reports the crew/passenger middle name that was submitted on the original transmission, if any.	C	an..35
X		3036	Party name	C	an..35
X		3036	Party name	C	an..35
X		3045	Party name format code	C	an..3
	C059		STREET This composite is conditional. CONDITION: IF the party address was unacceptable, these fields provide a copy of what was submitted on the original transmission.	C	1
M		3042	Street and number or post office box identifier: Reports the party address that was submitted on the original transmission.	M	an..35
		3042	Street and number or post office box identifier Reports the party address that was submitted on the original transmission.	C	an..35
		3042	Street and number or post office box identifier Reports the party address that was submitted on the original transmission.	C	an..35
		3042	Street and number or post office box identifier Reports the party address that was submitted on the original transmission.	C	an..35
	3164		CITY NAME Reports the party's city that was submitted on the original transmission.	C	1 an..35
	C819		COUNTRY SUB-ENTITY DETAILS This composite is conditional. CONDITION: IF the party's state/province was unacceptable, these fields provide a copy of what was submitted on the original transmission.	C	1
		3229	Country sub-entity name code Reports the party's state/province that was submitted on the original transmission.	C	an..9
X		1131	Code list identification code	C	an..17
X		3055	Code list responsible agency code	C	an..3
X		3228	Country sub-entity name	C	an..70
	3251		POSTAL IDENTIFICATION CODE Reports the party's postal code that was submitted on the original transmission.	C	1 an..17
	3207		COUNTRY NAME CODE Reports the shipment party's country that was submitted on the original transmission.	C	1 an..3

Group: **CTA** Segment Group 8: Contact Information
Position: 0410
Group: Segment Group 7 (Name and Address) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9
Purpose: A group of segments identifying contact and communication contact information.
Notes: Segment Group 8 is conditional.

USAGE: to report errors in the telephone and/or email address of the contact for the party identified in Segment Group 7.

STANDARD MANIFEST DATA ELEMENTS:
 COM Segment: Party telephone (shipment party)
 Party email (shipment party)

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0420	CTA	Contact Information	M	1	
	0430	COM	Communication Contact	C	9	9

Segment: **CTA Contact Information**
Position: 0420 (Trigger Segment)
Group: Segment Group 8 (Contact Information) Conditional (Optional)
Level: 3
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a person or a department to whom communication should be directed.
Comments:
Notes: CTA Segment is conditional.

USAGE: to act as a trigger segment so that the shipment party telephone number or email address may be reported.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
	3139		CONTACT FUNCTION CODE Code IC: Information Contact	C 1 an..3
X	C056		DEPARTMENT OR EMPLOYEE DETAILS	C 1
X		3413	Department or employee name code	C an..17
X		3412	Department or employee name	C an..35

Segment: **COM** Communication Contact
Position: 0430
Group: Segment Group 8 (Contact Information) Conditional (Optional)
Level: 4
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to identify the communication numbers of persons or department to whom communication should be directed.

Comments:
Notes:

COM Segment is conditional.

USAGE: to report an error in the telephone or email address of the contact for the shipment party identified in NAD Segment, position 0400.

STANDARD MANIFEST DATA ELEMENTS:

Party telephone: A telephone number of the party's business location or other number where the party can be reached by telephone. (C076/3148)

Party email: The email address of the party's business location or other address where the party can be reached by electronic mail. (C076/3148)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	C076		COMMUNICATION CONTACT	M 3
M		3148	Communication address identifier: Reports the shipment party telephone number or email address that was submitted on the original transmission.	M an..512
M		3155	Communication address code qualifier WHEN reporting an email address, use EM. WHEN reporting a telephone number, use TE. Code EM: Electronic Mail Code TE: Telephone	M an..3

Group: **MOA** Segment Group 9: Monetary Amount
Position: 0440
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments identifying the monetary amount, currencies and the rate of exchange, against which duties, taxes or fees are being computed, per item.
Notes: Segment Group 9 is conditional.

USAGE: to report an error in the value of a shipment.
 STANDARD MANIFEST DATA ELEMENTS:
 MOA Segment: Value

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0450	MOA	Monetary Amount	M	1	

Segment: **MOA** Monetary Amount
Position: 0450
Group: Segment Group 9 (Monetary Amount) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the monetary amount.
Comments:
Notes:

MOA segment is conditional.

USAGE: to report an error in the value of a shipment.

STANDARD MANIFEST DATA ELEMENT:

Value: Customs shipment value. In whole dollars. For Sec 321 releases and this will be the actual value. The estimated value will be used for IE and TE. (C516/5004)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	C516		MONETARY AMOUNT	M 1
M		5025	Monetary amount type code qualifier Code 40: Customs Value	M an..3
		5004	Monetary amount: Reports the value in US dollars that was submitted on the original transmission.	C n..35
X		6345	Currency identification code	C an..3
X		6343	Currency type code qualifier	C an..3
X		4405	Status description code	C an..3

Group: **CST** Segment Group 12: Customs Status of Goods
Position: 0530
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9999
Purpose: A group of segments identifying goods in terms of customs identities and customs amounts for duties, taxes and fees, following computation by customs.
Notes: Segment Group 12 is conditional.

USAGE:
 1. To report errors in the C4 code for BRASS shipments,
 2. To report errors in the Harmonized tariff code for in-bond movement when the ultimate disposition will be an exportation,
 3. To report errors with the commodity description,
 4. To report errors with the VIN's when vehicles are included in the shipment, and
 5. To report errors in the hazmat information.

STANDARD MANIFEST DATA ELEMENTS:

CST Segment: C4 code
 Harmonized number

FTX Segment: Description of cargo
 VIN
 Hazmat contact name
 Hazmat contact phone number
 Hazmat code - UN (reference only)
 Boarded quantity

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0540	CST	Customs Status of Goods	M	1	
	0550	FTX	Free Text	C	9	

Segment: **CST** Customs Status of Goods
Position: 0540 (Trigger Segment)
Group: Segment Group 12 (Customs Status of Goods) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying goods in terms of customs identities, status and intended use.
Comments:
Notes:

CST Segment is conditional.

USAGE:

1. To report errors in the C4 code for BRASS shipments, or
2. To report errors in the Harmonized tariff code for in-bond movement when the ultimate disposition will be an exportation.

STANDARD MANIFEST DATA ELEMENTS:

C4 code: 14 Character code assigned by Customs. (C246/7361)

Harmonized tariff number: HTS Number if Entry Type code is TE or IE. (C246/7361)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
	1496		GOODS ITEM NUMBER This segment is mandatory for this group. If no information needs to be reported in this segment but this group is used, report '1' here. Otherwise, do not use.	C 1 n..5
X	C246		CUSTOMS IDENTITY CODES	C 1
M		7361	Customs goods identifier: Reports the C4 code or Harmonized tariff code that was submitted on the original transmission.	M an..18
		1131	Code list identification code <ul style="list-style-type: none"> ▪ WHEN reporting a C4 code, use 117. ▪ WHEN reporting a Harmonized tariff code, use 122. ▪ Code 117: Customs Procedure ▪ Code 122: Commodity 	C an..17
X		3055	Code list responsible agency code	C an..3
X	C246		CUSTOMS IDENTITY CODES	C 1
M		7361	Customs goods identifier	M an..18
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X	C246		CUSTOMS IDENTITY CODES	C 1
M		7361	Customs goods identifier	M an..18
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
X	C246		CUSTOMS IDENTITY CODES	C 1
M		7361	Customs goods identifier	M an..18
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3

Segment: **FTX** Free Text
Position: 0550
Group: Segment Group 12 (Customs Status of Goods) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to specify the goods description.
Comments:
Notes: FTX Segment is conditional.

USAGE:
 1. To report errors with the commodity description,
 2. To report errors with the VIN's when vehicles are included in the shipment, and
 3. To report errors in the hazmat information.

STANDARD MANIFEST DATA ELEMENT:
 Description of Cargo: A description of the cargo in common trade terms. "No Freight of All Kinds" or "Said to Contain" will be accepted. (C108/4440)
 VIN: Vehicle identification number. (C108/4440)
 Hazmat contact name: Hazardous material point of contact. Name of person or department to contact in case of emergency. (C108/4440)
 Hazmat contact phone number: Hazardous material point of contact. Phone number of person or department to contact in case of emergency. (C108/4440)
 Hazmat code - UN: UN issued hazardous material identification code (49th CFR). (C108/4440)
 Boarded quantity: This quantity is what is actually boarded by the carrier when loading the shipment. (C108/4440)

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	4451		TEXT SUBJECT CODE QUALIFIER <ul style="list-style-type: none"> ▪ WHEN reporting cargo description, use AAA. ▪ WHEN reporting VIN(s), use PRD. ▪ WHEN reporting hazmat contact name and telephone number, use AAC. ▪ WHEN reporting boarded quantity, use ZZZ. ▪ Code AAA: Goods description ▪ Code AAC: Dangerous goods additional information ▪ Code PRD: Product information ▪ Code ZZZ: Mutually defined 	M 1 an..3
X	4453		FREE TEXT FUNCTION CODE	C 1 an..3
X	C107		TEXT REFERENCE	C 1
X		4441	Free text description code	M an..17
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
	C108		TEXT LITERAL	C 1
M		4440	Free text Reports the cargo description, VIN, hazmat code, or boarded quantity that was submitted on the original transmission.	M an..512
		4440	Free text Reports the cargo description, VIN, or hazmat contact name that was submitted on the original transmission.	C an..512
		4440	Free text Reports the cargo description, VIN, or hazmat contact telephone number that was submitted on the original transmission.	C an..512

		4440	Free text Reports the cargo description, or VIN that was submitted on the original transmission.	C	an..512
		4440	Free text Reports the cargo description, or VIN that was submitted on the original transmission.	C	an..512
X	3453		LANGUAGE NAME CODE	C	1 an..3
X	4447		FREE TEXT FORMAT CODE	C	1 an..3

Group : **ERP** Segment Group 14: Error Point Details
Position: 0620
Group: Segment Group 6 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9999
Purpose: A group of segments identifying an application error condition related only to a part of the message.

Comments:

Notes:

Segment Group 14 is conditional.

USAGE: to accept or reject shipment level Manifest data transmitted in a CUSCAR, CUSREP, or PAXLST message.

Segment Summary

Usage	Pos. No.	Segment ID	Name	Req. Des.	Max. Use	Group Repeat
M	0630	ERP	Error Point Details	M	1	
	0650	ERC	Application Error Information	C	99	
	0660	FTX	Free Text	C	99	

Segment: **ERP** Error Point Details
Position: 0630 (Trigger Segment)
Group: Segment Group 14 (Error Point Details) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment identifying the location of an application error.
Comments:
Notes: ERP Segment is conditional.

USAGE: to act as the trigger segment to report acceptance or rejection of shipment level manifest data in the following ERC 0650 and FTX 0660 Segments.

Data Element Summary

<u>Data Element</u>	<u>Component Element</u>	<u>Name</u>		<u>Attributes</u>
	C701	ERROR POINT DETAILS	C	1
	1049	Message section code	C	an..3
		1 Heading section		
X	1052	Message item identifier	C	an..35
X	1054	Message sub-item identifier	C	an..6
X	C853	ERROR SEGMENT POINT DETAILS	C	1
X	9166	Segment tag identifier	C	an..3
X	1050	Sequence position identifier	C	an..10
X	1159	Sequence identifier source code	C	an..3

Segment: **ERC** **Application Error Information**
Position: 0650
Group: Segment Group 14 (Error Point Details) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9999
Purpose: A segment identifying the type of application errors.
Comments:

Notes:

ERC Segment is conditional.

USAGE: to return an Accept or Reject message code for shipment level manifest data.

NOTES:

1. One CUSRES will be generated for each CUSCAR, CUSREP or PAXLST message set received.
2. If the entire CUSCAR, CUSREP or PAXLST message set is accepted by ACE, then a CUSRES with an acceptance status is generated.
3. If there are errors in the message set, the parts of the message without errors will be held in saved status. Errors will be returned along with an error code, error text, and the copy of the unacceptable data element that was submitted on the original transmission. Minimum data will be provided to reference where the error is located. To correct the errors, please amend your manifest with the correct information.
4. Error codes and detailed descriptions may be found in the document, **ACE Truck Manifest Error Dictionary**, located at the top of the **Truck** section on www.cbp.gov/trade/automated/technical/ace-import-manifest-documentation.
5. In general, trip level error messages will be reported in segment group 4 while shipment level error messages will be reported in segment group 14. An exception is trip party whose errors will be reported in segment group 14.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	C901		APPLICATION ERROR DETAIL	M 1
M		9321	Application error code	M an..8
			<p>Customs-assigned reason codes (an..5) for acceptance and rejection of shipment level manifest information.</p> <p>If error code = '000' then the manifest at the shipment level was accepted. Otherwise, there are errors.</p> <p>The list of shipment-level error codes:</p> <p>003 No B01/M11 Record Found No bill of lading/shipment control record found. Check CUSCAR RFF(0380) C506:1154, DOC(0365) C002:1001.</p> <p>004 Invalid S01/N1 Rec Found Valid party identification was not transmitted. Check CUSCAR NAD (0540) record.</p> <p>005 Invalid U01/N1 or N01/N1 Invalid party identification. Consignee or Notify Party name/address was not transmitted. Check CUSCAR NAD (0540) 3035 and C082:3039</p> <p>017 Missing or Invalid Bill Bill of Lading sequence number / shipment control number is missing or too long. It cannot be more than 12 characters.</p>	

	<p>Check CUSCAR: RFF (0380) C506:1154</p> <p>020 Invalid Weight Weight cannot be '0'.</p> <p>Check CUSCAR: MEA (0680) C174:6314</p> <p>021 Invalid Weight Unit Weight Unit data element should be LB, KG, L or K.</p> <p>Check CUSCAR: MEA (0680) C174:6411</p> <p>030 Invalid IB Entry Type Record identifier B01/M11 is for type 04 master in-bond (MIB), but In-bond Entry Type data element contains something other than 61, 62, 63, 69 or 70.</p> <p>Check CUSCAR: DOC (0365) C002:1000</p> <p>032 Invalid Inbond Number Record Identifier I01/Segment M12 is for type 3 MIB, but paperless In-bond Number data element contains data that is not numeric, spaces, or zero.</p> <p>Check CUSCAR: DOC (0365) C503:1004</p> <p>034 Invalid Foreign Port A valid foreign destination port is required for in-bond entry type 62 and 63 shipments.</p> <p>Check CUSCAR: LOC (0410) C517:3225</p> <p>035 Invalid Dollar Value Value data element contains data that is not numeric or 0.</p> <p>Check CUSCAR: MOA (0690) C516:5004 must be greater than 0.</p> <p>038 B/L Already on File The Bill of Lading Sequence Number/shipment control number provided is a number that has already been transmitted within the past 3 years.</p> <p>Check CUSCAR: RFF (0380) C506:1153</p> <p>041 Missing Container Number The container number data element contains spaces.</p> <p>Check CUSCAR: EQD (0220) C237:8260 and DOC(0365) C503:1004</p> <p>042 Invalid Quantity Shipment/Bill of Lading Quantity is not numeric or 0.</p> <p>Check CUSCAR: PAC (0650) 7224</p> <p>046 Invalid Amendment Code Check CUSCAR: RFF (0510) C506:1154</p> <p>047 Missing Description Description data element was not transmitted or contains blanks.</p> <p>Check CUSCAR: FTX (0670) C108 4440</p> <p>060 XXXX Bill Rejected XXXX in EDIFACT: CUSCAR RFF (0380) C506 1154 Or Record Identifier A01/Segment M13 has to be added as a result of any error. The error type has been previously transmitted Or Record identifier K01/Segment M13 has to be added as a result of any error. The error type has been previously transmitted</p>
--	---

	<p>073 No Harmonized Number found, Bill Rejected Record Identifier D00/Segment N10 Harmonized Number data element transmitted with no value, blanks, or 0. In ANSI X12: 309 Set N1008: Shipment is inbond but Harmonized code is missing, blank, or 0; In EDIFACT: CUSCAR CST 0730 C246 7361, 1131</p> <p>074 Incorrect Harmonized #</p> <p>Record Identifier D00/Segment N10 – Harmonized Number Data Element contains data that doesn’t appear in Harmonized Schedule File. 309 Set N1005: TE/IE shipment and commodity code specified does not exist; In CUSCAR: CST0730 C246 7361, 1131</p> <p>105 IB# Used at Another Port Record identifier !01/Segment M12 – the in-bond entry type data is Type 3, but the in-bond number is already on file with a different routing. In EDIFACT: CUSCAR DOC0365 C503 1004</p> <p>108 Bonded Carrier ID Required Record identifier !01/Segment M12 is type 04 MIB, but the ID number is not in the bonded carrier file; In EDIFACT: CUSCAR NAD0540 C082 3039</p> <p>109 Invalid Bonded Carrier ID Record identifier !01/Segment M12 is type 04 MIB, but the ID number and is not in the bonded carrier file In ANSI X12 309 Set N103/N104: IRS number specified doesn’t exist or is invalid; In EDIFACT: CUSCAR NAD0540 C082 3039</p> <p>121 Alpha must begin INB nbr Record identifier I01/segment M12 is type 04 MIB, but the paperless in-bond number data element contains an in-bond number that does not begin with an alpha. In ABSI X12: 309 set M1202: alpha at beginning of number is absent In EDIFACT: CUSCAR: DOC0365 C503 1004</p> <p>157 FIRMS Code Required Record identifier T01/M20 – the FIRMS Code data Element is blank In ANSI X12: 309 Set M1214: shipment is in-bond but the element is blank; in EDIFACT: CUSCAR NAD0540 C082 3039</p> <p>158 FIRMS Code not on File record identifier T01/M20 – the FIRMS Code data element contains a code not in the FIRMS FILE In ANSI X12: 309 Set N104: FIRMS code of second notify party doesn’t exist; In EDIFACT: CUSCAR LOC410 C517:1134</p> <p>159 FIRMS Code not Active</p> <p>164 FIRMS Code not on File for DDPP</p> <p>204 No Man Unit Code for BL</p>
--	--

		Record Identifier D01/N10 – Manifest Unit Code is other than codes in note for this element; In EDIFACT: CUSCAR PAC0650 C202 7065
	209	BL not on File or Deleted In ANSI X12: 358 Set: Record Identifier MBL/MBL – Bill of Lading number not in database or is in deleted status 309 Set M1301/M1304: shipment control number specified doesn't exist/ M12: inbond data not found for shipment control number. In EDIFACT: CUSREP RFF0170 C506 1154
	210	Invalid Equip Desc Code Record Identifier C01/VID – Container, Equipment Description code is anything than codes listed in Appendix K of CAMIR. In ANSI X12: 309/358 Sets: VID01; In EDIFACT: CYSCAR EQD0220 8053
	229	Could not find ABI Broker Record Identifier N00/N1: If entity ID code is 'CB', filer code is invalid or missing 309 Set N103/N104: broker filer code indicated doesn't exist of is invalid; In EDIFACT: CUSCAR NAD0540 C082
	241	Invalid Container Number In ANSI X12: 309 Set M12/VID: no inbond data found for equipment number and SCAC with status DP In EDIFACT: CUSCAR EQD0220 C237 8260/DOC002 1000
	242	C4 Code not Valid Record Identifier D01/Segment N10: The Customs bar code number (C4) is invalid by Line Release 309 Set N1009: C4 code specified for BRASS shipment does not exist or is invalid; I In EDIFACT: CUSCAR CST 0730 C246
	255	Inbond Exists for this Bill A carrier-issued or QP filer-submitted initial in-bond is already active for this bill.
	324	Invalid Pedimento Number The pedimento number in N9/B04 reference number does not have the valid number. In ANSI X12: 309 Set N901/N902. M1201 is type '63' CBP port of in-bond destination is a Mexican border port and the pedimento number is missing or invalid. In EDIFACT: CUSCAR DOC0365 C002 1001 C503 1004
	415	No Hazmat Contact

		In ANSI X12: 309 Set H105. Hazmat contact missing; In EDIFACT: CUSCAR FTX0670 C108 4440
	416	Int Error – Take no Action Various segments: an internal error has occurred in processing
	424	Inv SCAC on Shipment In ANSI X12: 309 Set M1301/10,M1112/13: SCAC doesn't exist; in EDIFACT: CUSCAR DOC0365 C002 1001, RFF0380 C506 1153
	425	No Shipment Rel Type Filed In ANSI X12: 309 Set M1109: preferred manifest – release type not specified. In EDIFACT: CUSCAR (W) BGM 87 and DE1225=2/(Y) BGM DE1001=85 and DE1225=3
DE1001=	426	Inv IIT Ind for Shipment In ANSI X12: 309/358 Set VEH23 and VID 13: indicator doesn't Exist or not correct In EDIFACT: CUSCAR RFF0100 C506 1154 RFF0100 C506 1154/CUSREP RFF0516 C506 1154
	428	Inv UN Danger Goods Code In ANSI X12: 309 Set H101: UN code specified is incorrect or doesn't exist In EDIFACT: CUSCAR FTX0670 4451, C108 4440
	429	Inv Shipment Party Type In ANSI X12: 309 Set N101: party type specified not in list; in EDIFACT: CUSCAR NAD0540 3035
	430	Inv Filer Code for Shipment In ANSI X12: 309 Set N104: broker filer code specified doesn't exist or is incorrect; in EDIFACT: CUSCAR NAD0540 C082 3039
	434	Inv Party Type, ID and Comb In ANSI X12: 309 Set N103: qualifier not specified in this element; In EDIFACT: CUSCAR NAD0540 C082 3039,1131
	435	Amend Code not Filed In ANSI X12: 309 Set M1306: amendment code missing after 'manifest complete' message; in EDIFACT: CUSCAR RFF0510 C506 1154
	436	Inv DUNS Number In ANSI X12: 309 Set N103/N104: Duns number specified doesn't exist or is invalid;

		in EDIFACT: CUSCAR NAD0540 C082 3039, 1131
	437	Inv Equip ACE ID In ANSI X12: 309/358 Set VID17: ACE ID specified doesn't exist or is invalid per carrier account; n EDIFACT: CUSCAR EQD0220 C237 8260/ CUSREP EQD0500 C237 8260
	440	Inv Shipment Party ACE ID In ANSI X12: 309 Set N103/N104: preferred shipment, ACE ID doesn't exist or is invalid per carrier account records; in EDIFACT: CUSCAR NAD0540 C082 3039
	443	Shipment not found for IB In ANSI X12: 353 set M1501/M1502 the in-bond number Specified has no associated shipments; in EDIFACT: CUSREP DOC0365 C503 1004
	445	Inv Quantity UOM In ANSI X12: 309 Set N1010: UOM is code not in list; In EDIFACT: CUSCAR PAC0650 C202 7065
	446	Brd Qty Grtr than Shp Qty In ANSI X12: 309 Set N1001,358 Set MBL06: total of boarded quantities in split shipment is greater than original manifested quantity for bill; In EDIFACT: CUSCAR CNT0390 C270 6069
	447	Inv Split of Shipment In ANSI X12: 309 Set M1109,358 Set MBL06: carrier attempts to create a split shipment but shipment release type will not allow splits; In EDIFACT: CUSCAR CNT0390 C270 6069
	448	Inv Equipment Type In ANSI X12: 309 Set VID01: type specified doesn't exist or is invalid; In EDIFACT: CUSCAR EQD0220 8053
	449	Inv Lic Plate Comb for Shp In ANSI X12: 309 Set VEH10/17,VID15/16: combination of state/province and country is not correct; in EDIFACT: CUSCAR TDT0170 C222 8453, LOC327 C517 3225, LOC0180 C517 1131
	450	Miss Lic Plate Ctry for Shp In ANSI X12: 309 Set VEH17, VID16: Country code other than US, CA, MX missing; in EDIFACT: CUSCAR LOC0327 C517 3225, TDT0170 C222 8453
	451	Inv lic Plate St/Pr for Shp In ANSI X12: 309 Set VEH10/VID15: State/Province code for license plate doesn't exist or is invalid;

		In EDIFACT: CUSCAR LOC0180 C517 3225, LOC0327 C517 3225
	464	EQ Lic Plate/Number Missing In ANSI X12: 309/358 sets VID14,VID16,VID18,VID02,VID03 In EDIFACT: CUSCAR: RFF0326 C506 1153-1154 CUSREP: RFF0516 C506 1153-1154
	469	Equip Lic Plate Missing In ANSI X12: 358 Set VID14: equipment license plate is missing or invalid; In EDIFACT: CUSREP RFF0516 C506 1154
	470	Inv Ctry of Orig for Shp In ANSI X12: 309 Set N1011: Sec 321 entry, country code specified does not exist or is invalid; In EDIFACT CUSCAR LOC0740 C517 3225
	471	Mixed UOM for Shp In ANSI X12: 309 Set N1010/358 Set MBL06: boarded quantities in the MBL segment are combined from 2 different commodities with different UOM's in the 309; in EDIFACT CUSCAR PAC0650 C202 7065, CNT0390 C270 6066
	472	For Port must be Sch K In ANSI X12: 309 Set M1102: if the shipment is preferred the estimated port of arrival is anything other than Schedule K code; In EDIFACT: LOC410 C517 1131
	473	Imp not CTPAT for Pref In ANSI X12: 309 Set N101-02: preferred shipment and importer not CTPAT approved as per account records; In EDIFACT: CUSCAR NAD0540 C082 3039, NAD0540 3035
	477	Brd Qty Sum Grtr Shp Qty In ANSI X12: 358 Set MBL06/309 Set N1001: Sum of all boarded quantities from all trips is greater than total shipment quantity; In EDIFACT: CUSCAR PAC0650 C202 7065/ CUSREP CNT0390 C270 6069
	480	No FDA Conf in TE/IT In ANSI X12: 309 Set M1212: FDA confirmation code is missing or is invalid; In EDIFACT: CUSCAR GEI0420 C012 7365
	481	Inv IIT Code for Ship In ANSI X12: 309 Set VID18: IIT code is anything other than C,I, A, B; In EDIFACT: CUSCAR: RFF0326 C506 1154
	482	Mismatch of Equip Data

		<p>In ANSI X12: 309/358 Set VID02,0314,15,16: preliminary 309 bills translated with an equipment number that is not duplicated in the 358 consist; In EDIFACT: CUSCAR EQD0220 C237 8260, RFF0326 C506 1154, LOC0327 C517 3225/ CUSREP EQD0500 C237 8260, RFF0516 C506 1144, LOC0327 C517 3225</p>
483	Conv/Equip ACE ID not for Carr	<p>In ANSI X12: 309/358 Set VEH21, VID17: the conveyance/equipment ACE ID specified is not registered to the carrier; In EDIFACT: CUSCARTDT0170 C222 8212, EQD0220 C237 8260/ CUSREP TDT0370 C222 8212, EQD0500 C237 8260</p>
485	Inv Amount for Sec 321	<p>In ANSI X12: 309 Set M1109/N1006: value of commodity is greater than \$200; In EDIFACT: CUSCAR MOA0690 C516 5004</p>
486	Inv FAST Number	<p>In ANSI X12: 309 Set N103/04: FAST number specified is registered in FAST system to different carrier: In EDIFACT: CUSCAR NAD0540 C082 3039</p>
487	Missing Req Ship Party Data	<p>In ANSI X12: 309 Set N101/N102: missing entity identifier code and/or name; In EDIFACT: CUSCAR NAD0540 3035, NAD0540 C080 3036</p>
491	Ship data mixed with rel type	<p>In ANSI X12: 309 set M1109, M1201 2 different types of releases in same shipment: BRASS, inbond In EDIFACT: CUSCAR CST0730 C246 7361</p>
492	Shipment on Another Manifest	<p>In ANSI X12: 358 set MBL01, MBL02 Shipment data is part of another manifest and linking is not allowed In EDIFACT: CUSCAR RFF0380 C506 1153, CNT0390 C270 6069</p>
494	Inv Format for Shipment	<p>In ANSI X12: 309 set M11, M13 Format isn't alphanumeric without spaces for shipment. In EDIFACT: CUSCAR RFF0380 C506 1153</p>
496	Duplicate license plate	<p>In ANSI X12: 309/358 sets VEH09,VID14 Duplicate license plate for trip or shipment In EDIFACT: CUSCAR TDT 0170 C222 8453, LOC3227 C517 3225. LOC0180 C517 1131</p>
497	Duplicate equipment	<p>In ANSI X12: 309/358 sets VID02,03 Duplicate equipment for trip or shipment:</p>

		<p>equipment number is repeated on same shipment or trip. In EDIFACT : CUSCAR TDT 0170 C222 8453, LOC327 C517 3225, LOC0180 C517 1131</p>
	506	<p>Mand rel data not provided</p> <p>In ANSI X12: 309/358/353 sets M10,P4, M11, M12 N1, N3, N4, N10 Mandatory data for release type not provided for shipment:: required elements missing In EDIFACT: CUSCAR/CUSREP BGM,DTM,NAD,LOC, TDT, EQD, CNI, QTY, GID</p>
	510	<p>Req Ship party not given</p> <p>In ANSI X12: 309 Set N101,N102: required shipment party data not provided for the shipment. In EDIFACT: CUSCAR: NAD0540 NAD0100, NAD0590 CUSREP: NAD0290</p>
	511	<p>Man Returned to Preliminary</p> <p>In ANSI X12: 309 set N1009: complete manifest code W in M1009 has shipments rejected: need bill corrected, retransmitted, and 353 set to confirm manifest is complete. In EDIFACT: CUSCAR: BGM, DTM</p>
	514	<p>Mismatch of Codes at Trip</p> <p>In ANSI X12: 309 M1009, M1005: M109 code is 'W' for complete manifest, but M1005 has 'system' not trip number. In EDIFACT: CUSCAR: BGM0020 C1006 1004</p>
	515	<p>Inv Est Date of US Exit</p> <p>In ANSI X12: 309 set M1213: estimated date of departure for in-bond shipment where M1201 is 62 or 63 is invalid or blank In EDIFACT: CUSCAR: DTM0480 C507 2380</p>
	516	<p>ERRORS ON MORE THAN 100 SCN</p> <p>In ANSI X12: 309: this error Code is returned when errors Have been detected in more Than 100 shipments. The carrier is urged to check his data for repetitions of the same errors. In EDIFACT: CUSCAR</p>
	529	<p>NO ENT TYPE CHANGE FOR INB</p> <p>Carrier attempts to change entry type for inbond shipment In ANSI X12 309 set M13/M1201: changing codes '61','62','63' In EDIFACT: CUSCAR DOC0365 C002 1001</p>
	545	<p>INBOND CANNOT BE ARRIVED BEFORE DEPARTURE</p> <p>In ANSI X12 353 set M1503: the in-bond arrival date cannot be prior to the in-bond departure of the manifest.</p>

			In EDIFACT CUSREP DTM0180 C507 2380			
		546	CNSGN EXCEEDS SEC321 MAX VAL Consignee exceeded daily max value for Section 321. In ANSI X12: 309 Set M1109/N1006: In EDIFACT: CUSCAR MOA0690 C516 5004			
X		1131	Code list identification code	C		an..17
X		3055	Code list responsible agency code	C		an..3

Segment: **FTX** Free Text
Position: 0660
Group: Segment Group 14 (Error Point Details) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to provide explanation and/or supplementary information related to the specified application error.

Comments:
Notes:

FTX Segment is conditional.

USAGE: to transmit Customs-assigned message text for acceptance and rejection pertaining to shipment level Manifest data.

NOTES:

1. The text translation of the message code is provided in FTX Segment, C108/4440.

Data Element Summary

Data Component

Usage	Data Element	Component Element	Name	Attributes
M	4451		TEXT SUBJECT CODE QUALIFIER Code AAO: Error Description (Free Text)	M 1 an..3
X	4453		FREE TEXT FUNCTION CODE	C 1 an..3
X	C107		TEXT REFERENCE	C 1
M		4441	Free text description code	M an..17
X		1131	Code list identification code	C an..17
X		3055	Code list responsible agency code	C an..3
	C108		TEXT LITERAL	C 1
M		4440	Free text Reports the error message text. FORMAT: an512	M an..512
X		4440	Free text	C an..512
X		4440	Free text	C an..512
X		4440	Free text	C an..512
X	3453		LANGUAGE NAME CODE	C 1 an..3
X	4447		FREE TEXT FORMAT CODE	C 1 an..3

Segment: **UNT** Message Trailer
Position: 0710
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment ending a message, giving the total number of segments in the message (including the UNH & UNT) and the control reference number of the message.
Comments:
Notes: UNT Segment is mandatory.

Data Element Summary

Usage	Data Element	Component Element	Name	Attributes
M	0074		NUMBER OF SEGMENTS IN A MESSAGE	1 n..6
M	0062		MESSAGE REFERENCE NUMBER	1 an..14