UN/EDIFACT Truck Manifest Implementation Guide

FAST MEDPID Account Create/Update

September 2019





MEDPID Person Identification Message

Introduction:

The message is used to pass detailed information on persons from, for instance, health insurance agencies to local government in order to verify, add, change or delete person related data in information systems. The message may also be used to transfer person information between various application systems within one organisation (i.e. hospital).

Usually detailed person related information for one or more persons is sent from one organisation to another who will acknowledge the message that is sent and proceed with changing, adding or deleting person data in their own files or use the transferred information to check their own registers and send a verification message back.

Notes:

This **Account Create/Update** message is to be used as an Implementation Guide to exchange Account data between the trade and U. S. Customs and Border Protection **for** the Free and Secure Trade (**FAST**) system.

Terms, for the purpose of this message:

Access Permission: A permission granted by an owner of a FAST Account to another party (also a FAST Account) allowing that party to act on the owner Account's behalf. Access Permission may include update, create, and queries based on the permissions granted by the owner Account.

Account: An individual or company with whom Customs does business or in whom Customs has an interest for the purpose of Trade Compliance.

FAST ID: a seven-digit alphanumeric code generated automatically by the Customs system. An Account identification number to be used by Customs and the trade to identify Accounts in their transactions.

Business Category: roles taken by Accounts, such as importer, carrier, consignee, etc. A single Account will have one or more Business Categories. For example, a company that imports and files its own entries would have "importer" and "entry filer" as Business Categories.

Check digit adjustment factor: a number to indicate an adjustment to be made to the check digit.

Designated Filer Relationships: Relationships pre-identified to U.S. Customs between a party, such as an Importer, and a Filer of the party's Customs documentation. One type of Designated Filer relationship may be defined:

■ An Importer may designate a default Filer on a national level.

Before the Importer submits any Cargo Declarations to Customs, a default Filer on the national level must be defined.

Owner: the company or individual that is identified by an Account record.

Preparer: the trade business office that is responsible for the actual preparation of the data in the EDI transaction. Identified in the EDIFACT UNG Segment, DE 0040. This may or may not be the transmitter of the data.

Tariff Number: a 6-digit Harmonized Tariff Schedule (HTS) number that identifies an importer's commodities.

1

Trade Id: any combination of alpha/numeric characters in one of the accepted formats (for example, Dun & Bradstreet DUNS, IRS 11-digit employer id, U S Department of Transportation (DOT) number, FAST Id)

The Account Create/Update message will be used to accommodate the following actions:

Add Account data - Primary Name and Address.

Add a Business Category.

Add, change, and deactivate an Administrative Name and Address (for the Account as a whole.)

Add and deactivate Trade Id's.

Add and deactivate Designated Filer Relationships.

Add (grant) and deactivate (revoke) Access Permissions.

Add and deactivate a Tariff Number.

Add, change, and deactivate FAST Entry Number Ranges.

Confirm that an addition of an Account is valid when a 'Duplication Warning' is received from U. S. Customs

(<u>Future use</u>).

NOTE: In this document, the following signage in the far left column has significance:

'M' Data element and/or component element is mandatory

'X' Data element and/or component element is not used

The absence of either sign noted above signifies that the data element and/or component element is conditional. Every effort has been made to state the condition(s) under which an element is needed.

| Page No. 4 | Pos. No. 0010 | Seg. <u>ID</u> UNH | Name Message Header | Req. Des. M | Max.Use | Group <u>Repeat</u> | Notes and Comments |
|-------------------|---------------|--------------------------|--|-------------------|---------|------------------------|-----------------------|
| 5 | 0020 | BGM | Beginning of Message | M | 1 | | |
| X | 0030 | DTM | Date/Time/Period | C | 9 | | |
| 7 | 0040 | RFF | Reference | C | 9 | | |
| X | 0050 | FTX | Free Text | C | 99 | | |
| | 0060 | | Segment Group 1: PNA-ADR-CTA-COM- RFF-LAN | M | | 99 | |
| 9 | 0070 | PNA | Party Name | M | 1 | | |
| 13 | 0080 | ADR | Address | C | 9 | | |
| X | 0090 | CTA | Contact Information | C | 9 | | |
| X | 0100 | COM | Communication Contact | C | 9 | | |
| X | 0110 | RFF | Reference | C | 99 | | |
| X | 0120 | LAN | Language | C | 9 | | |
| | 0130 | | Segment Group 2: GIS-PNA-ADR-RFF-DTM-IHC-NAT-FTX-LAN-HAN-LOC-FII-CTA-SG3-SG4-SG5 | M | | 9999 | |
| 17 | 0140 | GIS | General Indicator | M | 1 | | |
| 19 | 0150 | PNA | Party Name | C | 1 | | |
| 25 | 0160 | ADR | Address | C | 9 | | |
| 28 | 0170 | RFF | Reference | C | 99 | | |
| X | 0180 | DTM | Date/Time/Period | C | 9 | | |
| X | 0190 | IHC | Person Characteristic | C | 9 | | |
| X | 0200 | NAT | Nationality | C | 9 | | |
| X | 0210 | FTX | Free Text | C | 9 | | |
| X | 0220 | LAN | Language | C | 9 | | |
| X | 0230 | HAN | Handling Instructions | C | 9 | | |
| X | 0240 | LOC | Place/Location Identification | C | 9 | | |
| X | 0250 | FII | Financial Institution Information | C | 9 | | |
| X | 0260 | CTA | Contact Information | C | 9 | | |
| | 0330 | | Segment Group 5: REL-PNA-ADR-RFF-DTM-PDI-IHC-NAT-LAN-LOC | С | | 99 | |
| 31 | 0340 | REL | Relationship | M | 1 | | |
| 32 | 0350 | PNA | Party Name | C | 1 | | |
| X | 0360 | ADR | Address | C | 9 | | |
| X | 0370 | RFF | Reference | C | 9 | | |

| ACE F1 | ree and S | Secure Tra | de (FAST) | | |
|--------|-----------|------------|--------------------------------|---|---|
| X | 0380 | DTM | Date/Time/Period | C | 9 |
| X | 0390 | PDI | Person Demographic Information | C | 1 |
| X | 0400 | IHC | Person Characteristic | C | 9 |
| X | 0410 | NAT | Nationality | C | 9 |
| X | 0420 | LAN | Language | С | 9 |
| X | 0425 | LOC | Place/Location Identification | C | 9 |
| 36 | 0460 | UNT | Message Trailer | M | 1 |

Segment: UNH Message Header

Position: 0010

Group: Level: 0

Usage: Mandatory

Max Use: 1

Purpose: A service segment starting and uniquely identifying a message. The message type code

for the Person identification message is MEDPID.

Note: Person identification messages conforming to this document must contain the

following data in segment UNH, composite S009:

Data element 0065 MEDPID 0052 D 0054 00B 0051 UN

Dependency Notes: Semantic Notes: Comments:

| | Data | Componen | t | | |
|--------------|----------------|----------------|--|--------------|---------------|
| | Element | Element | Name | | ributes . |
| M | 0062 | | MESSAGE REFERENCE NUMBER | M | an14 |
| | | | Unique message reference assigned by the sender. | | |
| | | | Unique sender reference number. | | |
| M | S009 | | MESSAGE IDENTIFIER | M | |
| | | | Identification of the type, version etc. of the message being in | iterch | anged. |
| M | | 0065 | Message type identifier | M | an6 |
| | | | Code identifying a type of message and assigned by its control | olling | agency. |
| | | | MEDPID | | |
| \mathbf{M} | | 0052 | Message type version number | M | an3 |
| | | | Version number of a message type. | | |
| | | | D | | |
| \mathbf{M} | | 0054 | Message type release number | M | an3 |
| | | | Release number within the current message type version num | ber (| 0052). |
| | | | 00B | | |
| \mathbf{M} | | 0051 | Controlling agency | M | an2 |
| | | | Code identifying the agency controlling the specification, ma | inten | ance and |
| | | | publication of the message type. | | |
| | | | UN | | |
| X | | 0057 | Association assigned code | C | an6 |
| | | | Code, assigned by the association responsible for the design a | | |
| | 00.00 | | of the message type concerned, which further identifies the m | _ | |
| X | 0068 | | COMMON ACCESS REFERENCE | C | |
| | | | Reference serving as a key to relate all subsequent transfers or business case or file. | f data | a to the same |
| X | S010 | | STATUS OF THE TRANSFER | C | |
| 21 | 5010 | | Statement that the message is one in a sequence of transfers re | | ug to the |
| | | | same topic. | Jatin | ig to the |
| X | | 0070 | Sequence message transfer number | M | n2 |
| | | | Number assigned by the sender indicating that the message is | an a | ddition or |
| | | | change of a previously sent message relating to the same topi | | |
| X | | 0073 | First/last sequence message transfer indication | \mathbf{C} | a1 |
| | | | Indication used for the first and last message in a sequence of | the s | same type of |
| | | | message relating to the same topic. | | |
| | | | | | |

 \mathbf{BGM} Beginning of Message **Segment:**

Position:

Group:

Level:

Usage: Mandatory

Max Use:

A segment for specifying message name and function. **Purpose:**

Dependency Notes: Semantic Notes:

Comments:

Notes:

This segment will be used to describe the purpose of this message: to establish a FAST Account or to modify an existing FAST Account.

The FAST MEDPID Create/Update message can be used to establish new FAST accounts (DE 1225 = 9) of the following Business Categories:

Deliver to/Consignee

Shipper

In addition, the FAST MEDPID Create/Update message can be used to modify existing FAST accounts (DE 1225 = 4) of the following Business Categories:

Importer

- maintain trade IDs,
- maintain designated filer or access permission relationships,
- maintain tariff numbers

Entry Filer

- maintain trade IDs,
- maintain access permission relationships,
- maintain FAST entry number ranges

Shipper

- maintain trade IDs,
- maintain administrative name/addresses

Consignee

- maintain trade IDs,
- maintain administrative name/addresses

NOTE:

DMR will be prepared to add the following value for DE 1001:

957 Customs Account Management

Data Element Summary

| | Data | Componen | t | · | | |
|---|----------------|----------------|---------------------|--|--------------|----------------|
| | Element | Element | <u>Name</u> | | Attı | <u>ributes</u> |
| M | C002 | | DOCUMENT/M | ESSAGE NAME | \mathbf{C} | |
| | | | Identification of a | type of document/message by code or name | . Co | de preferred. |
| M | | 1001 | Document/messa | ge name, coded | \mathbf{C} | an3 |
| | | | Document/messag | ge identifier expressed in code. | | |
| | | | 957 | Customs Account Management | | |
| M | | 1131 | Code list qualifie | er | \mathbf{C} | an3 |
| | | | Identification of a | code list. | | |
| | | | 109 | CBP indicator | | |
| M | | 3055 | Code list respons | sible agency, coded | \mathbf{C} | an3 |
| | | | Code identifying t | the agency responsible for a code list. | | |
| | | | 111 | US, U.S. Customs and Border Protection | l | |

| ACE Free and | d Secure Trade | | . | | ~ | 25 |
|--------------|----------------|------|--------------------------------------|---|--------|---------------|
| X | | 1000 | Document/message | | C | an35 |
| | G406 | | | tifier specifying the function of a documen | | essage. |
| X | C106 | | | SSAGE IDENTIFICATION | C | |
| | | | | ocument/message by its number and even | tually | y its version |
| X | | 1004 | or revision. Document/message | numbor | C | an7 |
| Λ | | 1004 | _ | ssigned to the document/message by the i | | |
| X | | 1056 | Version | ssigned to the document/message by the i | C | an9 |
| Λ | | 1030 | | on number or name of an abject | C | an9 |
| w. | | 1070 | = - | on number or name of an object. | • | (|
| X | | 1060 | Revision number | , | C | an6 |
| 3.5 | 4005 | | To specify a revision | | ~ | |
| M | 1225 | | MESSAGE FUNC | • | C | an1 |
| | | | | function of the message. | | |
| | | | | count already exists and is being modified | by: | |
| | | | adding a Business | | | |
| | | | adding or deactivat | or deactivating an Administrative Name/A | ddra | ace for the |
| | | | Account as a | | adic | as for the |
| | | | | or deactivating a FAST Entry Number or | a rar | nge of FAST |
| | | | Entry Numb | | | |
| | | | adding or deactivat | ting a Designated Filer Relationship, | | |
| | | | | or deactivating (revoking) an Access Perm | issio | on, |
| | | | adding or deactivat | ting Importer Tariff (HTS) numbers | | |
| | | | Use '9' when | | | |
| | | | Establishing an Ac | count | | |
| | | | Establishing an 7 te | count. | | |
| | | | For FUTURE USE: | | | |
| | | | Use '6' when confirm | ning that establishment of an Account is v | alid | after |
| | | | | tion Warning' from U. S. Customs. NOT | | |
| | | | • | LY after the user has received a 'Duplicat | | _ |
| | | | Account. | in response to an earlier attempt to add or | upa | ate an |
| | | | 4 | Change | | |
| | | | 6 | Confirmation | | |
| | | | 9 | Original | | |
| X | 4343 | | - | 6 | C | on 2 |
| Λ | 4343 | | RESPONSE TYPE | tyme of columnial domain required on twen | | an3 |

Code specifying the type of acknowledgment required or transmitted.

Segment: RFF Reference

Position: 0040

Group:

Level: 1

Usage: Conditional (Optional)

Max Use: 9

Purpose: This segment contains references to other related messages or documents concerning the

whole message.

Dependency Notes: Semantic Notes:

Comments: Notes:

Use of this segment is optional. It is used to report:

Trade Reference Number: A number used for internal reference by the trade user to

associate with a FAST account record (DE C506/1154).

NOTE: Only one occurrence of this RFF Segment is allowed.

| | Data | Componen | t | | |
|---|----------------|----------------|---|--------------|----------------|
| | Element | Element | <u>Name</u> | <u>Att</u> r | <u>ributes</u> |
| M | C506 | | REFERENCE | M | |
| | | | Identification of a reference. | | |
| M | | 1153 | Reference qualifier | M | an3 |
| | | | Code giving specific meaning to a reference segment or a re- | ferenc | e number. |
| | | | AFN Account party's reference | | |
| M | | 1154 | Reference number | \mathbf{C} | an35 |
| | | | Identification number the nature and function of which can entry in data element 1153 Reference qualifier. | be qua | lified by an |
| | | | Number assigned by the originator. Value will be returned processing results. Edits will not be performed on this field will not be controlled in the Customs system on the basis of Format: an25 | and pi | rocessing |
| X | | 1156 | Line number | \mathbf{C} | an6 |
| | | | Number of the line in the document/message referenced in number. | 154 R | Reference |
| X | | 4000 | Reference version number | C | an35 |
| | | | To uniquely identify a reference by its revision number. | | |
| X | | 1060 | Revision Identifier | C | an6 |
| | | | To identify a revision. | | |

Group: PNA Segment Group 1: Party Name

Position: 0060

Group: Level: 1

Usage: Mandatory

Max Use: 99

Purpose: This segment group is used to transfer information about the parties involved in the actual

data interchange. Also information about parties to receive copies may be specified.

Notes: Use of the Segment Group is mandatory.

DATA REQUIREMENTS:

It is used to report the following conditional data:

FAST ID (PNA Segment)

Primary Name/Address (Name: PNA Segment, Address: ADR Segment)

Organization Type (PNA Segment)

When establishing an Account (BGM Segment, DE 1225 = 6 or 9) Primary Name/Address is required.

When modifying an Account (BGM Segment, DE 1225 = 4), FAST ID is required except for the following GIS Segment actions:

- (1) Add Administrative Name/Address (GIS Segment, DE C529:7365 = AAN),
- (2) Add Business Category (GIS Segment, DE C529:7365 = ABC), and
- (3) Add Account Trade ID (GIS Segment, DE C529:7365 = ATI).

Depending on what is being modified, Primary Name/Address and Organization Type may be required.

NOTE: Only one occurrence of Segment Group 1 is allowed.

Segment Summary

| | Pos. | Seg. | | Req. | Max. | Group: |
|---|------------|-----------|-------------|------|------------|--------|
| | <u>No.</u> | <u>ID</u> | <u>Name</u> | Des. | <u>Use</u> | Repeat |
| M | | PNA | Party Name | M | 1 | |
| | 0080 | ADR | Address | C | 9 | |

Segment: PNA Party Name
Position: 0070 (Trigger Segment)

Group: Segment Group 1 (Party Name) Mandatory

Level: 1

Usage: Mandatory

Max Use: 1

Purpose: A segment identifying name and identification of a communication party (i.e. sender and

receiver), and other parties associated with the message.

Dependency Notes: Semantic Notes: Comments:

Notes: ,Use of this segment is mandatory.

DATA REQUIREMENTS:

It is used to report the following conditional data:

FAST Account ID: A unique Customs identifier for a FAST Account (DE C082/3039).

Organization/Person Type: A code indicating the type of organization/person (DE 3397).

Primary Name: the primary name used to identify an Account (DE C816/3398).

Primary Name Qualifier: A code that categorizes part of a compound name (DE C816/3405).

NOTES:

A FAST ID will be present only when:

(1) the message is an Account Update (BGM Segment DE 1225 = 4).

Name and Address is not to be used in this segment for certain 'add' actions (GIS Segment, DE C529/7365 = AAP, AEN, ARE, and ATN) or for certain 'change' or 'deactivate' action (GIS Segment, DE C529/7365 = CAN, CEN, DAN, DAP, DEN, DTI, or DTN).

A change to the Primary Name will not be allowed via MEDPID. CBP will do so using the ACE Portal.

DMR's will be prepared to add the following values for DE 3397:

C = Corporation

G = Government

P = Partnership

S = Sole Proprietorship

DMR's will be prepared to add the following values for DE 3405:

20 = First line of name

21 = Second line of name

AKA = Also known as

DBA = Doing business as

DIV = Division of

TRA = Trading as

Data Element Summary

Data Component

Element Element Name Attributes

| Marcomposite Mar | | Free and Secure Trade (FAST) | DADEN OUAL IEIED | M | 2 |
|---|--------------|------------------------------|---|--------------|-----------|
| AC | M | 3035 | PARTY QUALIFIER | M | an3 |
| X | | | | | |
| The identification of an object. X 7405 Identify number The number given to an object for its unique identification. X 7405 Identity number qualifier Code specifying the type/source of identity number. X 4405 Satus, coded Provides information regarding a status. C082 PARTY IDENTIFICATION DETAILS C Identification of a transaction party by code. This composite will be used only: (1) when an Account exists (BGM Segment, DE 1225 = 4). M 3039 Party id. Identification Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier Identification of a code list. 109 CBP indicator M 3055 Code identifying the agency responsible for a code list. 111 U.S. U.S. Customs and Border Protection X 3403 NAME TYPE, CODED Code identifying the agency responsible for a code list. 111 U.S. U.S. Customs and Border Protection X 3403 NAME TYPE, CODED Code for type of name such as official name, alias. NAME TYPE, CODED Code for type of name such as official name, alias. C C Corporation G Government P P Partucship S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This data element is optional. C C Corporation G Government P P Partucship S Sole Proprietorship S Sole Proprietorship AdA diministrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add | | CO. | | | |
| X | X | C206 | | C | |
| The number given to an object for its unique identification. X | | | · · | | |
| X | X | 7402 | • | M | an35 |
| Code specifying the type/source of identity number. Status, coded Provides information regarding a status. C082 PARTY IDENTIFICATION DETAILS C Identification of a transaction party by code. This composite will be used only: (1) when an Account exists (BGM Segment, DE 1225 = 4). M 3039 Party id. Identification Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 3055 Code list qualifier C an3 Identification of a code list. 100 CBP indicator M 3055 Code list responsible agency, coded C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED Code for type of name such as official name, alias. NAME TYPE, CODED Code for type of name such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Business Category (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name To indicate a part of the name such as family name or given name. | | | | | |
| X 4405 Status, coded C an3 Provides information regarding a status. C082 PARTY IDENTIFICATION DETAILS C Identification of a transaction party by code. This composite will be used only: (1) when an Account exists (BGM Segment, DE 1225 = 4). M 3039 Party id. Identification M an35 Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier C an3 Identification of a code list. 109 CBP indicator M 3055 Code list responsible agency, coded C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection NAME TYPE, CODED C an3 Code for type of name such as official name, alias. NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account (BGM Segment, DE C529/7365 = AAN); Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Trade Id (GIS Segment, DE C529/7365 = ATI); | X | 7405 | | C | an3 |
| C082 PARTY IDENTIFICATION DETAILS C Identification of a transaction party by code. This composite will be used only: (1) when an Account exists (BGM Segment, DE 1225 = 4). M 3039 Party id. Identification Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier Identification of a code list. 109 CBP indicator M 3055 Code identifying the agency responsible for a code list. 110 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Tracle Id GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3408 Name component qualifier of the name such as family name or given name. 20 First line of name P G an70 | | | Code specifying the type/source of identity number. | | |
| C082 PARTY IDENTIFICATION DETAILS Identification of a transaction party by code. This composite will be used only: (1) when an Account exists (BGM Segment, DE 1225 = 4). M 3039 Party id. Identification M an35 Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier C Ann3 Identification of a code list. 109 CBP indicator M 3055 Code list responsible agency, coded C An3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C An3 Code for type of name such as official name, alias. NAME TYPE, CODED C An3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = AAN); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name | X | 4405 | Status, coded | \mathbf{C} | an3 |
| M 3039 Party id. Identification of a transaction party by code. This composite will be used only: (1) when an Account exists (BGM Segment, DE 1225 = 4). M 3039 Party id. Identification M an35 Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier C an3 Identification of a code list. 109 CBP indicator M 3055 Code list responsible agency, coded C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE CS29/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name | | | Provides information regarding a status. | | |
| This composite will be used only: (1) when an Account exists (BGM Segment, DE 1225 = 4). M 3039 Party id. Identification Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier Identification of a code list. 109 CBP indicator M 3055 Code list responsible agency, coded C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. NAME STATUS, CODED C corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3408 Name component C an70 | | C082 | PARTY IDENTIFICATION DETAILS | \mathbf{C} | |
| (1) when an Account exists (BGM Segment, DE 1225 = 4). M an35 Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier Identification of a code list. 109 CBP indicator Code identifying the agency, coded Code identifying the agency, coded Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED Code for type of name such as official name, alias. NAME STATUS, CODED Code for type of name such as official name, alias. CC Corporation G G Government P P Partnership S Sole Proprietorship S Sole Proprietorship Canabacccome Canabacccome Code for Specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = AAN); Add Trade Id (GIS Segment, DE C529/7365 = ATD); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name C an3 | | | Identification of a transaction party by code. | | |
| M 3039 Party id. Identification | | | | | |
| Code identifying a party involved in a transaction. FAST ID of the Account affected by this message. Format: an7 M 1131 Code list qualifier Identification of a code list. 109 CBP indicator M 3055 Code list responsible agency, coded Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED Code for type of name such as official name, alias. 3397 NAME STATUS, CODED Code for type of name such as official name, alias. Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X AME TYPE, CODED Code for type of name such as official name, alias. NAME STATUS, CODED Code for type of name (such as current name). This data element is optional. C Corporation G G Government P Partnership S Sole Proprietorship Call NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name | | | | | |
| M 1131 Code list qualifier C an3 Identification of a code list. 109 CBP indicator M 3055 Code list responsible agency, coded C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. 3397 NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | M | 3039 | | M | an35 |
| M 1131 Code list qualifier CBP indicator M 3055 Code list responsible agency, coded C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | | | |
| Identification of a code list. 109 CBP indicator M 3055 Code list responsible agency, coded C an3 Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ABC); Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | • | | |
| M 3055 Code list responsible agency, coded Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED Code for type of name such as official name, alias. NAME STATUS, CODED Code for type of name such as official name, alias. NAME STATUS, CODED Code for type of name such as official name, alias. NAME STATUS, CODED Code for type of name such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). This data element is optional. Code for type of name (such as current name). Code for type of name such as family name or given name. Code first line of name Code for type of name such as family name or given name. Code first line of name Code for type of name such as family name or given name. Code first line of name | M | 1131 | • | \mathbf{C} | an3 |
| M 3055 Code list responsible agency, coded C code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. 3397 NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | Identification of a code list. | | |
| Code identifying the agency responsible for a code list. 111 US, U.S. Customs and Border Protection X 3403 NAME TYPE, CODED C an3 Code for type of name such as official name, alias. 3397 NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | 109 CBP indicator | | |
| NAME TYPE, CODED Code for type of name such as official name, alias. NAME STATUS, CODED Conspective tatus of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name N 3398 Name component C an70 | M | 3055 | | \mathbf{C} | an3 |
| NAME TYPE, CODED Code for type of name such as official name, alias. NAME STATUS, CODED To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | Code identifying the agency responsible for a code list. | | |
| Code for type of name such as official name, alias. NAME STATUS, CODED C an3 To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = AAN); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | 111 US, U.S. Customs and Border Protecti | on | |
| To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship Canable Component This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = AAN); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | X | 3403 | NAME TYPE, CODED | \mathbf{C} | an3 |
| To specify the status of a name (such as current name). This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | Code for type of name such as official name, alias. | | |
| This data element is optional. C Corporation G Government P Partnership S Sole Proprietorship NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | 3397 | NAME STATUS, CODED | \mathbf{C} | an3 |
| C Corporation G Government P Partnership S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | To specify the status of a name (such as current name). | | |
| G Government P Partnership S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | This data element is optional. | | |
| C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | C Corporation | | |
| S Sole Proprietorship C816 NAME COMPONENT DETAILS C To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | G Government | | |
| C816 NAME COMPONENT DETAILS To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | P Partnership | | |
| To specify a name component. This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | S Sole Proprietorship | | |
| This composite is required: (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | C816 | NAME COMPONENT DETAILS | \mathbf{C} | |
| (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | To specify a name component. | | |
| (2)(a) when updating an Account by any of the following actions - Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | This composite is required: | | |
| Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | | | |
| AAN); Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | | | |
| Add Business Category (GIS Segment, DE C529/7365 = ABC); Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | | DE C32 | 29/7303 = |
| Add Trade Id (GIS Segment, DE C529/7365 = ATI); -and- (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | | = ABC |); |
| (b) the FAST ID is not reported in this PNA Segment, DE C082/3039. Otherwise, do not use this composite. M | | | | , | , |
| Otherwise, do not use this composite. M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | | | |
| M 3405 Name component qualifier M an3 To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | (b) the FAST ID is not reported in this PNA Segment, D |)E C082 | 2/3039. |
| To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | | | Otherwise, do not use this composite. | | |
| To indicate a part of the name such as family name or given name. 20 First line of name M 3398 Name component C an70 | M | 3405 | Name component qualifier | M | an3 |
| M 3398 Name component C an70 | | | To indicate a part of the name such as family name or given | name. | |
| • | | | | | |
| | \mathbf{M} | 3398 | Name component | C | an70 |
| | | | _ | | |

3398

3401

3295

Name component

Name component status, coded

To specify the status of a name component.

X

 \mathbf{X}

X

Part of party name such as family name or given name.

Name component original representation, coded

an..70

an..3

an..3

 \mathbf{C}

 \mathbf{C}

 \mathbf{C}

| | | | To specify the alphabet originally used to represent the na | ame. | |
|---|------|------|---|--------------|------|
| X | C816 | | NAME COMPONENT DETAILS | \mathbf{C} | |
| | | | To specify a name component. | | |
| X | | 3405 | Name component qualifier | \mathbf{M} | an3 |
| | | | To indicate a part of the name such as family name or give | en name. | |
| X | | 3398 | Name component | \mathbf{C} | an70 |
| | | | Part of party name such as family name or given name. | | |
| X | | 3401 | Name component status, coded | \mathbf{C} | an3 |
| | | | To specify the status of a name component. | | |
| X | | 3295 | Name component original representation, coded | \mathbf{C} | an3 |
| | | | To specify the alphabet originally used to represent the na | ame. | |
| | | | | | |

Segment: ADR Address

Position: 0080

Group: Segment Group 1 (Party Name) Mandatory

Level: 2

Usage: Conditional (Optional)

Max Use: 9

Purpose: A segment to specify the addresses of the actual communication party.

Dependency Notes: Semantic Notes:

Comments:

Notes: Use of this segment is conditional.

CONDITIONS:

Use of this segment is mandatory:

- (1) when establishing an Account (BGM Segment, DE 1225 = 6 or 9); or
- (2) (a) when updating an Account by any of the following actions -

Add Administrative Name and Address (GIS Segment, DE C529/7365 = AAN);

Add Business Category (GIS Segment, DE C529/7365 = ABC);

Add Trade Id (GIS Segment, DE C529/7365 = ATI);

-and-

(b) the FAST ID is not reported in the preceding PNA Segment, DE C082/3039

DATA REQUIREMENTS:

It is used to report:

Primary Address: the primary address used to identify an Account. The address consists of the street address (up to three lines), city, country sub-entity, country, and postal code (Street Address: DE C090/3286; City: DE 3164; Postal code: DE 3251; Country: DE 3207; Country Sub-entity: DE C819/3229 or 3228).

NOTE:

A change to the Primary Address will <u>not</u> be allowed via FAST MEDPID.

Only one occurrence of this ADR Segment is allowed.

| | Data | Componen | t | | |
|---|----------------|----------------|---|--------------|----------------|
| | <u>Element</u> | Element | Name | | <u>ributes</u> |
| X | C817 | | ADDRESS USAGE | C | |
| | | | To describe the usage of an address. | | |
| X | | 3299 | Address purpose, coded | \mathbf{C} | an3 |
| | | | To specify the purpose of the address. | | |
| X | | 3131 | Address type, coded | \mathbf{C} | an3 |
| | | | To specify the type of address. | | |
| X | | 3475 | Address status, coded | \mathbf{C} | an3 |
| | | | To specify the status of the address. | | |
| | C090 | | ADDRESS DETAILS | \mathbf{C} | |
| | | | To specify the details of an address. | | |
| | | | Use of this composite is conditional. It is used to report the san Account Primary Address. | treet | address for |
| M | | 3477 | Address format, coded | M | an3 |
| | | | To specify the content of the various address components. | | |
| | | | 5 Unstructured address | | |

| ACE Free and Secure Trade | e (FAST) | | | |
|-----------------------------------|----------|--|--------------|--------------|
| M | 3286 | Address component | M | an70 |
| | | To specify a component of an address. | | |
| | | Report the street portion of the Primary Address. Post office | box | or other |
| | | designation is not appropriate, and will not be accepted. | | |
| | 3286 | Address component | C | an70 |
| | | To specify a component of an address. | | |
| | | Report line 2 of the street address, if applicable. | | |
| | 3286 | Address component | C | an70 |
| | | To specify a component of an address. | | |
| | | Report line 3 of the street address, if applicable. Format: an | 35 | |
| X | 3286 | Address component | C | an70 |
| | | To specify a component of an address. | | |
| X | 3286 | Address component | C | an70 |
| | | To specify a component of an address. | | |
| 3164 | | CITY NAME | C | an35 |
| | | Name of a city (a town, a village) for addressing purposes. | | |
| | | Report the city name. Format: an30 | | |
| 3251 | | POSTCODE IDENTIFICATION | \mathbf{C} | an9 |
| | | Code defining postal zones or addresses. | | |
| | | Report the postal code, if applicable. Do not use any special | | |
| | | as "-" or "/." However, include the appropriate space for Cana | adian | postal |
| | | codes. | | |
| | | This data element is required: | | |
| | | (1) when DE 3207 = US, CA, or MX | | |
| 3207 | | COUNTRY, CODED | C | an3 |
| | | Identification of the name of a country or other geographical | entity | as specified |
| | | in ISO 3166. | | |
| | | Report the ISO country code. Format: a2 | | |
| C819 | | COUNTRY SUB-ENTITY DETAILS | C | |
| | | To specify a part of a country (eg county or part of a city). | | |
| | | Use of this composite is conditional. | | |
| | | E DE 2207 CA MY US 4 | 4 1- | |
| | | For DE 3207 = CA, MX, or US, the state or province code m DE 3229 (with DEs 1131 and 3055). Otherwise, report the co | | |
| | | in DE C819/3228, if applicable. Do not use all four data elem | | • |
| | | composite. | | |
| | 3229 | Country sub-entity identification | C | an9 |
| | | Identification of the name of sub-entities (state, province) defi | ined | by |
| | | appropriate governmental agencies. | ** | |
| | | Report the state or province code when DE $3207 = CA$, MX, 622 | or US | S. Format: |
| | 1131 | a2 Code list qualifier | C | an3 |
| | 1131 | Identification of a code list. | C | an |
| | | This data element is required when $C819/3329 = CA$, MX, or | ZII | Otherwise |
| | | do not use this data element. | CD. | Other wise, |
| | | 109 CBP indicator | | |
| | 3055 | Code list responsible agency, coded | C | an3 |
| | | Code identifying the agency responsible for a code list. | | |
| | | This data element is required when $C819/3329 = CA$, MX, or | US. | Otherwise, |
| | | do not use this data element. | | |
| | | 111 US, U.S. Customs and Border Protection | 1 | |
| | 3228 | Country sub-entity | C | an35 |
| | | Name of sub-entities (state, province) defined by appropriate | gove | rnmental |
| FAST Account Create/Update | | agencies. 14 Se | ntam | ber 24, 2019 |
| 1 1 10 1 1 1000 uni Cicate/Opuale | , | 17 30 | PILLIII | UUI 4T, 4UIJ |

| ACE F | Free and Secure Trade (FAST) | | |
|-------|------------------------------|--|-----------------|
| | | FUTURE USE. This data element is NOT to be used in F. | |
| | | Use this data element only if DEs 3229, 1131, and 3055 are only when a country sub-entity is a part of the Primary Ado | |
| | | an30 | Gress. 1 ormat. |
| X | C517 | LOCATION IDENTIFICATION | C |
| | | Identification of a location by code or name. | |
| X | 3225 | Place/location identification | C an25 |
| | | Identification of the name of place/location, other than 316 | 54 City name. |
| X | 1131 | Code list qualifier | C an3 |
| | | Identification of a code list. | |
| X | 3055 | Code list responsible agency, coded | C an3 |
| | | Code identifying the agency responsible for a code list. | |
| X | 3224 | Place/location | C an70 |
| | | Name of place/location, other than 3164 City name. | |

Group: GIS Segment Group 2: General Indicator

Position: 0130

Group:

Level: 1

Usage: Mandatory Max Use: 9999

Purpose: This segment group contains information about a person.

Notes: Use of this Segment Group is mandatory.

DATA REQUIREMENTS:

It is used to report:

Business Category(s) (PNA Segment)

Administrative Name for the Account as a whole (PNA Segment) Administrative Address for the Account as a whole (ADR Segment)

Trade Id (PNA Segment)
Trade Id Type (PNA Segment)

FAST Entry Number or FAST Entry Number Ranges (RFF Segment)

Importer Tariff Numbers (RFF Segment)

Segment Summary

| | Pos. | Seg. | | Req. | Max. | Group: |
|---|------|-----------|--|------|------------|--------|
| | No. | <u>ID</u> | <u>Name</u> | Des. | <u>Use</u> | Repeat |
| M | 0140 | GIS | General Indicator | M | 1 | |
| | 0150 | PNA | Party Name | C | 1 | |
| | 0160 | ADR | Address | C | 9 | |
| | 0170 | RFF | Reference | C | 99 | |
| X | 0240 | LOC | Place/Location Identification | C | 9 | |
| X | 0260 | CTA | Contact Information | C | 9 | |
| X | 0300 | | Segment Group 4: Communication Contact | C | | 9 |
| | 0330 | | Segment Group 5: Relationship | C | | 99 |

Segment: GIS General Indicator

Position: 0140 (Trigger Segment)

Group: Segment Group 2 (General Indicator) Mandatory

Level: 1

Usage: Mandatory

Max Use: 1

Purpose: The segment is used to specify the type of data transferred and the subsequent action

assumed to be taken by the receiver such as: - new data to be added (i.e. birth) - old data to be deleted (i.e. death) - modified data (i.e. marriage, address changes) - data to be

verified.

Dependency Notes: Semantic Notes: Comments:

Notes: Use of this segment is mandatory.

DATA REQUIREMENTS:

It is used to describe the action to be taken (DE C529/7365):

Add Access Permission

Add Administrative Name/Address,

Add Business Category,

Add FAST Entry Number(s),

Add Designated Filer Relationship,

Add Importer Tariff Number(s),

Add Trade Id,

Change Administrative Name/Address,

Change FAST Entry Number(s),

Deactivate Access Permission,

Deactivate Administrative Name/Address,

Deactivate FAST Entry Number(s),

Deactivate Designated Filer Relationship,

Deactivate Importer Tariff Number(s), or

Deactivate Trade Id;

NOTES:

Component

For BGM Segment, DE 1225 = 6 or 9, at least one Business Category must be added (DE C529/7365 = ABC).

Data Element Summary

| | | Componen | ~ | | |
|---|----------------|----------------|--|--------------|--------------|
| | Element | Element | <u>Name</u> | <u>Attri</u> | <u>butes</u> |
| M | C529 | | PROCESSING INDICATOR | M | |
| | | | Type of process indication. | | |
| M | | 7365 | Processing indicator, coded | M | an3 |
| | | | Identifies the value to be attributed to indicators required by system. | the pro | ocessing |
| | | | Report the appropriate action to be taken. | | |
| | | | Action codes beginning with the letter 'A' will add the inforto the Customs system | mation | being sent |
| | | | Any action code beginning with the letter 'C' will replace th | e data e | xisting in |
| | | | the Customs system with the information being sent. | | · · |
| | | | Any action code beginning with the letter 'D' will render the | existin | ıg |
| | | | information in the Customs system inactive. | | Č |

Data

1131

3055

7187

Process type identification

Specification of a process or subprocess.

NOTES:

For FAST, only one Administrative ("Mailing") Name/Address (DE C529/7365 = AAN and PNA Segment, position 0150, DE 3035 = HQ and C082/3039 = MAI) is allowed for the Account as a whole.

For FAST, only one Administrative ("Mailing") Name/Address (DE C529/7365 = AAN and PNA Segment, position 0150, DE 3035 = any value other than 'HQ' or 'ZZZ' and DE C082/3039 = MAI) is allowed per Business Category.

For FAST, a Mailing Name/Address (DE C082/3039 = MAI) is required if the mailing address is different from the Primary Name/Address of the Account.

When deactivating an Administrative Name and Address (DE C529/7365 = DAN), the Administrative Name and Address is to be deactivated universally, by reporting 'ZZZ' or 'HQ' in the PNA Segment, position 0150, DE 3035. By using 'ZZZ' or 'HQ', the Administrative Name and Address is deactivated wherever it is found for the account, across all business categories, and all links are broken. 'ZZZ' and 'HQ' have the same meaning.

| | • | | |
|------------------------|--|------|-----|
| AAN | Add Administrative Name/Address | | |
| AAP | Add Access Permission | | |
| ABC | Add Business Category | | |
| AEN | Add Entry Numbers | | |
| ARE | Add Designated Filer Relationship | | |
| ATI | Add Trade Id | | |
| ATN | Add Importer Tariff Numbers(s) | | |
| CAN | Change Administrative Name/Address | ; | |
| CEN | Change FAST Entry Number | | |
| DAN | Deactivate Administrative Name/Addr | ess | |
| DAP | Deactivate Access Permission | | |
| DEN | Deactivate FAST Entry Numbers | | |
| DRE | Deactivate Designated Filer Relationsl | nips | |
| DTI | Deactivate Trade Id | | |
| DTN | Deactivate Importer Tariff Number(s) | | |
| Code list qualifier | | C | an3 |
| Identification of a co | de list. | | |
| 109 | CBP indicator | | |
| Code list responsibl | e agency, coded | C | an3 |
| Code identifying the | agency responsible for a code list. | | |
| 111 | US, U.S. Customs and Border Protecti | on | |
| | | | |

Use 'AO' to indicate the processing of an Organizational account.

M

M

M

 \mathbf{C}

an..17

PNA Party Name **Segment:**

Position:

Group: Segment Group 2 (General Indicator) Mandatory

Level:

Usage: Conditional (Optional)

Max Use:

Purpose: A segment identifying a person.

Dependency Notes: Semantic Notes:

Comments:

Use of this segment is conditional. Notes:

CONDITIONS:

It is required when GIS Segment, DE C529/7365 = AAN, AAP, ABC, AEN, ARE, ATI, ATN, CAN, CEN, DAN, DAP, DEN, DRE, DTI, or DTN.

DATA REQUIREMENTS:

It is used to report:

The following mandatory data (either 1. or 2.):

1. Business Category: a code that indicates the type of Business Category (DE 3035). Acceptable Business Categories for the purpose of this segment group are:

CN Consignee

ENF Entry filer

IM Importer

MS Document/message issuer/sender

OS Original shipper

-OR-

2. Other processing indicator (DE 3035). The other processing indicators, for the purpose of this segment group, are:

HO Account owner

ZZZ Mutually defined (Universal change or delete indicator)

The following conditional data:

Administrative Name: A name being used by Account (DE C816/3398)

Administrative Name/Address Type: A code that indicates the usage of, or activity occurring at a name/address (DE C082/3039).

Deactivation Reason Code: a code that describes the reason for deactivating a Trade Id (DE C206/4405).

Trade Id: an ID by which the Account is known (DE C206/7402).

Trade Id Type: a code that identifies the format of the Trade Id (DE C206/7405).

NOTES:

Only the below listed Business Categories (DE 3035) may be added by the Preparer using the FAST MEDPID message. (For FAST, Customs will establish and make changes to all 'Importer', 'Entry Filer', and 'Carrier' Business Categories (DE 3035 = IM) via ACE Portal. Changes to a 'Consignee' or 'Original shipper' account can only be made by Customs on the ACE Portal as well).

CN Consignee

OS Original shipper

When the Preparer meets at least one of the following conditions:

- (1) the Preparer has an "Entry Filer" Business Category,
- (2) the Preparer is updating an account that it owns, or
- (3) the Preparer is updating an account to which it has the required access permission; then the following Business Categories may be added:
 - CN Consignee
 - OS Original shipper

When the Preparer DOES NOT have a Business Category of 'Entry Filer,' and does not have the required access permission to the Account record, ONLY the following Business Categories may be added:

- CN Consignee
- OS Original shipper

A Trade Id may be associated with only one Account; however, an Account may have multiple Trade Ids.

DMR's will be prepared to add the following values for DE 3035:

ENF Entry Filer

DMR's will be prepared to add the following values for DE 3405:

- 16 New or replacement name
- 17 Second line of new or replacement name
- 18 Name existing on file
- 19 Second line of name existing on file

AKA Also known as

DBA Doing business as

DIV Division of

TRA Trading as

Data Element Summary

| | Data | Component | | |
|---|----------------|-----------|----------------|-------------------|
| | Element | Element N | ame | <u>Attributes</u> |
| M | 3035 | P | ARTY OUALIFIER | M an 3 |

Code giving specific meaning to a party.

For GIS Segment, DE C529/7365 = AAN:

use HQ to show that the new Administrative Name/Address is to be attached to the Account as a whole, or

Only one mailing name and address at the overall account level.

For GIS Segment, DE C529/7365 = AAP or DAP:

When adding (granting) an Access Permission:

use HQ to show that the FAST ID reported in PNA Segment, position 0070, DE C082/3039, is the owner of the Account. A Preparer of an Access

Permission transaction may grant permission to access data about their own Account and Account Relationship records.

When deactivating (revoking) an Access Permission:

use HQ if the grantor is deactivating the permission.

There may be a circumstance when the grantee wishes to sever the Relationship;

use MS, if the grantee is deactivating the permission.

Either party to the Access Permission may deactivate the association.

For GIS Segment, DE C529/7365 = ABC: show the Business Category to be added.

NOTE: Trade users may add the following Business Categories ONLY: CN or OS. EXCEPTION: For FAST, Customs will establish all Importer (IM) and Entry Filer (ENF) Business Categories. Carriers (CA) are created from an NMFTA interface and cannot change via FAST MEDPID.

For GIS Segment, DE C529/7365 = AEN, CEN, or DEN: use ENF to show that the Account has an Entry Filer Business Category.

For GIS Segment, DE C529/7365 = ARE or DRE:

report the Business Category, which, together with the FAST ID reported in PNA Segment, position 0070, DE C082/3039, will become the first partner in the Designated Filer Relationship being added or deactivated. NOTE:

For FAST Designated Filer Relationships, the account (identified by the FAST ID reported in PNA Segment, Position 0070, DE C082/3039) must have a Business Category = IM, Importer.

For GIS Segment, DE C529/7365 = ATI or DTI:

use HQ to show that the Trade Id is applicable to the Account as a whole.

For GIS Segment, DE C529/7365 = ATN or DTN use IM to show that the Importer is reporting the tariff numbers.

For GIS Segment, DE C529/7365 = CAN:

use HQ or ZZZ to indicate that the Administrative Name/Address data reported is to be changed universally for all linked Business Categories and the Account as a whole.

For GIS Segment, DE C529/7365 = DAN:

use HQ or ZZZ to show that the reported Administrative Name and Address is to be deactivated totally, from the Account as a whole and to any linked Business Category.

| CN | Consignee |
|-----|---------------|
| ENF | Entry Filer |
| HQ | Account owner |
| IM | Importer |

MS Document/message issuer/sender

OS Original shipper ZZZ Mutually defined

C206 IDENTIFICATION NUMBER

The identification of an object.

Use of this composite is conditional.

It is used when GIS Segment, DE C529/7365 = ATI or DTI. Otherwise, do not use this composite.

Trade Ids are applicable to the entire Account,

M 7402 Identity number M an..35

The number given to an object for its unique identification. Report the new Trade Id or the Trade Id to the deactivated.

 \mathbf{C}

The following formats (including hyphens where shown) must be used, matched to the type of identifier reported in DE C206/7405:

| | | | materiou to the type | or identifier reported in BE 6200// ic | | |
|--------|-----------------|------|---|---|--------------|---------|
| | | | DE C206/7402 | DE C206/7405 | | |
| | | | NN-NNN-NNNN | DUN | | |
| | | | NN-NNNNNNNN | | | |
| M | | 7405 | Identity number qu | ıalifier | C | an3 |
| | | | Code specifying the | type/source of identity number. | | |
| | | | Report the Trade Id C206/7402. | type that describes the Trade Id repor | ted in DE | |
| | | | DUN | Dun&Bradstreet DUNS | | |
| | | | I11 | IRS 11-digit Employer ID | | |
| | | 4405 | Status, coded | | \mathbf{C} | an3 |
| | | | Provides information | n regarding a status. | | |
| | | | | conditional. It is required when a Tr. 0/7365 = DTI). Otherwise, do not use | | |
| | | | Report the reason for CCE | r deactivation. Created in error | | |
| | | | CME | Merged/transferred to another Acco | unt | |
| | | | CNA | Not active | uni | |
| | | | OTH | Other | | |
| | C082 | | | CATION DETAILS | C | |
| | C002 | | | ansaction party by code. | C | |
| | | | This composite is co | | | |
| | | | This composite is co | national. | | |
| | | | | DE C529/7365 = AAN, CAN, or DA strative Name/Address type. Otherwi | | |
| M | | 3039 | Party id. identificat | tion | M | an35 |
| | | | · · · · · · · · · · · · · · · · · · · | arty involved in a transaction. | | |
| | | | | Y value accepted will be MAI. Form | at: an3 | |
| | | | MAI | Mailing address | | |
| M | | 1131 | Code list qualifier | | \mathbf{C} | an3 |
| | | | Identification of a co | ode list. | | |
| | | | 109 | CBP indicator | | |
| M | | 3055 | Code list responsible | le agency, coded | C | an3 |
| | | | - | agency responsible for a code list. | | |
| | | | 111 | US, U.S. Customs and Border Prote | ction | |
| X | 3403 | | NAME TYPE, COI | DED | \mathbf{C} | an3 |
| | | | Code for type of nan | ne such as official name, alias. | | |
| X | 3397 | | NAME STATUS, C | CODED | \mathbf{C} | an3 |
| | | | To specify the status | of a name (such as current name). | | |
| | C816 | | NAME COMPONE | ENT DETAILS | \mathbf{C} | |
| | | | To specify a name co | omponent. | | |
| | | | This composite is co | nditional. | | |
| | | | It is required when C Otherwise, do not us | GIS Segment, DE C529/7365 = CAN | or DAN. | |
| M | | 3405 | Name component q | <u>*</u> | M | an3 |
| | | 2.30 | | the name such as family name or giv | | |
| | | | 18 | Name existing on file | | |
| M | | 3398 | Name component | 6 · · · · · · · · · · · · · · · · · · · | C | an70 |
| EACT A | ount Croots/Lin | data | _ | 22 | C41 | 24 2010 |

| ACE Free | e and Secure T | rade (FAST) | | | | |
|----------|----------------|-------------|--|--|-----------|---------------|
| | | | Part of party name such as family name | e or given name. | | |
| | | | For GIS Segment, DE $C529/7365 = CA$ | | | |
| | | | Administrative Name. When GIS Seg | | | |
| X | | 3401 | reported in the first occurrence of C816 Name component status, coded | will replace this nam | e repor | ted here. an3 |
| Λ | | 3401 | - · · · · · · · · · · · · · · · · · · · | aant | C | all3 |
| v | | 2205 | To specify the status of a name compo | | C | a 2 |
| X | | 3295 | Name component original representa | | C | an3 |
| | C016 | | To specify the alphabet originally used | to represent the name | | |
| | C816 | | NAME COMPONENT DETAILS | | C | |
| | | | To specify a name component. | an Administration No | | |
| | | | This composite can be used only when lines. | an Administrative Na | me req | uires two |
| | | | Otherwise, do not use this composite. | | | |
| M | | 3405 | Name component qualifier | | M | an3 |
| 141 | | 3403 | To indicate a part of the name such as f | family name or given : | | a11 |
| | | | _ | ame existing on file | manne. | |
| | | | AKA Also known as | unic existing on the | | |
| | | | DBA Doing business a | g. | | |
| | | | DIV Division of | 5 | | |
| | | | TRA Trading as | | | |
| M | | 3398 | Name component | | C | an70 |
| 141 | | 3370 | Part of party name such as family name | e or given name | C | a117 U |
| | | | Report the second line of the existing A | = | | |
| X | | 3401 | Name component status, coded | idiningtrative rvanie. | C | an3 |
| 21 | | 3401 | To specify the status of a name component | nent | C | an |
| X | | 3295 | Name component original representa | | C | an3 |
| A | | 32/3 | To specify the alphabet originally used | | _ | a11 |
| | C816 | | NAME COMPONENT DETAILS | to represent the name | C | |
| | COIO | | To specify a name component. | | C | |
| | | | This composite is conditional. | | | |
| | | | It is required | | | |
| | | | (1) when GIS Segment, DE C529/736 | 55 = AAN or CAN. | | |
| | | | Otherwise, this composite is not used. | | | |
| M | | 3405 | Name component qualifier | | M | an3 |
| | | | To indicate a part of the name such as i | family name or given | name. | |
| | | | Use the most appropriate qualifier. | | | |
| | | | New or replacem | ent name | | |
| M | | 3398 | Name component | | C | an70 |
| | | | Part of party name such as family name | e or given name. | | |
| | | | For GIS Segment, DE $C529/7365 = AA$ | AN, report the Admini | istrative | Name to |
| | | | be added. | ANI manual diamental | 1 | |
| | | | For GIS Segment, DE C529/7365 = CA Administrative Name. | AN, report the new (re | placem | ent) |
| X | | 3401 | Name component status, coded | | C | an3 |
| | | | To specify the status of a name component | nent. | - | |
| X | | 3295 | Name component original representa | | C | an3 |
| | | | To specify the alphabet originally used | | _ | |
| | C816 | | NAME COMPONENT DETAILS | | C | |
| | | | To specify a name component. | | | |
| | | | This composite can be used only when | the new or replaceme | nt Adn | inistrative |
| | | | Name consists of two lines. | • | | |

| | | | Otherwise, do | not use this composite. | | |
|---|------|------|------------------|---|--------------|------|
| M | | 3405 | Name compon | nent qualifier | \mathbf{M} | an3 |
| | | | To indicate a p | art of the name such as family name or give | n name. | |
| | | | 17 | Second line of new or replacement na | ame | |
| | | | AKA | Also known as | | |
| | | | DBA | Doing business as | | |
| | | | DIV | Division of | | |
| | | | TRA | Trading as | | |
| M | | 3398 | Name compon | nent | \mathbf{C} | an70 |
| | | | Part of party na | ame such as family name or given name. | | |
| | | | Report the seco | ond line of the Administrative Name. | | |
| X | | 3401 | Name compon | nent status, coded | C | an3 |
| | | | To specify the | status of a name component. | | |
| X | | 3295 | Name compon | ent original representation, coded | \mathbf{C} | an3 |
| | | | To specify the | alphabet originally used to represent the nar | ne. | |
| X | C816 | | NAME COMI | PONENT DETAILS | C | |
| | | | To specify a na | ame component. | | |
| X | | 3405 | Name compon | ent qualifier | \mathbf{M} | an3 |
| | | | To indicate a p | art of the name such as family name or give | n name. | |
| X | | 3398 | Name compon | nent | C | an70 |
| | | | Part of party na | ame such as family name or given name. | | |
| X | | 3401 | Name compon | ent status, coded | C | an3 |
| | | | To specify the | status of a name component. | | |
| X | | 3295 | Name compon | ent original representation, coded | C | an3 |
| | | | To specify the | alphabet originally used to represent the nar | ne. | |
| | | | | | | |

Segment: ADR Address

Position: 0160

Group: Segment Group 2 (General Indicator) Mandatory

Level: 2

Usage: Conditional (Optional)

Max Use: 9

Purpose: A segment specifying the addresses of the actual person. One person may have more

addresses.

Dependency Notes: Semantic Notes: Comments:

Notes: Use of this segment is conditional.

CONDITIONS:

It is required when GIS Segment, DE C529/7365 = AAN, CAN, or DAN. Otherwise, this segment is not used.

For GIS Segment, DE C529/7365 = CAN:

when a complete address is being changed, two occurrences of this segment will be used; one (DE C817/3475 = 2) to identify the new address, the other (DE C817/3475 = 5) to identify the address being replaced;

Even if the address portion did not change (and only the administrative name changed), both occurrences of this segment are required. Both the new and replaced addresses will be that of the current address.

For GIS Segment, DE C529/7365 = AAN, only one occurrence of this segment will be accepted. The complete address reported will be the new address.

For GIS Segment, DE C529/7365 = DAN, only one occurrence of this segment will be accepted. The address reported will be the address to be deactivated.

DATA REQUIREMENTS:

It is used to report:

The following mandatory data (either 1. or 2.):

- 1. Administrative Address: an address associated with the Account. The address consists of the street address (up to three lines), city, country sub-entity, country, and postal code (Street Address: DE C090/3286; City: DE 3164; Postal code: DE 3251; Country: DE 3207; Country Sub-entity: DE C819/3229 or 3228). NOTE: Country sub-entity and postal code are conditional elements.
- 2. Personnel Address: mailing address for Account personnel. The address consists of the street address (up to three lines), city, country sub-entity, country, and postal code (Street Address: DE C090/3286; City: DE 3164; Postal code: DE 3251; Country: DE 3207; Country Sub-entity: DE C819/3229 or 3228). NOTE: Country sub-entity and postal code are conditional elements.

NOTE: Only two occurrences of this ADR Segment are allowed.

Data Element Summary

Data ComponentElementElementNameAttributesMC817ADDRESS USAGEC

To describe the usage of an address.

| ACE Free and Secure Trade | ` , | | | |
|---------------------------|----------------------|---|----------|----------------------|
| X | 3299 | Address purpose, coded | C | an3 |
| | | To specify the purpose of the address. | | |
| X | 3131 | Address type, coded | C | an3 |
| | | To specify the type of address. | | |
| M | 3475 | Address status, coded | C | an3 |
| | | To specify the status of the address. | | |
| | | Use of this data element is mandatory. | | |
| | | 2 Current address | | |
| | | 5 Former address | | |
| C090 | | ADDRESS DETAILS | C | |
| | | To specify the details of an address. | | |
| | | This composite is conditional. | | |
| | | It is required except when the address portion of the Point of being removed entirely. | Cont | act data is |
| | | For DE C817/3475 = 2, report the new address for: 1) an Add Administrative Name (AAN) action, 2) Change Administrative Name (CAN) action. | | |
| | | For DE C817/3475 = 5, report the deactivated address or the for: 1) Change Administrative Name (CAN) action, or 2) Deactivate Administrative Name (DAN) action. | repla | ced address |
| M | 3477 | Address format, coded | M | an3 |
| 1.2 | | To specify the content of the various address components. | | |
| | | | | |
| | | 5 Unstructured address | | |
| M | 3286 | e and actured address | M | an70 |
| M | 3286 | Address component | M | an70 |
| M | 3286 | Address component To specify a component of an address. | M | an70 |
| M | | Address component To specify a component of an address. Report the first line of the address. | M C | |
| M | 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component | | an70 |
| M | | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. | | |
| M | | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. | | |
| M | 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. | C | an70 |
| M | 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component | C | an70 |
| M X | 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. | C | an70 |
| | 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 | C | an70 an70 |
| | 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component | C | an70 an70 |
| X | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. | C C C | an70 an70 |
| X | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. Address component | C C C | an70 an70 |
| X X | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. Address component To specify a component of an address. | C C C C | an70 an70 an70 |
| X X | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. Address component To specify a component of an address. CITY NAME Name of a city (a town, a village) for addressing purposes. | C C C C | an70 an70 an70 |
| X X | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. Address component To specify a component of an address. CITY NAME Name of a city (a town, a village) for addressing purposes. This data element is conditional. | C C C C | an70 an70 an70 |
| X X 3164 | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. Address component To specify a component of an address. CITY NAME Name of a city (a town, a village) for addressing purposes. This data element is conditional. Format: an30 It is used to report the city name. POSTCODE IDENTIFICATION | C C C C | an70 an70 an70 an35 |
| X X 3164 | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. Address component To specify a component of an address. CITY NAME Name of a city (a town, a village) for addressing purposes. This data element is conditional. Format: an30 It is used to report the city name. | C C C C | an70 an70 an70 an35 |
| X X 3164 | 3286 3286 3286 | Address component To specify a component of an address. Report the first line of the address. Address component To specify a component of an address. Report the second line of the address, if needed. Address component To specify a component of an address. Report the third line of the address, if needed. Format: an35 Address component To specify a component of an address. Address component To specify a component of an address. CITY NAME Name of a city (a town, a village) for addressing purposes. This data element is conditional. Format: an30 It is used to report the city name. POSTCODE IDENTIFICATION Code defining postal zones or addresses. | C C C C | an70 an70 an70 an35 |

3207 COUNTRY, CODED

C an..3

Identification of the name of a country or other geographical entity as specified in ISO 3166.

This data element is conditional.

It is used to report the ISO Country Code. Format: a2

C819 COUNTRY SUB-ENTITY DETAILS

 \mathbf{C}

To specify a part of a country (eg county or part of a city).

Use of this composite is conditional.

For DE 3207 = CA, MX, or US, the state or province code must be reported. Otherwise, report the country sub-entity in DE C819/3228, if applicable. Do not use all four data elements in this composite.

3229 Country sub-entity identification

C an..9

Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.

Report the state or province code when DE 3207 = CA, MX, or US. Format: a2

1131 Code list qualifier

C an..3

Identification of a code list.

This data element is required when C819/3329 = CA, MX, or US. Otherwise, do not use this data element.

109 CBP indicator

3055 Code list responsible agency, coded

C an..3

Code identifying the agency responsible for a code list.

This data element is required when C819/3329 = CA, MX, or US. Otherwise, do not use this data element.

111

US, U.S. Customs and Border Protection

3228 Country sub-entity

C an..35

 \mathbf{C}

Name of sub-entities (state, province) defined by appropriate governmental agencies.

FUTURE USE. This data element is NOT to be used in FAST. Use this data element only if DEs 3229, 1131, and 3055 are not used. It is used

Only when a country sub-entity is a part of the Administrative. Format: an..30

X C517 LOCATION IDENTIFICATION

Identification of a location by code or name.

X 3225 Place/location identification C an..25

Identification of the name of place/location, other than 3164 City name.

X 1131 Code list qualifier C an...3

Identification of a code list.

X 3055 Code list responsible agency, coded C an...3

Code identifying the agency responsible for a code list.

X 3224 Place/location C an..70

Name of place/location, other than 3164 City name.

RFF Reference **Segment:**

Position:

Group: Segment Group 2 (General Indicator) Mandatory

Level:

Usage: Conditional (Optional)

Max Use:

Purpose: A segment to specify alternate identification numbers of the actual person.

Dependency Notes: Semantic Notes:

Comments:

Use of this segment is conditional. **Notes:**

CONDITIONS:

It is required when

(1) adding, changing, or deactivating FAST Entry Numbers, GIS Segment, DE C529/7365 = AEN, CEN, or DEN,

(2) adding or deactivating an importer Tariff Number, GIS Segment, DE C529/7365 = ATN or DTN.

Otherwise, this segment is not used.

DATA REQUIREMENTS:

It is used to report the following conditional data:

FAST Entry Ranges: entry number ranges (DE C506/1154).

Importer Tariff Numbers: 6-digit HTS Number used to classify Merchandise (DE C506/1154).

Up to 99 individual Tariff Numbers may be added in each Segment Group 2 occurrence.

NOTE: FAST Entry Number(s) may be added, changed or deactivated only if the Preparer:

- (1) is the Owner of the Account and
- (2) is identified with an 'Entry Filer' Business Category.

Deactivation of all tariff numbers for an importer will result in the inability of the Importer to transmit FAST manifest declarations. It is not permissible to deactivate all tariff numbers for an Importer.

| | Data | Componen | t | · | | |
|--------------|----------------|----------------|--|--|-------------|---------------|
| | Element | Element | <u>Name</u> | | <u>Attr</u> | <u>ibutes</u> |
| M | C506 | | REFERENCE | | M | |
| | | | Identification of a re | ference. | | |
| | | | Use of this composit | e is mandatory. | | |
| | | | To deactivate ALL I not report a value for | Entry Numbers, report DE C506/115 r DE C506/1154. | 53 = ABT (| ONLY. Do |
| M | | 1153 | Reference qualifier | | M | an3 |
| | | | Code giving specific | meaning to a reference segment or | a referenc | e number. |
| | | | ABD | Customs tariff number | | |
| | | | ABT | Customs declaration number | | |
| \mathbf{M} | | 1154 | Reference number | | C | an35 |
| FAST Accoun | nt Create/Up | date | | 28 | Septemb | per 24, 2019 |

Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.

ENTRY NUMBERS:

To add a range of FAST Entry Numbers, GIS Segment, DE C529/7365 = AEN, the numbers submitted must not fall within a range of any series of FAST entry numbers submitted previously.

To change a range of FAST Entry Numbers, GIS Segment, DE C529/7365 = CEN, the first number in the range must match what was originally submitted to U. S. Customs, the second number may be any number greater than the last number already issued by U. S. Customs for use.

To deactivate a range of FAST Entry Numbers, GIS Segment, DE C529/7365 = DEN, report the range to be deactivated. Only whole ranges, as originally reported, may be deactivated.

If ALL FAST Entry Numbers are to be deactivated, do not use this data element.

TARIFF NUMBERS:

To add or deactivate an importer tariff number, GIS Segment, DE C529/7365 = ATN or DTN, report the number to be added or deactivated. The value must be numeric, reported in the following format: NNNNNN

| X | 1156 | Line number | C | an6 |
|---|------|--|--------|-----------|
| | | Number of the line in the document/message referenced in number. | 1154 R | Reference |
| X | 4000 | Reference version number | C | an35 |
| | | To uniquely identify a reference by its revision number. | | |
| X | 1060 | Revision Identifier | C | an6 |
| | | To identify a revision. | | |

Group: REL Segment Group 5: Relationship

Position: 0330

Group: Segment Group 2 (General Indicator) Mandatory

Level: 2

Usage: Conditional (Optional)

Max Use: 99

Purpose: A segment group identifying any related person or additional names of the actual person.

Notes: Use of this Segment Group is conditional.

CONDITIONS:

It must be used when GIS Segment, DE C529/7365 = AAP, ARE, DAP, or DRE. Otherwise, do not use this segment.

DATA REQUIREMENTS:

It is used to report:

FAST Account ID (second account) (PNA Segment) BC Type (second account) (PNA Segment) Business Relationship Type (REL Segment)

At this time, only Designated Filer Relationships (REL Segment, DE C941/9143 = FIL), and Access Permissions (REL Segment, DE C941/9143 = ACU, AQF) are to be reported.

NOTES:

In every other instance, before establishing a relationship (GIS Segment, DE C529/7365 = ARE), the trade parties identified in the Relationship must first be established as Accounts in the Customs system.

A Preparer of an Access Permission transaction may grant permission to access data about their own Account and Account Relationship records. Either Account in an Access Permission relationship may deactivate the relationship. Access Permissions may only be granted to accounts that have an "EDI Application Preparer/Sender" business category.

In its account profile, each FAST importer must establish a relationship to a default national entry filer.

Only one Designated Filer Relationship can be defined on a national level.

Segment Summary

| | Pos. | Seg. | | Req. | Max. | Group: |
|---|------|-----------|------------------|------|------------|--------|
| | No. | <u>ID</u> | <u>Name</u> | Des. | <u>Use</u> | Repeat |
| M | 0340 | REL | Relationship | M | 1 | |
| | 0350 | PNA | Party Name | C | 1 | |
| X | 0370 | RFF | Reference | C | 9 | |
| X | 0380 | DTM | Date/Time/Period | C | 9 | |
| X | 0410 | NAT | Nationality | C | 9 | |

Segment: REL Relationship
Position: 0340 (Trigger Segment)

Group: Segment Group 5 (Relationship) Conditional (Optional)

Level: 2

Usage: Mandatory

Max Use: 1

Purpose: A segment identifying the type of relationship of the related person or name to the actual

person.

Dependency Notes: Semantic Notes: Comments:

Notes: Use of this segment is mandatory.

DATA REQUIREMENTS:

It is used to report the following mandatory data:

Business Relationship Type: A code that indicates the type of relationship being defined (DE C941/9143).

| | Data | Componen | | ient Summar y | | | |
|-----|---------|----------|---|--|----------|-----------|--|
| | Element | Element | | | Attr | ibutes | |
| M | 9141 | | RELATIONSHIP | QUALIFIER | M | an3 | |
| | | | Specification of the | meaning of a relationship. | | | |
| | | | 1 | Beneficiary | | | |
| M | C941 | | RELATIONSHIP | | C | | |
| | | | Identification and/or | r description of a relationship. | | | |
| M | | 9143 | Relationship, code | d | C | an3 | |
| | | | Identification of a re | elationship. | | | |
| | | | When GIS Segment | $_{2}$, DE C529/7365 = ARE, or DRE, use FI | L to inc | dicate a | |
| | | | Designated Filer Re | Designated Filer Relationship. | | | |
| | | | WI GIGG | DE CESSO TOSES AND DAD | | | |
| | | | • | T, DE C529/7365 = AAP or DAP, use: Access Permission to update Account date | o and | | |
| | | | portRelationships, | Access Fermission to update Account dat | a and | | |
| | | | - | (2) AQF to grant Access Permission for full query authority, or | | | |
| | | | () (| 1 | , | | |
| | | | | ermission gives the grantee the same que | | | |
| | | | | nt. Partial query access permission allow | s the gi | rantee to | |
| | | | ACU | relationship at a time. Access Permission, create and update | | | |
| | | | AQF | Access Permission, full query | | | |
| | | | FIL | Filer, pre-identified | | | |
| M | | 1131 | | rner, pre-identified | C | an3 | |
| IVI | | 1131 | Code list qualifier Identification of a code list. | | C | a113 | |
| | | | | | | | |
| 3.6 | | 2055 | 109 | CBP indicator | • | 2 | |
| M | | 3055 | Code list responsible agency, coded | | C | an3 | |
| | | | | e agency responsible for a code list. | | | |
| | | 0.4.4 | 111 | US, U.S. Customs and Border Protection | | | |
| X | | 9142 | Relationship | | C | an35 | |
| | | | Description of a rela | ationship. | | | |

Segment: PNA Party Name

Position: 0350

Group: Segment Group 5 (Relationship) Conditional (Optional)

Level: 3

Usage: Conditional (Optional)

Max Use:

Purpose: A se

A segment identifying the related person or specifying related name(s).

Dependency Notes: Semantic Notes:

Comments: Notes:

Use of this segment is mandatory.

DATA REQUIREMENTS:

It is used to report the following mandatory data (either 1. or 2.):

1. Business Category: a code that indicates the type of Business Category of the second Account in a relationship (DE 3035). Acceptable Business Categories for the purpose of this segment group are:

ENF Entry Filer

MS Document/message issuer/sender

-OR-

2. Other processing indicator (DE 3035). The other processing indicators, for the purpose of this segment group are:

HQ Account owner

It is used to report the following conditional data:

FAST Account ID (second account): FAST ID of the second Account in a Relationship (DE C082/3039).

NOTES:

When establishing or deactivating a Designated Filer Relationship: The FAST Account ID of the first Account in the Relationship is reported in the PNA Segment, position 0070, DE C082/3039; the Business Category of the first Account in the Designated Filer Relationship is reported in the PNA Segment, position 0150, DE 3035 (must be 'IM').

When granting an Access Permission: The FAST Account ID of the granting Account is reported in the PNA Segment, position 0070, DE C082/3039; the Business Category of the granting Account is reported in the PNA Segment, position 0150, DE 3035 and MUST have a value of 'HQ.'

When deactivating an Access Permission, the party initiating the deactivation is identified by 1) FAST ID in the PNA Segment, position 0070, DE C082/3039, and 2) Business Category in the PNA Segment, position 0150, DE 3035. When the grantor is deactivating the Access Permission, PNA Segment, position 0150, DE 3035 = HQ. When the grantee is deactivating the Access Permission, PNA Segment, position 0150, DE 3035 = MS.

At this time, ONLY Designated Filer Relationships (REL Segment, DE C941/9143 = FIL) and Access Permissions (REL Segment, DE C941/9143 = ACU, AQF) are to be reported. The grantee of an Access Permission can only be an account with an 'EDI Application Preparer/Sender' business category.

Data Element Summary

Data Component **Element Name**

Attributes

When deactivating (revoking) an Access Permission, report the FAST ID for the second party in the Access Permission.

M 1131 Format: an7
Code list qualifier C an..3
Identification of a code list.

109 CBP indicator

M 3055 C an..3
Code identifying the agency responsible for a code list.

| ACE Free ar | nd Secure Trade (1 | FAST) | | | |
|--------------|--------------------|-------------|--|--------------|-------|
| | | | US, U.S. Customs and Border Protect | | |
| X | 3403 | | NAME TYPE, CODED | \mathbf{C} | an3 |
| | | | Code for type of name such as official name, alias. | | |
| X | 3397 | | NAME STATUS, CODED | C | an3 |
| | | | To specify the status of a name (such as current name). | | |
| X | C816 | | NAME COMPONENT DETAILS | \mathbf{C} | |
| | | | To specify a name component. | | |
| M | 34 | 405 | Name component qualifier | M | an3 |
| | | | To indicate a part of the name such as family name or given | n name. | |
| M | 33 | 398 | Name component | C | an70 |
| | | | Part of party name such as family name or given name. | | |
| \mathbf{X} | 34 | 401 | Name component status, coded | C | an3 |
| | | | To specify the status of a name component. | | |
| X | 32 | 295 | Name component original representation, coded | \mathbf{C} | an3 |
| | | | To specify the alphabet originally used to represent the nam | ne. | |
| | C816 | | NAME COMPONENT DETAILS | \mathbf{C} | |
| | | | To specify a name component. | | |
| M | 34 | 405 | Name component qualifier | M | an3 |
| | | | To indicate a part of the name such as family name or given | n name. | |
| M | 33 | 398 | Name component | \mathbf{C} | an70 |
| | | | Part of party name such as family name or given name. | | |
| X | 34 | 401 | Name component status, coded | \mathbf{C} | an3 |
| | | | To specify the status of a name component. | | |
| X | 32 | 295 | Name component original representation, coded | C | an3 |
| | | | To specify the alphabet originally used to represent the nam | ne. | |
| X | C816 | | NAME COMPONENT DETAILS | \mathbf{C} | |
| | | | To specify a name component. | | |
| M | 34 | 405 | Name component qualifier | M | an3 |
| | | | To indicate a part of the name such as family name or given | n name. | |
| M | 33 | 398 | Name component | C | an70 |
| | | | Part of party name such as family name or given name. | | |
| X | 34 | 401 | Name component status, coded | C | an3 |
| | _ | | To specify the status of a name component. | | |
| X | 30 | 295 | Name component original representation, coded | C | an3 |
| | | | To specify the alphabet originally used to represent the nan | | ume |
| | C816 | | NAME COMPONENT DETAILS | C | |
| | 2010 | | To specify a name component. | Ü | |
| M | 34 | 405 | Name component qualifier | M | an3 |
| | | | To indicate a part of the name such as family name or given | | |
| M | 33 | 398 | Name component | C | an70 |
| | | | Part of party name such as family name or given name. | Ü | |
| X | 34 | 401 | Name component status, coded | C | an3 |
| 21 | 5- | 101 | To specify the status of a name component. | Č | umo |
| X | 3′ | 295 | Name component original representation, coded | C | an3 |
| 4. | 32 | _,_ | To specify the alphabet originally used to represent the nan | | uilou |
| X | C816 | | NAME COMPONENT DETAILS | C | |
| 1 | C010 | | To specify a name component. | C | |
| M | 3, | 405 | Name component qualifier | M | an3 |
| 141 | 3. | 105 | To indicate a part of the name such as family name or given | | uiiJ |
| M | 20 | 398 | Name component | C | an70 |
| TAT | 3. | <i>37</i> 0 | rame component | C | a11/U |

| | | Part of party name such as family name or given name. | | |
|---|------|--|--------------|-----|
| X | 3401 | Name component status, coded | | an3 |
| | | To specify the status of a name component. | | |
| X | 3295 | Name component original representation, coded | \mathbf{C} | an3 |
| | | To specify the alphabet originally used to represent the name. | | |

UNT Message Trailer **Segment:**

Position:

Group: Level:

0

Usage: Mandatory

Max Use:

A service segment ending a message, giving the total number of segments in the message **Purpose:**

and the control reference number of the message.

Dependency Notes: Semantic Notes:

Comments:

| | Data | Component | | | |
|---|----------------|----------------|--|------|---------------|
| | Element | Element | <u>Name</u> | Attr | <u>ibutes</u> |
| M | 0074 | | NUMBER OF SEGMENTS IN A MESSAGE | M | n6 |
| | | | Control count of number of segments in a message. | | |
| | | | Report the number or segments in the message. | | |
| M | 0062 | | MESSAGE REFERENCE NUMBER | M | an14 |
| | | | Unique message reference assigned by the sender. | | |
| | | | Report the same reference as reported in UNH Segment, DE 0 | 062. | |