CBP Automated Export System Trade Interface Requirements

309 Manifest Booking

June 26, 2008





309 Customs and Border Protection (CBP) - Manifest (Booking)

Functional Group ID=SO

Introduction:

This Standard contains the format and establishes the data contents of the Customs and Border Protection (CBP) Manifest Transaction Set (309) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by carriers, terminal operators, port authorities, or service centers to provide CBP with manifest data on cargo arriving in or departing from the U.S. on ocean going vessels, railroad trains, or other types of conveyances. The transaction set can also be used by carriers to provide terminal operators, port authorities, or service centers with manifest data on cargo arriving at their facilities via the conveyances mentioned above.

Notes:

This imp	lement	ation gui	de is based on	version/release	4010 of the X12:309	standard.		
User	Pos.	Seg.			Req.		Loop	
A ttuiburto	NIo	ID	Name		Dog	Mor Has	Domont	

Attribute M	No. 001	<u>ID</u> ISA	Name Interchange Control Header	Des. M	Max.Use	Repeat	
M	002	GS	Functional Group Header	M	1		
M	010	ST	Transaction Set Header	M	1		
M	020	M10	Manifest Identifying Information	M	1		
			LOOP ID - P4			20	
M	040	P4	U.S. Port Information	M	1		
			LOOP ID - LX			9999	
M	060	LX	Assigned Number	M	1		
	070	M13	Manifest Amendment Details	O	1		
M/U	080	M11	Manifest Bill of Lading Details	O	1		
M/U	085	N9	Reference Identification	O	999		
			LOOP ID - N1			5	
M	100	N1	Name	M	1		
	110	N3	Address Information	O	2		
	120	N4	Geographic Location	O	1		
Not Used	123	DTM	Date/Time Reference	O	1		
	125	PER	Administrative Communications Contact	O	1		
			LOOP ID - M12			1	
Not Used	130	M12	In-bond Identifying Information	О	1		
Not Used	135	P5	Port Information	O	5		
			LOOP ID - VID			999	
M/U	150	VID	Conveyance Identification	O	1		
	155	VC	Motor Vehicle Control	O	21		
			LOOP ID - N10			999	
	160	N10	Quantity and Description	О	1		7
			LOOP ID - H1			10	
Not Used	165	H1	Hazardous Material	О	1		
Not Used	166	H2	Additional Hazardous Material Description	O	99		
M	200	SE	Transaction Set Trailer	M	1		
M	210	GE	Functional Group Trailer	M	1		

M

1

Segment: ISA Interchange Control Header

Position: 001

Loop:

Level: Usage: Mandatory

Max Use:

Purpose: To start and identify an interchange of zero or more functional groups and interchange-

related control segments

		_	Data Element Summary		
User <u>Attribute</u> M	Ref. <u>Des.</u> ISA01	Data <u>Element</u> I01	Name Authorization Information Qualifier	_	ributes ID 2/2
			Code to identify the type of information in the Authorization 00 No Authorization Information Present (Information in I02)		
M	ISA02	102	Authorization Information Information used for additional identification or authorizatio interchange sender or the data in the interchange; the type of by the Authorization Information Qualifier (I01) Provide spaces.		
M	ISA03	103	Security Information Qualifier Code to identify the type of information in the Security Information O1 Password	M matio	ID 2/2
M	ISA04	I04	Security Information This is used for identifying the security information about the sender or the data in the interchange; the type of information Security Information Qualifier (I03) PASSWORD A code representing the password agreed upon between the Company of the participant.	is set	by the
M	ISA05	105	Equivalent AESTIR Proprietary Element: ACR - Password. Interchange ID Qualifier Qualifier to designate the system/method of code structure us the sender or receiver ID element being qualified 02 SCAC (Standard Carrier Alpha Code)		ID 2/2 designate
M	ISA06	106	Interchange Sender ID Identification code published by the sender for other parties or receiver ID to route data to them; the sender always codes the sender ID element USER CODE The SCAC code representing the transmitter ID as a carrier of Equivalent AESTIR Proprietary Element: ACR - User Code, Code.	is valu or serv	vice center.
M	ISA07	105	Interchange ID Qualifier Qualifier to designate the system/method of code structure use the sender or receiver ID element being qualified Customs and Border Protection (CBP). ZZ Mutually Defined		ID 2/2 designate
M	ISA08	107	Interchange Receiver ID Identification code published by the receiver of the data; Wh used by the sender as their sending ID, thus other parties sen		

use this as a receiving ID to route data to them

			Provide "USCSAES" for receiver's id.		
M	ISA09	I08	Interchange Date	M	DT 6/6
			Date of the interchange		
			TRANSMISSION DATE		
			A date in YYMMDD (year, month, day) format representing	the d	ate of
			processing.		
			Equivalent AESTIR Proprietary Element: ACR - Date.		
M	ISA10	109	Interchange Time	M	TM 4/4
			Time of the interchange		
			TRANSMISSION TIME		
			Provide transmission time.		
			E I I A FORTID D I A CD EI		
	ISA11	I10	Equivalent AESTIR Proprietary Element: ACR - Time. Interchange Control Standards Identifier	0	ID 1/1
	ISAII	110	Code to identify the agency responsible for the control standards	_	
			message that is enclosed by the interchange header and trailer		icd by the
M	ISA12	I11	Interchange Control Version Number		ID 5/5
			This version number covers the interchange control segments		
			Provide the version control number.		
M	ISA13	I12	Interchange Control Number	M	N0 9/9
			A control number assigned by the interchange sender		
			BATCH NUMBER		
			A Customs and Border Protection (CBP) generated code used		
			with the date of transmission to uniquely identify a user trans	missi	on.
			Equivalent AESTIR Proprietary Element: ACR - Batch Numl	ber.	
Not Used	ISA14	I13	Acknowledgment Requested	0	ID 1/1
			Code sent by the sender to request an interchange acknowleds	gmen	t (TA1)
Not Used	ISA15	I14	Usage Indicator	O	ID 1/1
			Code to indicate whether data enclosed by this interchange en	velo	pe is test,
			production or information	-	
M	ISA16	I15	Component Element Separator	M	AN 1/1
			Type is not applicable; the component element separator is a		
			a data element; this field provides the delimiter used to separa		
			data elements within a composite data structure; this value muthan the data element separator and the segment terminator	ist de	anterent
			man the data element separator and the segment terminator		

GS Functional Group Header **Segment:**

Position:

Loop:

Level: Usage:

Mandatory

Max Use:

To indicate the beginning of a functional group and to provide control information **Purpose:**

Data Element Summary

User	Ref.	Data			
<u>Attribute</u>	Des.	Element	<u>Name</u>	<u>Attr</u>	<u>ributes</u>
M	GS01	479	Functional Identifier Code	M	ID 2/2
			Code identifying a group of application related transaction set	İS	
			RO Ocean Booking Information (300, 301, 3	303)	
M	GS02	142	Application Sender's Code	M	AN 2/15
			Code identifying party sending transmission; codes agreed to	by tr	ading
			partners		
			Provide SCAC code identifying party sending transmission.		
M	GS03	124	Application Receiver's Code	M	AN 2/15
			Code identifying party receiving transmission; codes agreed t	o by	trading
			partners Provide "USCSAES".		
M	GS04	373	Date	M	DT 8/8
171	G304	313	Date expressed as CCYYMMDD	IVI	D1 0/0
			Provide date "YYYYMMDD" of transmission.		
M	GS05	337	Time	M	TM 4/8
IVI	GSUS	331			
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M		
			59), S = integer seconds (00-59) and DD = decimal seconds; (0.59)		,
			are expressed as follows: $D = tenths (0-9)$ and $DD = hundredt$		
			Provide time of transmission.		
M	GS06	28	Group Control Number	M	N0 1/9
			Assigned number originated and maintained by the sender		
			Provide group number for batch default "000000001".		
M	GS07	455	Responsible Agency Code	M	ID 1/2
			Code used in conjunction with Data Element 480 to identify t	he iss	suer of the
			standard V 19 19 19 19 19 19 19 19 19 19 19 19 19		
3.5	aaaa	400	X Accredited Standards Committee X12		137440
M	GS08	480	Version / Release / Industry Identifier Code	M	AN 1/12
			Code indicating the version, release, sub release, and industry EDI standard being used, including the GS and GE segments;		
			in GS segment is X, then in DE 480 positions 1-3 are the vers		
			positions 4-6 are the release and sub release, level of the versi		
			7-12 are the industry or trade association identifiers (optional)		
			user); if code in DE455 in GS segment is T, then other format		
			004010 Draft Standards Approved for Publication		

Procedures Review Board through October 1997

Segment: ST Transaction Set Header

Position: 010

Loop:

Level:

Usage: Mandatory

Max Use:

Purpose: To indicate the start of a transaction set and to assign a control number

User <u>Attribute</u> M	Ref. <u>Des.</u> ST01	Data <u>Element</u> 143	<u>Name</u> Transaction Set Identifier Code	<u>Attı</u> M	ributes ID 3/3
			Code uniquely identifying a Transaction Set		
M	ST02	329	Transaction Set Control Number	\mathbf{M}	AN 4/9
			Identifying control number that must be unique within the trifunctional group assigned by the originator for a transaction		ion set

M10 Manifest Identifying Information **Segment:**

Position:

020

Loop: Level:

Usage:

Mandatory

Max Use:

To transmit manifest identifying information **Purpose:**

			Data Element Summary	
User	Ref.	Data	N	A 44914
<u>Attribute</u> M	<u>Des.</u> M1001	Element 140	Name Standard Carrier Alpha Code	Attributes M ID 2/4
141	MIIOUI	140	Standard Carrier Alpha Code	141 110 2/4
			CARRIER CODE	
			C. Mulazik CODE	
			A code representing the importing/exporting carrier. This is	
			Carrier Alpha Code (SCAC) issued by the National Motor Fi	_
			Association Inc., 2200 Mill Road, Alexandria, VA 22310. If who own their containers, the SCAC is issued by the Intermo	
			Association, 6410 Kenilworth Ave., Suite 108, Riverdale, M	
	7.51000	0.4	Equivalent AESTIR Proprietary Element: M01 - Carrier Cod	
M	M1002	91	Transportation Method/Type Code	M ID 1/2
			Code specifying the method or type of transportation for the	shipment
			MODE OF TRANSPORTATION CODE	
			A code indicating the type of vessel used to carry the manife	sted cargo.
			VE Vessel, Ocean	
			Equivalent AESTIR Proprietary Element: M01 - Mode of Tr	ansportation Code
M	M1003	26	Country Code	M ID 2/3
			Code identifying the country	
			COUNTRY CODE	
			An International Standards Organization (ISO) code represer the vessel. Required for input to the Customs and Border Pre	
			and resource required for input to the Customs and Dorote 11.	outline (CDI).
			Equivalent AESTIR Proprietary Element: M01 - Vessel Cou	-
	M1004	597	Vessel Code	X ID 1/8
			Code identifying vessel	
			CONVEYANCE CODE	
			The Lloyds of London registry code representing the exporti	ng conveyance.
			This code is Mandatory if Vessel Name is not entered.	
			Equivalent AESTIR Proprietary Element: M01 - Conveyance	a Coda
	M1005	182	Vessel Name	X AN 2/28
			Name of ship as documented in "Lloyd's Register of Ships"	
			VESSEL NAME	
			A valid vessel name. Mandatory if missing Vessel Code.	
			Equivalent AESTIR Proprietary Element: M01 - Vessel Nan	ne.
M	M1006	55	Flight/Voyage Number	M AN 2/10
			Identifying designator for the particular flight or voyage on v	which the cargo
			travels	
			VOYAGE NUMBER	

The voyage number. Required for input to the Customs and Border Protection (CBP). If not known, send Julian date.

Voyage Number may not be reused with in one year. If the carrier attempts to reuse the number AES will reject the Booking with fatal error 687.

Equivalent AESTIR Proprietary Element: M01 - Voyage Number.

M1007 127 Reference Identification

O AN 1/30

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

SEQUENCE NUMBER

Optional, carrier assigned sequence number. The default is one (1). It may be a date. Once transmitted, it cannot be changed. All subsequent transmissions for the manifest must use the original manifest sequence number.

Equivalent AESTIR Proprietary Element: M01 - Manifest Sequence Number.

M M1008 380 Qua

Quantity

M R 1/15

Numeric value of quantity

TOTAL NUMBER OF BOOKINGS

A value representing the total number of bookings or bills of lading for all Customs and Border Protection (CBP) Districts/Ports of lading or unlading on the manifest. This is a mandatory data element for transmissions to CBP. It is not used in transmissions from CBP.

Equivalent AESTIR Proprietary Element: M01 - Number of Bookings or Bills of Lading.

M M1009 256

Manifest Type Code

M ID 1/1

Code identifying the type of manifest transmitted

APPLICATION IDENTIFIER

A code representing the type of application detail data contained within the block.

D Updating Export Manifest Prior to Vessel Departure from Carrier to CBP. E Original Export Manifest from Carrier to CBP. P Preliminary Manifest from Carrier to CBP.

Equivalent AESTIR Proprietary Element: ACR - Application Identifier.

Not Used M1010 897

Vessel Code Qualifier

X ID 1/1

Code specifying vessel code source

Not Used M1011 1073

Yes/No Condition or Response Code

O ID 1/1

Code indicating a Yes or No condition or response

M1012 127

Reference Identification

O AN 1/30

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

CARRIER ASSIGNED NUMBER

Optional, carrier assigned number, 1-23 positions. There is no editing on the format and it is returned as received in the CBP output

Acceptance/Rejection Transaction Set (355) to the carriers. This is not used in the Status Information Transaction Set (350) returned from CBP to the carriers.

Equivalent AESTIR Proprietary Element: M01 - Carrier Assigned Number

 ${\bf P4}\,$ U.S. Port Information **Segment:**

040 **Position:**

Loop: Level: P4 Mandatory

Usage: Mandatory

Max Use:

To transmit identifying information for a U.S. port **Purpose:**

User <u>Attribute</u> M	Ref. <u>Des.</u> P401	Data Element 310	Name Location Identifier Code which identifies a specific location		ibutes AN 1/30
M	P402	373	PORT OF LADING CODE A code representing the Customs and Border Protection (CB Lading. For listing of valid codes, use AESTIR Part III, Apple Equivalent AESTIR Proprietary Element: P01 - CBP Port of Date	endix Ladin	D.
IVI	1 402	313	Date expressed as CCYYMMDD	171	D1 0/0
			ESTIMATED DATE OF DEPARTURE		
			A date in the "YYYYMMDD" format representing the schedeparture from (for exports) or arrival at (for imports) this po		late of
		•00	Equivalent AESTIR Proprietary Element: P01 - Estimated D		•
M/U	P403	380	Quantity	О	R 1/15
			Numeric value of quantity NUMBER OF BOOKINGS FOR PORT		
			NUMBER OF BOOKINGS FOR PORT		
			A value representing the total number of bookings or bills of transmitted for this Port.	lading	g/house bills
			Equivalent AESTIR Proprietary Element: P01 - Number of I of Lading for Port.	3ookir	ngs or Bills
Not Used	P404	310	Location Identifier	O	AN 1/30
			Code which identifies a specific location		
Not Used	P405	337	Time	0	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, of HHMMSSD, or HHMMSSDD, where H = hours (00-23), M 59), S = integer seconds (00-59) and DD = decimal seconds; are expressed as follows: D = tenths (0-9) and DD = hundred	= mir decin	nutes (00- nal seconds

Segment: LX Assigned Number

Position: 060

Loop: LX Mandatory

Level:

Usage: Mandatory

Max Use:

Purpose: To reference a line number in a transaction set

Data Element Summary

Number assigned for differentiation within a transaction set

LOOP CONTROL NUMBER

Provide sender control number for the loop.

M13 Manifest Amendment Details **Segment:**

Position:

070 LX Loop: Mandatory

Level:

Usage: Optional Max Use:

Purpose: To correct a manifest record prior to conveyance arrival or to amend a manifest record

after conveyance arrival

			Data Element Summary		
User	Ref.	Data			
<u>Attribute</u>	Des.	Element	<u>Name</u>	<u>Attr</u>	<u>ibutes</u>
M	M1301	140	Standard Carrier Alpha Code	M	ID 2/4
			Standard Carrier Alpha Code		
			CARRIER CODE		
			SCAC of the Booking issuer.		
			Equivalent AESTIR Proprietary Element: A01 - Carrier Code		
M	M1302	310	Location Identifier	M	AN 1/30
	1,1100	010	Code which identifies a specific location		121 (2,00
			CONTROL NUMBER		
			CONTROLINGUIDER		
			Provide Booking number.		
3.6/51	3.51202	5 00	Equivalent AESTIR Proprietary Element: A01 - Control Num		TD 4/4
M/U	M1303	580	Amendment Type Code	O	ID 1/1
			Code identifying type of manifest amendment		
			ACTION CODE		
			A code representing the type of booking amendment. Valid C	odes	are:
			reductoplesenting the type of booking amendment. Valid C	Joues	arc.
			A = Add a Booking		
			D = Delete a Booking		
			R = Replace a Booking. (Use element N904 for "Estimated D	ate c	of
			Departure".)		
			Equivalent AESTIR Proprietary Element: A01 Action Code.		
Not Used	M1304	598	Bill of Lading/Waybill Number	C	AN 1/12
			Identification number assigned to the shipment by the carrier	or co	nsolidator
Not Used	M1305	380	Quantity	O	R 1/15
			Numeric value of quantity		
Not Used	M1306	393	Amendment Code	0	ID 2/2
			Code giving the reasons for the amendment of the manifest re	cord	-
Not Used	M1307	306	Action Code	0	ID 1/2
1100 0000	1,11001	200	Code indicating type of action	•	
M/U	M1308	598	Bill of Lading/Waybill Number	X	AN 1/12
111, 6	111200	270	Identification number assigned to the shipment by the carrier		
			QUALIFIER	01 00	insoridator
			QU'ILII ILIK		
			Provide Booking Qualifier:		
			MB = Master Booking Number		
			Future Use:		
			HB = House Booking Number		

			B = House Bill of Lading Number Equivalent AESTIR Proprietary Element: A01 - Qualifier.		
M/U	M1309	140	Standard Carrier Alpha Code	0	ID 2/4
			Standard Carrier Alpha Code		
			PORT CODE A code representing the Customs and Border Protection (CBF Lading. Use CBP Schedule D.) Dis	strict/Port of
Not Used	M1310	140	Equivalent AESTIR Proprietary Element: A01 - CBP Port. Standard Carrier Alpha Code	X	ID 2/4
Not Oseu	WIISIU	140	Standard Carrier Alpha Code	Λ	110 2/4

 $M11 \ {\rm Manifest \ Bill \ of \ Lading \ Details}$ **Segment:**

Position:

080 LX Loop: Level: Mandatory

Usage: Optional (Must Use)

Max Use:

To transmit bill of lading detail information for a manifest **Purpose:**

			Data Element Summary		
User <u>Attribute</u> Not Used	Ref. <u>Des.</u> M1101	Data Element 598	<u>Name</u> Bill of Lading/Waybill Number	Attri	ibutes AN 1/12
			Identification number assigned to the shipment by the carrier	or co	
M/U	M1102	310	Location Identifier	C	AN 1/30
			Code which identifies a specific location FOREIGN PORT Provide foreign port of unlading.		
3.6.67	3.511.02	200	Equivalent AESTIR Proprietary Element: B02 - Foreign Port		D 4/45
M/U	M1103	380	Quantity	C	R 1/15
			Numeric value of quantity QUANTITY A value representing the total number of pieces on the bookir are 10 ctn and 10 bal on one booking, insert the number 20 in the smaller exterior package unit. Piece count units are given record. The total number of N10 piece counts for the booking	this f	rield). Use e N10
			booking quantity. The value must be greater than zero.		
			Equivalent AESTIR Proprietary Element: B02 - Booking Qua		
M/U	M1104	599	Manifest Unit Code Code defining the smallest package unit for the bill of lading	C	ID 1/3
			QUANTITY - UNIT OF MEASURE CODE		
			A code representing the booking unit of measure, such as CT more than three characters, truncate the excess.	N. If	the unit is
			Equivalent AESTIR Proprietary Element: B02 - Quantity Un		
M/U	M1105	81	Weight	C	R 1/10
			Numeric value of weight		
			WEIGHT		
			A value representing the gross weight in pounds or kilos. Inpumbers; no decimals or fractions. The value must be greater		
M/U	M1106	188	Equivalent AESTIR Proprietary Element: B02 - Booking We Weight Unit Code	ight.	ID 1/1
			Code specifying the weight unit		
			WEIGHT - UNIT OF MEASURE CODE		
			A code representing the unit of measure for the Weight value field.	in the	e previous
			K Kilograms L Pounds		
			Equivalent AESTIR Proprietary Element: B02 - Weight Unit		

Not Used	M1107	183	Volume	X	R 1/8
NI-4 IIJ	N/1100	104	Value of volumetric measure	•	ID 1/1
Not Used	M1108	184	Volume Unit Qualifier	X	ID 1/1
N I	3.51100	500	Code identifying the volume unit		TD 2/2
Not Used	M1109	582	Bill of Lading Type Code	O	ID 2/2
	3.54.4.0		Code identifying the type of bill of lading		
Not Used	M1110	600	Place of Receipt by Pre-carrier	0	AN 1/17
			The city or country in which the pre-carrier took possession		=
Not Used	M1111	598	Bill of Lading/Waybill Number		AN 1/12
			Identification number assigned to the shipment by the carrie	er or co	onsolidator
M	M1112	140	Standard Carrier Alpha Code	M	ID 2/4
			Standard Carrier Alpha Code		
			ISSUER CODE		
			A SCAC code of the issuer of the booking.		
			Equivalent AESTIR Proprietary Element: J01 - Carrier Mas	ster Bo	oking/Bill of
			Lading Issuer Code.		C
Not Used	M1113	140	Standard Carrier Alpha Code	X	ID 2/4
			Standard Carrier Alpha Code		
M/U	M1114	140	Standard Carrier Alpha Code	X	ID 2/4
			Standard Carrier Alpha Code		
			NUMBER OF CONTAINERS		
			A numeric count as to the number of containers required fo	r this b	ooking.
			E : 1 (AECTID D : A E1 (ADO2 N 1)		
Not Used	M1115	140	Equivalent AESTIR Proprietary Element: B02 - Number of		iners. ID 2/4
Not Used	WIIIIS	140	Standard Carrier Alpha Code	Λ	ID 2/4
NT 4 TT 1	3.51117	1202	Standard Carrier Alpha Code	•	A DT 1/0
Not Used	M1116	1302	Electronic Export Information Requirements	0	AN 1/2
			Code identifying which Electronic Export Information (EE) being met	ı) requi	rements are
Not Used	M1117	1578	Export Exception Code	O	ID 2/2
1101 0500	171111/	1576	Code specifying why a Electronic Export Information (EEI	_	
M/U	M1118	140	Standard Carrier Alpha Code		ID 2/4
141/6	WIIIIO	140	Standard Carrier Alpha Code	O	110 2/4
			HAZMAT FLAG		
			HAZIVIAT FLAU		
			Enter "YES" or "NO" indicating that the cargo in this book	ing is/i	s not
			potentially hazardous.		
**	3.54.440	4.0	Equivalent AESTIR Proprietary Element: B02 - Hazmat Fl	_	TD 4/:
Not Used	M1119	140	Standard Carrier Alpha Code	O	ID 2/4
			Standard Carrier Alpha Code		

Segment: N9 Reference Identification

Position: 085

Loop: LX Mandatory

Level:

Usage: Optional (Must Use)

Max Use: 999

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

User	Ref.	Data	Data Element Summary	
<u>Attribute</u>	Des.	Element	Name	<u>Attributes</u>
M	N901	128	Reference Identification Qualifier	M ID 2/3
			Code qualifying the Reference Identification	
			QUALIFIER	
			Control number qualifier.	
			Booking Number	
			Equivalent AESTIR Proprietary Element: B02 - Qualifier.	
M	N902	127	Reference Identification	M AN 1/30
			Reference information as defined for a particular Transaction	n Set or as
			specified by the Reference Identification Qualifier	
			CONTROL NUMBER	
			The number representing the issuer essigned central number	that identifies the
			The number representing the issuer-assigned control number booking. The control number must be unique by vessel voya	
			occurrence in manager of a magnetic formation of the second of the secon	20.
			Equivalent AESTIR Proprietary Element: B02 - Control Nur	
M/U	N903	369	Free-form Description	X AN 1/45
			Free-form descriptive text	
			DESTINATION COUNTRY	
			The ISO code representing the foreign country where the car	riers'
			responsibility for the shipment ends. For listing of valid code	
			Part III, Appendix C.	,
			T. I. I. TERRYD D. I. T. DOG D. I. I.	
	N904	373	Equivalent AESTIR Proprietary Element: B02 - Destination Date	Country. C DT 8/8
	11707	313	Date expressed as CCYYMMDD	C D1 6/6
			ESTIMATED DATE OF DEPARTURE	
			ESTIMITED DITTE OF DEFINITIONE	
			The last accepted, estimated departure date of the booking. F	Format is
			YYYYMMDD.	
			Equivalent AESTIR Proprietary Element: A01 - Estimated D	Oata of Danartura
Not Used	N905	337	Time	X TM 4/8
1,000 0,000			Time expressed in 24-hour clock time as follows: HHMM, o	
			HHMMSSD, or HHMMSSDD, where H = hours (00-23), M	
			59), $S = integer seconds (00-59) and DD = decimal seconds;$	
NI 4 TI 1	NOOC	(22	are expressed as follows: $D = tenths (0-9)$ and $DD = hundred$	
Not Used	N906	623	Time Code Code identifying the time. In accordance with International 6	O ID 2/2
			Code identifying the time. In accordance with International Standard 8601, time can be specified by a + or	
			in hours in relation to Universal Time Coordinate (UTC) tim	
			restricted character, + and - are substituted by P and M in the	
Not Used	N907	C040	Reference Identifier	0
			To identify one or more reference numbers or identification	numbers as

Not Used	C04001	128	specified by the Reference Qualifier Reference Identification Qualifier	O	ID 2/3
Not Usea	C04001	120	Reference Identification Qualifier	U	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04002	127	Reference Identification	O	AN 1/30
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	Set o	or as
Not Used	C04003	128	Reference Identification Qualifier	\mathbf{X}	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04004	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	Set o	or as
Not Used	C04005	128	Reference Identification Qualifier	\mathbf{X}	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	Set (or as

Segment: NI Name

Position: 100

Loop: N1 Mandatory

Level:

Usage: Mandatory

Max Use:

Purpose: To identify a party by type of organization, name, and code

		_	Data Eleme	ent Summary		
User	Ref.	Data	NI		A 44-	.914
<u>Attribute</u> M	<u>Des.</u> N101	Element 98	Name Entity Identifier Co	ode		ributes ID 2/3
141	11101	70	•	organizational entity, a physical location		
			individual	organizational entity, a physical location	, prop	ocity of all
			PARTY TYPE			
			Code identifying typ	be of party in booking.		
			Equivalent AESTIR	Proprietary Element: N01 - Party Type.		
			CN	Consignee		
			IC	Intermediate Consignee		
			SH	Shipper		
			UC	Ultimate Consignee		
			ZZ	Mutually Defined		
				Carrier Customer		
	N102	93	Name		X	AN 1/60
			Free-form name			
			PARTY NAME			
					~	
				quired if Party is being established for the AES. For Consignees without a Party II		
			E ' 1 AEGEID	D El NOI D . N		
	N103	66	Equivalent AESTIR Identification Code	Proprietary Element: N01 - Party Name.		ID 1/2
	11103	00		e system/method of code structure used f		
			Code (67)	e systems method of code structure used i	or rac	ontification
			PARTY ID TYPE			
			Type of ID (e.g. DU	(NS SN)		
			Type of ID (e.g. De	110, 5511).		
			Equivalent AESTIR	Proprietary Element: N01 - Party ID Typ	pe.	
				u has eliminated the acceptance of SSN		~
				cember 3, 2009. Corrections (change, r		
			accepted.	with SSN prior to the effective date will	Com	imue to be
			1	D-U-N-S Number, Dun & Bradstreet		
			34	Social Security Number		
			EI	Employer Identification Number		
			ZC	Contractor Establishment Code		
				Other		
	N104	67	Identification Code		X	AN 2/80

Code identifying a party or other code

Provide the DUNS, SSN, EIN, or Other Carrier Unique Identifier.

PARTY ID NUMBER

The Census Bureau has eliminated the acceptance of SSN on any new
filings effective December 3, 2009. Corrections (change, replace or cancel)
to shipments filed with SSN prior to the effective date will continue to be

Equivalent AESTIR Proprietary Element: N01 - Party ID Number.

accepted.		 	 		
Entity Relationship	Code		0	ID 2/	2

Code describing entity relationship

Not Used

N105

706

Not Used N106 98 Entity Identifier Code O ID 2/3

 $Code\ identifying\ an\ organizational\ entity,\ a\ physical\ location,\ property\ or\ an\ individual$

N3 Address Information **Segment:**

Position: 110

> Loop: N1 Mandatory

Level:

Usage: Optional Max Use:

Purpose: To specify the location of the named party Send only one N3 record for an N1 record. **Notes:**

Data Element Summary

Ref. User Data **Attribute** Des. **Element Name Attributes** N301 166 **Address Information** C AN 1/55 Address information MAILING ADDRESS, LINE 1 Mailing Address Line 1, required if Party is being established for the first time or if no Party ID is on file in AES. This applies to all parties. Equivalent AESTIR Proprietary Element: N02 - Address, Line 1. N302 166 0 AN 1/55

Address Information

Address information

MAILING ADDRESS, LINE 2

Additional Address Line 2.

Equivalent AESTIR Proprietary Element: N02 - Address, Line 2.

Segment: N4 Geographic Location

Position: 120

Loop: N1 Mandatory

Level:

Usage: Optional Max Use: 1

Purpose: To specify the geographic place of the named party

			Data Element Summary	
User	Ref.	Data	V	
Attribute	Des.	Element	<u>Name</u>	Attributes
	N401	19	City Name	O AN 2/30
			Free-form text for city name	
			CITY	
			Mailing City, required if party is being established for the first	st time or no party
			ID is on file in AES. This applies to all parties.	1 3
			Equivalent AESTIR Proprietary Element: N03 - City.	
	N402	156	State or Province Code	O ID 2/2
			Code (Standard State/Province) as defined by appropriate government	vernment agency
			STATE	
			U.S. State abbreviation or foreign state name. For both EB at	
			applications, required for Shipper or Carrier Customer when	
			is US, MX or CA if the Party ID Number and the Party ID Ty	
			AES or are not provided. Optional for Consignee, Ultimate C	onsignee and
			Intermediate Consignee.	
			For both EB and XI applications, for Shipper, Carrier Custom	ner Consignee
			Ultimate Consignee and Intermediate Consignee, STATE mu	
			STATE code when COUNTRY code is US, MX or CA.	
			Equivalent AESTIR Proprietary Element: N03 - State.	
	N403	116	Postal Code	O ID 3/15
			Code defining international postal zone code excluding punct	uation and blanks
			(zip code for United States)	
			POSTAL CODE	
			Zip Code.	
			Zip code.	
			For both EB and XI applications, required for Shipper, Carrie	r Customer when
			COUNTRY code is US if the Party ID Number and the Party	
			exist in AES or are not provided. Optional for Consignee, Ult	imate Consignee
			and Intermediate Consignee.	
			E : 1 AEGERD D : A EI	
	N404	26	Equivalent AESTIR Proprietary Element: N03 - Postal Code.	
	11404	20	Country Code	O ID 2/3
			Code identifying the country	
			COUNTRY CODE	
			ISO Country code. For both EB and XI applications, required	I for Shipper
			and Ar applications, required	Tor Sinpper,

ISO Country code. For both EB and XI applications, required for Shipper, Carrier Customer, Consignee, Ultimate Consignee and Intermediate Consignee if the Party ID Number and the Party ID Type do not exist in AES or are not provided.

For both EB and XI applications, for Shipper, Carrier Customer, Consignee, Ultimate Consignee or Intermediate Consignee, the COUNTRY code must be a valid ISO country code.

			Equivalent AESTIR Proprietary Element: N03 - Country.		
Not Used	N405	309	Location Qualifier	X	ID 1/2
			Code identifying type of location		
Not Used	N406	310	Location Identifier	O	AN 1/30
			Code which identifies a specific location		

Segment: PER Administrative Communications Contact

Position: 125

Loop: N1 Mandatory

Level:

Usage: Optional Max Use: 1

Purpose: To identify a person or office to whom administrative communications should be directed

T.T. a. a. a.	Def	Doto	Data Element Summary		
User <u>Attribute</u>	Ref. <u>Des.</u>	Data <u>Element</u>	Name	A ++1	ributes
Attribute	PER01	366	Contact Function Code	_	ID 2/2
	1 22101		Code identifying the major duty or responsibility of the personal code.		-
			CONTACT CODE	JII OI	group named
			CONTACT CODE		
			Enter "CN" to identify Party's contact information as "Gener	ral Co	ontact."
	PER02	93	Name	C	AN 1/60
			Free-form name		
			CONTACT PARTY		
			CONTACTTAKTT		
			Contact Party's Name or Title, required if Party is being esta	blishe	ed for the
			first time or no Party ID is on file in AES. This applies to sh		
			customers only. Provide contact first name (positions 1 - 13)), SPA	ACE (position
			14), and last name (positions 15 - 34).		
			Equivalent AESTIR Proprietary Elements: N01 - Contact Fin	st Na	me; N01 -
	PER03	365	Contact Last Name.	C	ID 2/2
	I EKUS	303	Communication Number Qualifier	C	10 2/2
			Code identifying the type of communication number		
			COMMUNICATIONS QUALIFIER		
			Enter "TE" for Party's contact phone number.		
	PER04	364	Communication Number	C	AN 1/80
	1 2210 .		Complete communications number including country or area		
			applicable		***************************************
			CONTACT TELEPHONE NUMBER		
			Contact Party's Phone, required if Party is being established to		
			if no Party ID is on file in AES. For 1-800 numbers provide		
			without spaces or dashes. For other numbers, provide 10 numbers, p	nbers	without
			spaces or dashes and left justify.		
			Equivalent AESTIR Proprietary Element: N02 - Contact Pho	ne	
Not Used	PER05	365	Communication Number Qualifier	X	ID 2/2
1,00 0,00	1 22100		Code identifying the type of communication number		12 1, 1
Not Used	PER06	364	Communication Number	v	AN 1/80
not oscu	1 LIXUU	304	Complete communications number including country or area		
			applicable	Couc	WIICII
Not Used	PER07	365	Communication Number Qualifier	X	ID 2/2
			Code identifying the type of communication number		<u>-</u>
Not Used	PER08	364	Communication Number	X	AN 1/80
1101 OSEU	1 121100	JU T	Complete communications number including country or area		
			applicable	. coue	WIICII
Not Used	PER09	443	Contact Inquiry Reference	O	AN 1/20
1,01 000			Additional reference number or description to clarify a conta		
			Additional reference number of description to clarify a conta	Ct mui	11001

VID Conveyance Identification **Segment:**

Position:

150 VID Loop: Optional (Must Use)

Level:

Usage: Optional (Must Use)

Max Use:

To identify a conveyance and its attributes **Purpose:** Notes: Send only one VID record for an M11 record.

			Data Element Summary		
User	Ref.	Data			
<u>Attribute</u>	Des.	<u>Element</u>	Name First A.B. 1111 C. I.		ributes
Not Used	VID01	40	Equipment Description Code	С	ID 2/2
			Code identifying type of equipment used for shipment		
Not Used	VID02	206	Equipment Initial	O	AN 1/4
			Prefix or alphabetic part of an equipment unit's identifying n	umbe	r
Not Used	VID03	207	Equipment Number	C	AN 1/10
			Sequencing or serial part of an equipment unit's identifying r	ıumbe	er (pure
			numeric form for equipment number is preferred)		
Not Used	VID04	225	Seal Number	O	AN 2/15
			Unique number on seal used to close a shipment		
Not Used	VID05	225	Seal Number	O	AN 2/15
			Unique number on seal used to close a shipment		
M/U	VID06	567	Equipment Length	O	N0 4/5
			Length (in feet and inches) of equipment ordered or used to t		
			(The format is FFFII where FFF is feet and II is inches; the r	ange	for II is 00
			through 11)		
			CONTAINER/EQUIPMENT LENGTH		
			Length (in feet and inches) of the container.		
			Length (in feet and menes) of the container.		
			Equivalent Proprietary Element: B03 - Container/Equipment	Leng	th.
Not Used	VID07	65	Height	o	R 1/8
			Vertical dimension of an object measured when the object is	in the	upright
			position		
Not Used	VID08	189	Width	O	R 1/8
			Shorter measurement of the two horizontal dimensions meas	ured v	with the
			object in the upright position		
M/U	VID09	24	Equipment Type	O	ID 4/4
			Code identifying equipment type		
			CONTAINER/EQUIPMENT TYPE CODE		
			C. 1. '1. v'C '. v 1. v . '. v . v . C. AEGTID A . v . 1'	D.C.	1 C
			Code identifying the equipment type. See AESTIR Appendicodes.	XPIC	or a list of
			codes.		
			Equivalent Proprietary Element: B03 - Container/Equipment	Type	. .
Not Used	VID10	322	Load/Empty Status Code	o	ID 1/1
			Code which specifies the loaded condition of transportation of	equip	ment
	VID11	56	Type of Service Code	0	ID 2/2
			Code specifying extent of transportation service requested		
			TYPE OF SERVICE CODE		
			07 5241 752 5552		
			Code specifying extent of transportation service requested. S	See A	ESTIR Part
			III, Appendix G for the list of Type of Service codes.		
	VID 12	210	Equivalent Proprietary Element: B02 - Type of Service.	^	A N. 1 /20
	VID12	310	Location Identifier	O	AN 1/30

Code which identifies a specific location

PLACE OF RECEIPT CITY NAME

A valid city name for place of receipt by carrier must be provided for Bookings.

Equivalent Proprietary Element: B03 - City Name for Place of Receipt.

VID13 140 Standard Carrier Alpha Code

O ID 2/4

Standard Carrier Alpha Code

PLACE OF RECEIPT STATE CODE

Provide U.S. state code abbreviation. Required if city name for place of receipt is provided.

Equivalent Proprietary Element: B03 - State.

Segment: VC Motor Vehicle Control

Position: 155

Loop: VID Optional (Must Use)

Level:

Usage: Optional Max Use: 21

Purpose: To define motor vehicle identification and logistics Notes: Provide VIN numbers for vehicles being shipped.

			Data Element Summary		
User	Ref.	Data			
<u>Attribute</u> M	Des.	Element 539	Name Vehicle Identification Number	Att M	<u>ributes</u> AN 1/25
IVI	VC01	539			
			Unique identification number stamped on the vehicle by the	manu	racturer
			VIN		
			The unique vehicle identification number stamped on a vehic	ele by	the
			manufacturer.		
	TT.004	026	Equivalent AESTIR Proprietary Element: C02 - VIN.		TD 4/4
Not Used	VC02	836	Vehicle Deck Position Code	0	ID 2/2
			Code to identify the specific position of a vehicle on multi-le when dealing with rail cars the front end will be defined as the		
			car which the vehicle faces	iat en	id of the fair
Not Used	VC03	837	Vehicle Type Code	O	ID 1/1
			Vehicle Type Code for freight rate and claims purposes		
Not Used	VC04	838	Dealer Code	O	AN 2/9
			A code assigned by a manufacturer to identify their dealers		
Not Used	VC05	1	Route Code	O	AN 1/13
			Mutually defined route code		
Not Used	VC06	839	Bay Location	O	AN 1/6
			Location where the releasing agent placed the motor vehicle		
Not Used	VC07	833	Automotive Manufacturers Code	O	ID 2/2
			Code (ARR) used to identify vehicle manufacturer		
Not Used	VC08	308	Damage Exception Indicator	O	ID 1/1
			Code to indicate whether damage is being reported to a vehic	ele in	this
	T 1000	025	transaction set	_	TD 4/4
Not Used	VC09	835	Supplemental Inspection Code	0	ID 1/1
NI	¥7.010	502	A code to indicate a supplemental inspection	0	A 3.1 . C (4.0)
Not Used	VC10	583	Factory Car Order Number	O	AN 6/10
			This number to be supplied by the shipper for Canadian custo at border points for all finished motor vehicles exported to the		
			from Canada	ic UII.	ica states
Not Used	VC11	877	Vessel Stowage Location	O	AN 1/12
			Location of cargo stowed on board an ocean vessel		

Segment: N10 Quantity and Description

Position: 160

Loop: N10 Optional

Level:

Usage: Optional Max Use: 1

Purpose: To indicate line item quantity, description, marks and numbers, commodity code, weight,

and Customs and Border Protection (CBP) value

Notes: Send only one N10 record for a VID record.

	Data Element Summary							
User	Ref.	Data	N.		•1			
Attribute	<u>Des.</u> N1001	Element 280	Name Overstitus	C	ibutes D 1/15			
M/U	MIUUI	380	Quantity	C	R 1/15			
			Numeric value of quantity					
			PIECE COUNT					
			A value representing the total number of pieces in the contain	nor ha	inα			
			described. This is the number of the smallest exterior package		_			
			box, bag or crates are examples of smallest exterior packagin					
			container are not.	<i>O</i> , 1				
			Equivalent AESTIR Proprietary Element: D01 - Piece Count					
M/U	N1002	369	Free-form Description	O	AN 1/45			
			Free-form descriptive text					
			CARGO DESCRIPTION					
			A description of the cargo. Send only one description line pe	n Doo	lrin a			
			A description of the cargo. Send only one description line pe	я воо	oking.			
			Equivalent AESTIR Proprietary Element: D01 - Description.					
Not Used	N1003	87	Marks and Numbers	0	AN 1/48			
			Marks and numbers used to identify a shipment or parts of a	shipm	ent			
Not Used	N1004	23	Commodity Code Qualifier	X	ID 1/1			
			Code identifying the commodity coding system used for Con	nmodi	ty Code			
M/U	N1005	22	Commodity Code	O	AN 1/30			
			Code describing a commodity or group of commodities					
			LINE IDENTIFIER					
			Line identifier for each line of description. Send only one lin	ie for	a Booking.			
			Equivalent AESTIR Proprietary Element: D01 - Line Number	ar				
Not Used	N1006	602	Customs and Border Protection (CBP) Shipment Value	X	AN 2/8			
- 100 0 0 0 0		~ ~ _	Customs value in whole dollars					
Not Used	N1007	188	Weight Unit Code	X	ID 1/1			
1100 0500	112007	100	Code specifying the weight unit		12 1/1			
Not Used	N1008	81	Weight	X	R 1/10			
1100 0500	112000	01	Numeric value of weight		11 1/10			
Not Used	N1009	127	Reference Identification	0	AN 1/30			
110t escu	111002	121	Reference information as defined for a particular Transaction	_				
			specified by the Reference Identification Qualifier	i bei o	1 43			
Not Used	N1010	599	Manifest Unit Code	O	ID 1/3			
			Code defining the smallest package unit for the bill of lading					
Not Used	N1011	26	Country Code	O	ID 2/3			
			Code identifying the country					
Not Used	N1012	26	Country Code	O	ID 2/3			
			Code identifying the country					
			, ,					

Not Used N1013 100 Currency Code X ID 3/3

Code (Standard ISO) for country in whose currency the charges are specified

Segment: ${\bf SE}$ Transaction Set Trailer

Position: 200

Loop:

Level:

Usage: Mandatory

Max Use:

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

User <u>Attribute</u>	Ref.	Data Element	Name Name		ributes
M	SE01	96	Number of Included Segments	M	N0 1/10
			Total number of segments included in a transaction set inclusegments	ding S	ST and SE
M	SE02	329	Transaction Set Control Number	M	AN 4/9
			Identifying control number that must be unique within the trunctional group assigned by the originator for a transaction		tion set

Segment: \mathbf{GE} Functional Group Trailer

Position: 210

Loop:

Level:

Usage: Mandatory

Max Use:

Purpose: To indicate the end of a functional group and to provide control information

		Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element					
M GE02	28	Group Control Number Assigned number originated and maintained by the sender	M	N0 1/9			

Segment: IEA Interchange Control Trailer

Position: 220

Loop:

Level: Usage:

Mandatory

Max Use:

Purpose: To define the end of an interchange of zero or more functional groups and interchange-

related control segments

User	Ref.	Data	N.		•••	
<u>Attribute</u>	Des.	<u>Element</u>	<u>Name</u>	Atti	<u>Attributes</u>	
M	IEA01	I16	Number of Included Functional Groups	\mathbf{M}	N0 1/5	
			A count of the number of functional groups included in an in	nterch	ange	
\mathbf{M}	IEA02	I12	Interchange Control Number	\mathbf{M}	N0 9/9	
			A control number assigned by the interchange sender			